

#\$+K!

FL: a Frame Layout Framework

by Aleksandras Gluchovas and others

January 2nd 2002

Contents

[Copyright notice](#)

[Introduction](#)

[Alphabetical class reference](#)

[Classes by category](#)

[Topic overviews](#)

c_{ontents}

c_{ontents}

b_{rowse00001}

K_{Contents}

D_{isableButton("Up")}

\$#+K!**Copyright notice**

FL is copyright Aleksandras Gluchovas, 2001-2002.

The licence is the wxWindows Licence.

c opyright notice

t opic0

b rowse00002

K Copyright notice

DisableButton("Up")

\$#+K! **Introduction**

[What is FL?](#)

[Compiling and using FL](#)

[FL concepts](#)

[Controlling dragging behaviour](#)

'ntroduction

i ntroduction

b rowse00003

K Introduction

DisableButton("Up")

\$#+K! Alphabetical class reference

[BagLayout](#)
[wxBarIterator](#)
[cbAntiflickerPlugin](#)
[cbBarDimHandlerBase](#)
[cbBarDragPlugin](#)
[cbBarHintsPlugin](#)
[cbBarInfo](#)
[cbBarShapeData](#)
[cbBarSpy](#)
[cbCloseBox](#)
[cbCollapseBox](#)
[cbCommonPaneProperties](#)
[cbCustomizeBarEvent](#)
[cbCustomizeLayoutEvent](#)
[cbDimInfo](#)
[cbDockBox](#)
[cbDockPane](#)
[cbDrawBarDecorEvent](#)
[cbDrawBarHandlesEvent](#)
[cbDrawHintRectEvent](#)
[cbDrawPaneBkGroundEvent](#)
[cbDrawPaneDecorEvent](#)
[cbDrawRowBkGroundEvent](#)
[cbDrawRowDecorEvent](#)
[cbDrawRowHandlesEvent](#)
[cbDynToolBarDimHandler](#)
[cbFinishDrawInAreaEvent](#)
[cbFloatedBarWindow](#)
[cbGCUpdatesMgr](#)
[cbHintAnimationPlugin](#)
[cbInsertBarEvent](#)
[cbLayoutRowEvent](#)
[cbLayoutRowsEvent](#)
[cbLeftDClickEvent](#)
[cbLeftDownEvent](#)
[cbLeftUpEvent](#)
[cbMiniButton](#)
[cbMotionEvent](#)
[cbPaneDrawPlugin](#)
[cbPluginBase](#)

^Alphabetical class reference

^Classref

^Browse00008

^K Alphabetical class reference

^DisableButton("Up")

[cbPluginEvent](#)
[cbRemoveBarEvent](#)
[cbResizeBarEvent](#)
[cbResizeRowEvent](#)
[cbRightDownEvent](#)
[cbRightUpEvent](#)
[cbRowDragPlugin](#)
[cbRowInfo](#)
[cbRowLayoutPlugin](#)
[cbSimpleCustomizationPlugin](#)
[cbSimpleUpdatesMgr](#)
[cbSizeBarWndEvent](#)
[cbStartBarDraggingEvent](#)
[cbStartDrawInAreaEvent](#)
[cbUpdateMgrData](#)
[cbUpdatesManagerBase](#)
[wxDynamicToolBar](#)
[wxDynToolInfo](#)
[wxFrameLayout](#)
[wxFrameManager](#)
[GarbageCollector](#)
[LayoutManagerBase](#)
[wxNewBitmapButton](#)
[wxToolLayoutItem](#)
[wxToolWindow](#)

\$#+K! Classes by category

A classification of FL classes by category.

Plugin classes

Plugins can be added to frame layouts to extend behaviour.

<u>cbAntiflickerPlugin</u>	Double-buffering class
<u>cbBarDragPlugin</u>	Implements drag behaviour.
<u>cbBarHintsPlugin</u>	Implements bar decoration and sizing behaviour.
<u>cbHintAnimationPlugin</u>	Draws animated hints when the user drags a pane.
<u>cbPaneDrawPlugin</u>	Implements most of MFC-style control bar implementation.
<u>cbPluginBase</u>	Abstract base class for all control-bar related plugins.
<u>cbRowDragPlugin</u>	Implements row-dragging functionality.
<u>cbRowLayoutPlugin</u>	Implements row layout functionality.
<u>cbSimpleCustomizationPlugin</u>	Enables customization of a bar.
<u>cbBarSpy</u>	Helper class used for spying for unhandled mouse events on control bars and forwarding them to the frame layout.

Window classes

Windows classes (note that the mini-button implementations are not true windows in that they do not derive from wxWindow).

<u>wxToolWindow</u>	A small frame that paints its own titlebar.
<u>cbFloatedBarWindow</u>	A kind of wxToolWindow implementing floating windows.
<u>cbMiniButton</u>	Base class for wxToolWindow titlebar buttons.
<u>cbCloseBox</u>	Close button for wxToolWindow titlebar.
<u>cbCollapseBox</u>	Collapse button for wxToolWindow titlebar.

[^classes by category](#)

[^classesbycat](#)

[^browse00609](#)

[^K Classes by category](#)

[^DisableButton\("Up"\)](#)

[cbDockBox](#) Dock button for wxToolWindow titlebar.

[cbCloseBox](#) Close button for wxToolWindow titlebar.

[wxNewBitmapButton](#) Alternative bitmap button class.

Layout management classes

These classes relate to the layout management framework.

[cbDockPane](#) Manages containment and control of bars in a parent frame.

[BagLayout](#) BagLayout lays out items in left-to-right order from top to bottom.

[cbUpdatesManagerBase](#) An abstract interface for display update optimization logic.

[cbSimpleUpdatesMgr](#) Implements optimized logic for refreshing areas of frame layout that need to be updated.

[cbGCUpdatesMgr](#) Implements optimized logic for refresh, based on a garbage collection algorithm.

[GarbageCollector](#) A garbage collection algorithm for use in display refresh optimization.

[wxFramelayout](#) Manages containment and docking of control bars, which can be docked along the top, bottom, right, or left side of the parent frame.

Event classes

Events are used to decouple parts of the layout framework. For event macros and identifiers, please see the topic [Event macros and identifiers](#).

[cbCustomizeBarEvent](#) Class for bar customization events.

[cbCustomizeLayoutEvent](#) Class for layout customization events.

[cbDrawBarDecorEvent](#) Class for bar decoration drawing events.

[cbDrawBarHandlesEvent](#) Class for bar handles drawing events.

[cbDrawHintRectEvent](#) Class for hint-rectangle drawing events.

[cbDrawPaneBkGroundEvent](#) Class for pane background drawing events.

[cbDrawPaneDecorEvent](#) Class for pane decoration drawing events.

[cbDrawRowBkGroundEvent](#) Class for row background drawing events.

[cbDrawRowDecorEvent](#) Class for row decoration drawing events.

<u>cbDrawRowHandlesEvent</u>	Class for row handles drawing events.
<u>cbFinishDrawInAreaEvent</u>	Class for finish drawing in area events.
<u>cbInsertBarEvent</u>	Class for bar insertion events.
<u>cbLayoutRowEvent</u>	Class for single row layout events.
<u>cbLayoutRowsEvent</u>	Class for multiple rows layout events.
<u>cbLeftDClickEvent</u>	Class for mouse left double click events.
<u>cbLeftDownEvent</u>	Class for mouse left down events.
<u>cbLeftUpEvent</u>	Class for mouse left up events.
<u>cbMotionEvent</u>	Class for mouse motion events.
<u>cbPluginEvent</u>	Base class for all control-bar plugin events.
<u>cbRemoveBarEvent</u>	Class for bar removal events.
<u>cbResizeBarEvent</u>	Class for bar resize events.
<u>cbResizeRowEvent</u>	Class for row resize events.
<u>cbRightDownEvent</u>	Class for mouse right down events.
<u>cbRightUpEvent</u>	Class for mouse right up events.
<u>cbSizeBarWndEvent</u>	Class for bar window resize events.
<u>cbStartBarDraggingEvent</u>	Class for start-bar-dragging events.
<u>cbStartDrawInAreaEvent</u>	Class for start drawing in area events.

\$#+K!**Topic overviews**

This chapter contains a selection of topic overviews, first things first:

[Notes on using the reference](#)

[Event macros and identifiers](#)

[FAQ](#)

^Topic overviews

^Overviews

^Browse00610

^K Topic overviews

^DisableButton("Up")

\$#+K! What is FL?

This manual describes FL (Frame Layout), a class library for managing sophisticated window layout, with panes that can be moved around the main window and customized. FL handles many decoration and dragging issues, giving applications the kind of docking facilities that Visual C++ and Netscape Navigator possess.

FL was written by Aleksandras Gluchovas, and is heavily used in wxWorkshop which he also wrote the bulk of.

Please note that this guide is in its infancy, and contributions from FL users are very welcome.

The following screenshot (from fl_demo1) shows a frame with a number of bars that can be dragged around. The vertical grippers with two lines allow a bar to be dragged in that row, changing the ordering of the bar if necessary. The dotted grippers (as in Netscape Navigator) allow a whole row to be moved, again changing the position of the row if required. While moving a bar or row, immediate feedback is given as the moving bar displaces other bars.

Other features: the splitter bar shows a dotted thick line as it's dragged. Single-clicking on a row handle minimizes it to a horizontal tab which is given its own narrow row. This allows the user to temporarily hide a row while allowing quick access to it when required.

A close button (x) hides a bar completely. You can get it back again by right-clicking and selecting the appropriate menu item.

A left, right, up or down arrow button expands the pane in that direction.

{bmc screen01.bmp}

w^hat is FL?

w^hatisfl

b^{row}se00004

K^What is FL?

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `introduction')")

\$#+K! Compiling and using FL

FL can be found under the 'contrib' hierarchy, in the following directories:

```
contrib/src/f1  
contrib/include/wx/f1  
contrib/samples/f1  
contrib/docs/latex/f1  
docs/html/f1  
docs/htmlhelp/f1.chm  
docs/pdf/f1.pdf  
docs/winhelp/f1.hlp
```

To compile FL:

{bmc bullet.bmp} Under Windows using VC++, open the fIVC.dsw project and compile.

{bmc bullet.bmp} Under Unix, FL should be configured when you configured wxWindows. Make FL by changing directory to contrib/src/f1 and type 'make'.
Note: there is currently a problem with the wxWindows build system that means that only the static version of library can be built at present.

To use FL:

{bmc bullet.bmp} Under Windows using VC++, link with fl[d].lib.

{bmc bullet.bmp} Under Unix, link with libfl[d].a.

^compiling and using FL

^topic1

^browse00005

^K Compiling and using FL

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `introduction')")

\$#+K! FL concepts

These are typical steps when adding FL functionality to your application.

- {bmc bullet.bmp} include the appropriate header files;
- {bmc bullet.bmp} create a new wxFrameLayout passing the top-level frame and the window that is interpreted as the main 'client' window;
- {bmc bullet.bmp} set an updates manager for optimizing drag operations;
- {bmc bullet.bmp} add plugins for implementing various features;
- {bmc bullet.bmp} add bars;
- {bmc bullet.bmp} enable floating mode for the layout if required;
- {bmc bullet.bmp} delete the frame layout in the main frame's destructor.

The following is taken from fl_demo1 and shows the main code implementing the user interface as illustrated in What is FL?.

```
// fl headers
#include "wx/fl/controlbar.h"           // core API

// extra plugins
#include "wx/fl/barhintspl.h"          // bevel for bars with "X"s and
                                         // grooves
#include "wx/fl/rowdragpl.h"            // NC-look with draggable rows
#include "wx/fl/cbcustom.h"             // customization plugin
#include "wx/fl/hintanimpl.h"

// beauty-care
#include "wx/fl/gcupdatesmgr.h"         // smooth d&d
#include "wx/fl/antiflickpl.h"           // double-buffered repaint of
                                         // decorations
#include "wx/fl/dyntbar.h"               // auto-layout toolbar
#include "wx/fl/dyntbarhnd.h"            // control-bar dimension handler
                                         // for it

MyFrame::MyFrame(wxFrame *frame)
    : wxFrame( frame, wxID_ANY, "wxWindows 2.0 wxFrameLayout Test
Application", wxDefaultPosition,
              wxSize( 700, 500 ),
              wxCLIP_CHILDREN | wxMINIMIZE_BOX | wxMAXIMIZE_BOX |
              wxRESIZE_BORDER | wxSYSTEM_MENU | wxCAPTION,
              "freimas" )
```

^FL concepts

^topic2

^browse00006

^K FL concepts

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `introduction')")

```

{
    mpClientWnd = CreateTextCtrl( "Client window" );
    mpLayout = new wxFrameLayout( this, mpClientWnd );
    mpLayout->SetUpdatesManager( new cbGCUpdatesMgr() );
    // setup plugins for testing
    mpLayout->PushDefaultPlugins();

    mpLayout->AddPlugin( CLASSINFO( cbBarHintsPlugin ) ); // fancy "X"es and bevel for bars
    mpLayout->AddPlugin( CLASSINFO( cbHintAnimationPlugin ) );
    mpLayout->AddPlugin( CLASSINFO( cbRowDragPlugin ) );
    mpLayout->AddPlugin( CLASSINFO( cbAntiflickerPlugin ) );
    mpLayout->AddPlugin( CLASSINFO( cbSimpleCustomizationPlugin ) );
};

// drop in some bars
cbDimInfo sizes0( 200,45, // when docked horizontally
                  200,85, // when docked vertically
                  175,35, // when floated
                  FALSE, // the bar is not fixed-size
                  4,       // vertical gap (bar border)
                  4       // horizontal gap (bar border)
                );
cbDimInfo sizes1( 150,35, // when docked horizontally
                  150,85, // when docked vertically
                  175,35, // when floated
                  TRUE, // the bar is not fixed-size
                  4,       // vertical gap (bar border)
                  4       // horizontal gap (bar border)
                );
cbDimInfo sizes2( 175,45, // when docked horizontally
                  175,37, // when docked vertically
                  170,35, // when floated
                  TRUE, // the bar is not fixed-size
                  4,       // vertical gap (bar border)
                  4,       // horizontal gap (bar border)
                  new cbDynToolBarDimHandler()
                );
mpLayout->AddBar( CreateTextCtrl("Hello"), // bar window
                  sizes0, FL_ALIGN_TOP, // alignment ( 0-top,1-bottom, etc )
                  0, // insert into 0th row (vert. position)
                  0, // offset from the start of row (in pixels)
                  "InfoViewer1", // name for reference in customization pop-ups
                  TRUE
                );
mpLayout->AddBar( CreateTextCtrl("Bye"), // bar window

```

```

                sizes0, FL_ALIGN_TOP,      // alignment ( 0-
top,1-bottom, etc)
                           1,           // insert into
0th row (vert. position)
                           0,           // offset from
the start of row (in pixels)
                           "InfoViewer2",    // name for
reference in customization pop-ups
                           TRUE
);

mpLayout->AddBar( CreateTextCtrl("Fixed0"), // bar window
                  sizes1, FL_ALIGN_TOP,      // alignment ( 0-
top,1-bottom, etc)
                           0,           // insert into
0th row (vert. position)
                           0,           // offset from
the start of row (in pixels)
                           "ToolBar1",      // name for
reference in customization pop-ups
                           TRUE
);

wxDynamicToolBar* pToolBar = new wxDynamicToolBar();

pToolBar->Create( this, -1 );

// 1001-1006 ids of command events fired by added tool-
buttons

pToolBar->AddTool( 1001, BMP_DIR "new.bmp" );
pToolBar->AddTool( 1002, BMP_DIR "open.bmp" );
pToolBar->AddTool( 1003, BMP_DIR "save.bmp" );

pToolBar->AddTool( 1004, BMP_DIR "cut.bmp" );
pToolBar->AddTool( 1005, BMP_DIR "copy.bmp" );
pToolBar->AddTool( 1006, BMP_DIR "paste.bmp" );

mpLayout->AddBar( pToolBar,                      // bar window (can be
NULL)
                  sizes2, FL_ALIGN_TOP, // alignment ( 0-
top,1-bottom, etc)
                           0,           // insert into 0th
row (vert. position)
                           0,           // offset from the
start of row (in pixels)
                           "ToolBar2",      // name for reference
in customization pop-ups
                           FALSE
);

mpLayout->EnableFloating( TRUE ); // off, thinking about
wxGtk...
}

MyFrame::~MyFrame()
{

```

```
if ( mpLayout )
    delete mpLayout; // should be destroyed manually
}
```

\$#+K!Controlling dragging behaviour

Various pane-dragging behaviours are supported. FL can show an outline of where the window would be docked if you stopped dragging at that point.

This is a list of properties of interest in the cbCommonPaneProperties structure:

```
bool mRealTimeUpdatesOn;      // default: ON
bool mOutOfPaneDragOn;        // default: ON
bool mExactDockPredictionOn; // default: OFF
bool mNonDestructFrictionOn; // default: OFF
```

To get behaviour similar to Microsoft's DevStudio drag-ghost behaviour, *mRealTimeUpdatesOn* have to be set to FALSE, for example:

```
cbCommonPaneProperties props;
.....
.....
props.mRealTimeUpdatesOn = FALSE;
f1->SetPaneProperties( props, wxALL_PANES );
```

mOutOfPaneDragOn specifies whether bars can be dragged away from this pane. (Note: this may not currently be working.)

mExactDockPredictionOn is only relevant when *mRealTimeUpdatesOn* is FALSE, and then the hint rectangle behaves a little jumpily. It tries to show exatly how the bar would look and where it would be docked if the dragging finished right now, i.e. the final position, with all the 'friction-physics' calculated. Otherwise the hint flies smothly above the surface only hinting whether the bar will be docked vertically or horizontally if dropped now. This is a feature you won't find anywhere else!

mNonDestructFirctionOn causes the bars not being dragged to stay where they are, while the currently dragged one is 'diving' through the underlaying panes, docking itself in and out in real time. Otherwise the stationary bars would be pushed around messing up the composition permanently. This flag is irrelevant when *mRealTimeUpdatesOn* is FALSE, as the ghost-rect does not do any docking until the drag finishes.

^controlling dragging behaviour

^controllingdragbehav

^browse00007

^K Controlling dragging behaviour

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `introduction')")

\$#+K!**BagLayout**

BagLayout lays out items in left-to-right order from top to bottom.

Derived from

[LayoutManagerBase](#)

Include files

<wx/fi/dyntbar.h>

Data structures

Members

[BagLayout::Layout](#)

^BagLayout

^baglayout

^browse00009

^K BagLayout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **wxBarIterator**

Used for traversing through all bars of all rows in the pane.

Derived from

No base class

Include files

<wx/fi/controlbar.h>

Data structures

Members

wxBarIterator::wxBarIterator

wxBarIterator::BarInfo

wxBarIterator::Next

wxBarIterator::Reset

wxBarIterator::RowInfo

^wxBarIterator

^wxbariterator

^browse00011

^KwxBarIterator

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **cbAntiflickerPlugin**

Implements double-buffering to reduce flicker. Bitmap and memory DC buffers are shared 'resources' among all instances of antiflicker plugins within the application.

Locking for multithreaded applications is not yet implemented.

Derived from

[cbPluginBase](#)

Include files

<wx/fl/antiflickpl.h>

Data structures

Members

[cbAntiflickerPlugin::cbAntiflickerPlugin](#)
[cbAntiflickerPlugin::~cbAntiflickerPlugin](#)
[cbAntiflickerPlugin::AllocNewBuffer](#)
[cbAntiflickerPlugin::FindSuitableBuffer](#)
[cbAntiflickerPlugin::GetClientDC](#)
[cbAntiflickerPlugin::GetWindowDC](#)
[cbAntiflickerPlugin::OnFinishDrawInArea](#)
[cbAntiflickerPlugin::OnStartDrawInArea](#)

°[bAntiflickerPlugin](#)

°[bantiflickerplugin](#)

°[rowse00017](#)

^K [cbAntiflickerPlugin](#)

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbBarDimHandlerBase**

Abstract interface for bar-size handler classes. These objects receive notifications whenever the docking state of the bar is changed, thus they provide the possibility to adjust the values in cbDimInfo::mSizes accordingly. Specific handlers can be hooked up to specific types of bar.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbBarDimHandlerBase::cbBarDimHandlerBase](#)
[cbBarDimHandlerBase::AddRef](#)
[cbBarDimHandlerBase::OnChangeBarState](#)
[cbBarDimHandlerBase::OnResizeBar](#)
[cbBarDimHandlerBase::RemoveRef](#)

^a[bBarDimHandlerBase](#)

^c[bbardimhandlerbase](#)

^b[rowse00026](#)

^K[cbBarDimHandlerBase](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K! cbBarDragPlugin

Plugin class implementing bar dragging.

Derived from

[cbPluginBase](#)

Include files

<wx/fi/bardragpl.h>

Data structures

Members

[cbBarDragPlugin::cbBarDragPlugin](#)
[cbBarDragPlugin::~cbBarDragPlugin](#)
[cbBarDragPlugin::AdjustHintRect](#)
[cbBarDragPlugin::CalcOnScreenDims](#)
[cbBarDragPlugin::ClipPosInFrame](#)
[cbBarDragPlugin::ClipRectInFrame](#)
[cbBarDragPlugin::DoDrawHintRect](#)
[cbBarDragPlugin::DrawHintRect](#)
[cbBarDragPlugin::EraseHintRect](#)
[cbBarDragPlugin::FinishTracking](#)
[cbBarDragPlugin::GetBarHeightInPane](#)
[cbBarDragPlugin::GetBarWidthInPane](#)
[cbBarDragPlugin::GetDistanceToPane](#)
[cbBarDragPlugin::HitTestPanes](#)
[cbBarDragPlugin::HitsPane](#)
[cbBarDragPlugin::IsInClientArea](#)
[cbBarDragPlugin::IsInOtherPane](#)
[cbBarDragPlugin::OnDrawHintRect](#)
[cbBarDragPlugin::OnLButtonDown](#)
[cbBarDragPlugin::OnLButtonUp](#)
[cbBarDragPlugin::OnLDoubleClick](#)
[cbBarDragPlugin::OnMouseMove](#)
[cbBarDragPlugin::OnStartBarDragging](#)
[cbBarDragPlugin::RectToScr](#)
[cbBarDragPlugin::ShowHint](#)
[cbBarDragPlugin::StartTracking](#)
[cbBarDragPlugin::StickToPane](#)
[cbBarDragPlugin::UnstickFromPane](#)

^o[bBarDragPlugin](#)

^c[bbardragplugin](#)

^b[rowse00032](#)

^K[cbBarDragPlugin](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref'\)"\)](#)

\$#+K! **cbBarHintsPlugin**

This class intercepts bar-decoration and sizing events, and draws 3D hints around fixed and flexible bars, similar to those in Microsoft DevStudio 6.x

Derived from

[cbPluginBase](#)

Include files

<wx/fi/barhintspl.h>

Data structures

Members

[cbBarHintsPlugin::cbBarHintsPlugin](#)
[cbBarHintsPlugin::~cbBarHintsPlugin](#)
[cbBarHintsPlugin::CreateBoxes](#)
[cbBarHintsPlugin::DoDrawHint](#)
[cbBarHintsPlugin::Draw3DBox](#)
[cbBarHintsPlugin::DrawCloseBox](#)
[cbBarHintsPlugin::DrawCollapseBox](#)
[cbBarHintsPlugin::DrawGrooves](#)
[cbBarHintsPlugin::ExcludeHints](#)
[cbBarHintsPlugin::GetHintsLayout](#)
[cbBarHintsPlugin::HitTestHints](#)
[cbBarHintsPlugin::OnDrawBarDecorations](#)
[cbBarHintsPlugin::OnInitPlugin](#)
[cbBarHintsPlugin::OnLeftDown](#)
[cbBarHintsPlugin::OnLeftUp](#)
[cbBarHintsPlugin::OnMotion](#)
[cbBarHintsPlugin::OnSizeBarWindow](#)
[cbBarHintsPlugin::SetGrooveCount](#)

^obBarHintsPlugin

^cbbarhintsplugin

^browse00061

^K cbBarHintsPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbBarInfo**

Helper class used internally by the wxFrameLayout class. Holds and manages bar information.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbBarInfo::cbBarInfo](#)
[cbBarInfo::~cbBarInfo](#)
[cbBarInfo::IsExpanded](#)
[cbBarInfo::IsFixed](#)

^o[bBarInfo](#)

^c[bbarinfo](#)

^b[rowse00080](#)

^K[cbBarInfo](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K! **cbBarShapeData**

Used for storing the original bar's positions in the row, when the 'non-destructive-friction' option is turned on.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

^bBarShapeData

^bbarshapedata

^browse00085

^K cbBarShapeData

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **cbBarSpy**

Helper class, used for spying for unhandled mouse events on control bars and forwarding them to the frame layout.

Derived from

[wxEvtHandler](#)

Include files

<wx/fi/controlbar.h>

Data structures

```
typedef cbBarInfo* BarInfoPtrT
forward declarations

typedef cbRowInfo* RowInfoPtrT
enumeration of hittest results, see cbDockPane::HitTestPanelItems(..)enum
CB_HITTEST_RESULT
{
    CB_NO_ITEMS_HITTED,
    CB_UPPER_ROW_HANDLE_HITTED,
    CB_LOWER_ROW_HANDLE_HITTED,
    CB_LEFT_BAR_HANDLE_HITTED,
    CB_RIGHT_BAR_HANDLE_HITTED,
    CB_BAR_CONTENT_HITTED
}
```

Members

[cbBarSpy::cbBarSpy](#)
[cbBarSpy::ProcessEvent](#)
[cbBarSpy::SetBarWindow](#)

©bBarSpy
©bbarspy
©rowse00086
^K cbBarSpy
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")

\$#+K! **cbCloseBox**

cbCloseBox is a window close button, used in a wxToolWindow titlebar.

Derived from

[cbMiniButton](#)

Include files

<wx/fi/toolwnd.h>

Data structures

Members

[cbCloseBox::Draw](#)

©bCloseBox

©bclosebox

/browse00090

^K cbCloseBox

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbCollapseBox**

cbCollapseBox is a window collapse button, used in a wxToolWindow titlebar.

Derived from

[cbMiniButton](#)

Include files

<wx/fi/toolwnd.h>

Data structures

Members

[cbCollapseBox::Draw](#)

^obCollapseBox

^obcollapsebox

^browse00092

^K cbCollapseBox

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")

\$#+K!cbCommonPaneProperties

A structure holding configuration options, which are usually the same for all panes in a frame layout. For an explanation of the data members, please see [Controlling dragging behaviour](#).

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

```
class cbCommonPaneProperties : public wxObject
{
    DECLARE_DYNAMIC_CLASS( cbCommonPaneProperties )

    // Look-and-feel configuration

    bool mRealTimeUpdatesOn;      // default: ON
    bool mOutOfPaneDragOn;        // default: ON
    bool mExactDockPredictionOn; // default: OFF
    bool mNonDestructFrictionOn; // default: OFF

    bool mShow3DPaneBorderOn;     // default: ON

    // The following properties are reserved for the "future"

    bool mBarFloatingOn;         // default: OFF
    bool mRowProportionsOn;      // default: OFF
    bool mColProportionsOn;      // default: ON
    bool mBarCollapseIconsOn;    // default: OFF
    bool mBarDragHintsOn;        // default: OFF

    // Minimal dimensions for not-fixed bars in this pane (16x16
    default)

    wxSize mMinCBarDim;

    // Width/height of resizing sash

    int    mResizeHandleSize;

    // Default constructor.
```

^abCommonPaneProperties

^cbcommonpaneproperties

^browse00094

^KcbCommonPaneProperties

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

```
    cbCommonPaneProperties(void);  
};
```

\$#+K! **cbCustomizeBarEvent**

Class for bar customization events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbCustomizeBarEvent::cbCustomizeBarEvent](#)

©bCustomizeBarEvent

©bcustomizebarevent

©rowse00095

© cbCustomizeBarEvent

©nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbCustomizeLayoutEvent**

Class for layout customization events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbCustomizeLayoutEvent::cbCustomizeLayoutEvent](#)

^bCustomizeLayoutEvent

^bcustomizelayoutevent

^browse00097

^K cbCustomizeLayoutEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDimInfo**

Helper class used internally by the wxFrameLayout class. Holds and manages information about bar dimensions.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDimInfo::cbDimInfo](#)
[cbDimInfo::~cbDimInfo](#)
[cbDimInfo::GetDimHandler](#)
[cbDimInfo::operator=](#)

^o[bDimInfo](#)

^c[bdiminfo](#)

^b[rowse00099](#)

^K[cbDimInfo](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K! **cbDockBox**

cbDockBox is a window dock button, used in a wxToolWindow titlebar.

Derived from

[cbMiniButton](#)

Include files

<wx/fi/toolwnd.h>

Data structures

Members

[cbDockBox::Draw](#)

©bDockBox

©bdockbox

©rowse00104

^K cbDockBox

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDockPane**

This class manages containment and control of control bars along one of the four edges of the parent frame.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDockPane::cbDockPane](#)
[cbDockPane::~cbDockPane](#)
[cbDockPane::BarPresent](#)
[cbDockPane::CalcLengthRatios](#)
[cbDockPane::ContractBar](#)
[cbDockPane::DoInsertBar](#)
[cbDockPane::DrawHorizHandle](#)
[cbDockPane::DrawVertHandle](#)
[cbDockPane::ExpandBar](#)
[cbDockPane::FinishDrawInArea](#)
[cbDockPane::FrameToPane](#)
[cbDockPane::GetAlignment](#)
[cbDockPane::GetBarInfoByWindow](#)
[cbDockPane::GetBarResizeRange](#)
[cbDockPane::GetDockingState](#)
[cbDockPane::GetFirstRow](#)
[cbDockPane::GetMinimalRowHeight](#)
[cbDockPane::GetNotFixedBarsCount](#)
[cbDockPane::GetPaneHeight](#)
[cbDockPane::GetRealRect](#)
[cbDockPane::GetRow](#)
[cbDockPane::GetRowAt](#)
[cbDockPane::GetRowIndex](#)
[cbDockPane::GetRowList](#)
[cbDockPane::GetRowResizeRange](#)
[cbDockPane::GetRowShapeData](#)
[cbDockPane::GetRowY](#)

^o[bDockPane](#)

^c[bdockpane](#)

^b[rowse00106](#)

^K[cbDockPane](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

[cbDockPane::HasNotFixedBarsLeft](#)
[cbDockPane::HasNotFixedBarsRight](#)
[cbDockPane::HasNotFixedRowsAbove](#)
[cbDockPane::HasNotFixedRowsBelow](#)
[cbDockPane::HasPoint](#)
[cbDockPane::HitTestPanelItems](#)
[cbDockPane::InitLinksForRow](#)
[cbDockPane::InitLinksForRows](#)
[cbDockPane::InsertBar](#)
[cbDockPane::InsertRow](#)
[cbDockPane::IsFixedSize](#)
[cbDockPane::IsHorizontal](#)
[cbDockPane::MatchesMask](#)
[cbDockPane::PaintBar](#)
[cbDockPane::PaintBarDecorations](#)
[cbDockPane::PaintBarHandles](#)
[cbDockPane::PaintPane](#)
[cbDockPane::PaintPaneBackground](#)
[cbDockPane::PaintPaneDecorations](#)
[cbDockPane::PaintRow](#)
[cbDockPane::PaintRowBackground](#)
[cbDockPane::PaintRowDecorations](#)
[cbDockPane::PaintRowHandles](#)
[cbDockPane::PaneToFrame](#)
[cbDockPane::RecalcLayout](#)
[cbDockPane::RecalcRowLayout](#)
[cbDockPane::RemoveBar](#)
[cbDockPane::RemoveRow](#)
[cbDockPane::ResizeBar](#)
[cbDockPane::ResizeRow](#)
[cbDockPane::SetBoundsInParent](#)
[cbDockPane::SetMargins](#)
[cbDockPane::SetPaneWidth](#)
[cbDockPane::SetRowHeight](#)
[cbDockPane::SetRowShapeData](#)
[cbDockPane::SizeBar](#)
[cbDockPane::SizePaneObjects](#)
[cbDockPane::SizeRowObjects](#)
[cbDockPane::StartDrawInArea](#)
[cbDockPane::SyncRowFlags](#)

\$#+K! **cbDrawBarDecorEvent**

Class for bar decoration drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawBarDecorEvent::cbDrawBarDecorEvent](#)

©bDrawBarDecorEvent

©bdrawbardecorEvent

browse00174

^K cbDrawBarDecorEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawBarHandlesEvent**

Class for bar handles drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawBarHandlesEvent::cbDrawBarHandlesEvent](#)

©bDrawBarHandlesEvent

©bdrawbarhandlesevent

þrowse00176

^K cbDrawBarHandlesEvent

£nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawHintRectEvent**

Class for hint-rectangle drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawHintRectEvent::cbDrawHintRectEvent](#)

©bDrawHintRectEvent

©bdrawhintrectevent

browse00178

^K cbDrawHintRectEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawPaneBkGroundEvent**

Class for pane background drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawPaneBkGroundEvent::cbDrawPaneBkGroundEvent](#)

©bDrawPaneBkGroundEvent

©bdrawpanebkgroundevent

©browse00180

^K cbDrawPaneBkGroundEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawPaneDecorEvent**

Class for pane decoration drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawPaneDecorEvent::cbDrawPaneDecorEvent](#)

©bDrawPaneDecorEvent

©bdrawpanedecorevent

þrowse00182

^K cbDrawPaneDecorEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawRowBkGroundEvent**

Class for row background drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawRowBkGroundEvent::cbDrawRowBkGroundEvent](#)

©bDrawRowBkGroundEvent

©bdrawrowbkgroundevent

©rowse00184

^K cbDrawRowBkGroundEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawRowDecorEvent**

Class for row decoration drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawRowDecorEvent::cbDrawRowDecorEvent](#)

©bDrawRowDecorEvent

©bdrawrowdecorEvent

©rowse00186

^K cbDrawRowDecorEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDrawRowHandlesEvent**

Class for row handles drawing events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbDrawRowHandlesEvent::cbDrawRowHandlesEvent](#)

©bDrawRowHandlesEvent

©bdrawrowhandlesevent

²rowse00188

^K cbDrawRowHandlesEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbDynToolBarDimHandler**

Dynamic toolbar dimension handler.

Derived from

[cbBarDimHandlerBase](#)

Include files

<wx/fi/dyntbarhnd.h>

Data structures

Members

[cbDynToolBarDimHandler::OnChangeBarState](#)

[cbDynToolBarDimHandler::OnResizeBar](#)

^bDynToolBarDimHandler

^bdyntoolbardimhandler

^browse00190

^K cbDynToolBarDimHandler

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbFinishDrawInAreaEvent**

Class for finish drawing in area events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbFinishDrawInAreaEvent::cbFinishDrawInAreaEvent](#)

^bFinishDrawInAreaEvent

^bfinishdrawinareaevent

^browse00193

^K cbFinishDrawInAreaEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbFloatedBarWindow**

cbFloatedBarWindow is a kind of wxToolWindow, implementing floating toolbars.

Derived from

wxToolWindow

Include files

<wx/fi/toolwnd.h>

Data structures

Members

cbFloatedBarWindow::cbFloatedBarWindow
cbFloatedBarWindow::GetBar
cbFloatedBarWindow::GetPreferredSize
cbFloatedBarWindow::HandleTitleClick
cbFloatedBarWindow::OnDblClick
cbFloatedBarWindow::OnMiniButtonClicked
cbFloatedBarWindow::PositionFloatedWnd
cbFloatedBarWindow::SetBar
cbFloatedBarWindow::SetLayout

^obFloatedBarWindow

^cbfloatedbarwindow

^browse00195

^K cbFloatedBarWindow


^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp', `classref')")

\$#+K!cbGCUpdatesMgr


This class implements optimized logic for refreshing the areas of frame layout that actually need to be updated. It is used as the default updates manager by wxFrameLayout.

It is called 'Garbage Collecting' updates manager because its implementation tries to find out dependencies between bars, and to order them into a 'hierarchy'. This hierarchical sorting resembles the implementation of heap-garbage collectors, which resolve dependencies between references.

Example: there are situations where the order in which the user moves windows does matter.



Past/future positions of A and B windows completely overlap, i.e. depend on each other, and there is no solution for moving the windows without refreshing both of them -- we have a cyclic dependency here. The garbage collection algorithm will find this cyclic dependency and will force refresh after movement.



^obGCUpdatesMgr

^cbgcupdatesmgr

^browse00205

^K cbGCUpdatesMgr

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

In this case past/future positions do not overlap, so it is enough only to move windows without refreshing them. Garbage collection will 'notice' this.

There is also a third case, when overlapping is partial. In this case the refreshing can also be avoided by moving windows in the order of 'most-dependant' towards the 'least-dependant'. GC handles this automatically, by sorting windows by their dependency-level (or 'hierarchy').

See garbagec.h for more details of this method; garbagec.h/cpp implement sorting of generic dependencies and does not deal with graphical objects directly.

Summary: garbage collection improves performance when complex or large windows are moved around, by reducing the number of repaints. It also helps to avoid dirty non-client areas of moved windows in some special cases of 'overlapping anomalies'.

Derived from

[cbSimpleUpdatesMgr](#)

Include files

<wx/fi/gcupdatesmgr.h>

Data structures

Members

[cbGCUpdatesMgr::cbGCUpdatesMgr](#)
[cbGCUpdatesMgr::AddItem](#)
[cbGCUpdatesMgr::DoRepositionItems](#)
[cbGCUpdatesMgr::OnStartChanges](#)
[cbGCUpdatesMgr::UpdateNow](#)

\$#+K! **cbHintAnimationPlugin**

A plugin to draw animated hints when the user drags a pane.

Derived from

[cbPluginBase](#)

Include files

<wx/fi/hintanimpl.h>

Data structures

Members

[cbHintAnimationPlugin::cbHintAnimationPlugin](#)
[cbHintAnimationPlugin::~cbHintAnimationPlugin](#)
[cbHintAnimationPlugin::DoDrawHintRect](#)
[cbHintAnimationPlugin::DrawHintRect](#)
[cbHintAnimationPlugin::EraseHintRect](#)
[cbHintAnimationPlugin::FinishTracking](#)
[cbHintAnimationPlugin::OnDrawHintRect](#)
[cbHintAnimationPlugin::RectToScr](#)
[cbHintAnimationPlugin::StartTracking](#)

ºbHintAnimationPlugin
ºbhintanimationplugin
þrowse00211
^K cbHintAnimationPlugin
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **cbInsertBarEvent**

Class for bar insertion events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbInsertBarEvent::cbInsertBarEvent](#)

©bInsertBarEvent

©binserbarevent

©rowse00221

© cbInsertBarEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbLayoutRowEvent**

Class for single row layout events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbLayoutRowEvent::cbLayoutRowEvent](#)

^bLayoutRowEvent

^blayoutrowevent

^browse00223

^K cbLayoutRowEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbLayoutRowsEvent**

Class for multiple rows layout events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbLayoutRowsEvent::cbLayoutRowsEvent](#)

©bLayoutRowsEvent

©blayoutrowsevent

©rowse00225

^K cbLayoutRowsEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbLeftDClickEvent**

Class for mouse left double click events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbLeftDClickEvent::cbLeftDClickEvent](#)

^bLeftDClickEvent

^bleftdclickevent

^browse00227

^K cbLeftDClickEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbLeftDownEvent**

Class for mouse left down events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbLeftDownEvent::cbLeftDownEvent](#)

©bLeftDownEvent

©bleftdownevent

²rowse00229

^K cbLeftDownEvent

ENABLEBUTTON("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbLeftUpEvent**

Class for mouse left up events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbLeftUpEvent::cbLeftUpEvent](#)

^bLeftUpEvent

^bleftupevent

^browse00231

^K cbLeftUpEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbMiniButton**

cbMiniButton is the base class for a small button that can be placed in a wxToolWindow titlebar.

Derived from

[wxObject](#)

Include files

<wx/fi/toolwnd.h>

Data structures

Members

[cbMiniButton::cbMiniButton](#)
[cbMiniButton::Draw](#)
[cbMiniButton::Enable](#)
[cbMiniButton::HitTest](#)
[cbMiniButton::IsPressed](#)
[cbMiniButton::OnLeftDown](#)
[cbMiniButton::OnLeftUp](#)
[cbMiniButton::OnMotion](#)
[cbMiniButton::Refresh](#)
[cbMiniButton::Reset](#)
[cbMiniButton::SetPos](#)
[cbMiniButton::WasClicked](#)

^abMiniButton

^cbminibutton

^browse00233

^K cbMiniButton

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **cbMotionEvent**

Class for mouse motion events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbMotionEvent::cbMotionEvent](#)

©bMotionEvent

©bmotionevent

©rowse00246

^K cbMotionEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")

\$#+K! **cbPaneDrawPlugin**

Simple but all-in-one plugin implementation. Resembles the look and feel of to MFC control-bars. The class handles painting of the pane and the items in it; it generates bar/layout customization events, when the user right-clicks the bar/pane. Hooking an instance of this and row-layout plugins for each pane would be enough for the frame layout to function properly (they are plugged in automatically by the wxFrameLayout class).

Derived from

[cbPluginBase](#)

Include files

<wx/fi/panedrawpl.h>

Data structures

Members

[cbPaneDrawPlugin::cbPaneDrawPlugin](#)
[cbPaneDrawPlugin::~cbPaneDrawPlugin](#)
[cbPaneDrawPlugin::Clone](#)
[cbPaneDrawPlugin::DrawBarInnerShadeRect](#)
[cbPaneDrawPlugin::DrawDraggedHandle](#)
[cbPaneDrawPlugin::DrawLowerRowHandle](#)
[cbPaneDrawPlugin::DrawLowerRowShades](#)
[cbPaneDrawPlugin::DrawPaneShade](#)
[cbPaneDrawPlugin::DrawPaneShadeForRow](#)
[cbPaneDrawPlugin::DrawShade](#)
[cbPaneDrawPlugin::DrawShade1](#)
[cbPaneDrawPlugin::DrawUpperRowHandle](#)
[cbPaneDrawPlugin::DrawUpperRowShades](#)
[cbPaneDrawPlugin::OnDrawBarDecorations](#)
[cbPaneDrawPlugin::OnDrawBarHandles](#)
[cbPaneDrawPlugin::OnDrawPaneBackground](#)
[cbPaneDrawPlugin::OnDrawPaneDecorations](#)
[cbPaneDrawPlugin::OnDrawRowBackground](#)
[cbPaneDrawPlugin::OnDrawRowDecorations](#)
[cbPaneDrawPlugin::OnDrawRowHandles](#)
[cbPaneDrawPlugin::OnFinishDrawInArea](#)
[cbPaneDrawPlugin::OnLButtonDown](#)
[cbPaneDrawPlugin::OnLButtonUp](#)

^cbPaneDrawPlugin

^cbpanedrawplugin

^browse00248

^K cbPaneDrawPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

cbPaneDrawPlugin::OnL_DblClick
cbPaneDrawPlugin::OnMouseMove
cbPaneDrawPlugin::OnRButtonUp
cbPaneDrawPlugin::OnSizeBarWindow
cbPaneDrawPlugin::OnStartDrawInArea
cbPaneDrawPlugin::SetDarkPixel
cbPaneDrawPlugin::SetLightPixel

\$#+K! **cbPluginBase**

Abstract base class for all control-bar related plugins. Note: pointer positions of mouse events sent to plugins are always in the pane's coordinates (the pane to which this plugin is hooked).

Derived from

wxEvtHandler

Include files

<wx/fi/controlbar.h>

Data structures

Members

cbPluginBase::cbPluginBase
cbPluginBase::~cbPluginBase
cbPluginBase::GetPaneMask
cbPluginBase::IsReady
cbPluginBase::OnInitPlugin
cbPluginBase::ProcessEvent

^abPluginBase

^cbpluginbase

^browse00279

^K cbPluginBase

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp', `classref')")

\$#+K! **cbPluginEvent**

Base class for all control-bar plugin events. This is not a dynamically-creatable class.

Derived from

[wxEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbPluginEvent::cbPluginEvent](#)

[cbPluginEvent::Clone](#)

^o[bPluginEvent](#)

^c[bpluginevent](#)

^b[rowse00286](#)

^K[cbPluginEvent](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K! **cbRemoveBarEvent**

Class for bar removal events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbRemoveBarEvent::cbRemoveBarEvent](#)

©bRemoveBarEvent

©bremovebarevent

þrowse00289

^K cbRemoveBarEvent

£nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbResizeBarEvent**

Class for bar resize events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbResizeBarEvent::cbResizeBarEvent](#)

^bResizeBarEvent

^bresizebarevent

^browse00291

^K cbResizeBarEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbResizeRowEvent**

Class for row resize events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbResizeRowEvent::cbResizeRowEvent](#)

^obResizeRowEvent
^cbresizerowevent
^browse00293
^K cbResizeRowEvent
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp', `classref')")

\$#+K! **cbRightDownEvent**

Class for mouse right down events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbRightDownEvent::cbRightDownEvent](#)

^obRightDownEvent

^cbrightdownevent

^browse00295

^K cbRightDownEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbRightUpEvent**

Class for mouse right up events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbRightUpEvent::cbRightUpEvent](#)

^obRightUpEvent

^cbrightupevent

^browse00297

^K cbRightUpEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbRowDragPlugin**

This plugin adds row-dragging functionality to the pane. It handles mouse movement and pane background-erasing plugin events. The behaviour and appearance resembles drag and drop positioning of the toolbar rows in Netscape Communicator 4.xx.

Derived from

[cbPluginBase](#)

Include files

<wx/fi/rowdragpl.h>

Data structures

Members

[cbRowDragPlugin::cbRowDragPlugin](#)
[cbRowDragPlugin::~cbRowDragPlugin](#)
[cbRowDragPlugin::CaptureDCArea](#)
[cbRowDragPlugin::CheckPrevItemInFocus](#)
[cbRowDragPlugin::Clone](#)
[cbRowDragPlugin::CollapseRow](#)
[cbRowDragPlugin::Draw3DPattern](#)
[cbRowDragPlugin::Draw3DRect](#)
[cbRowDragPlugin::DrawCollapsedRowIcon](#)
[cbRowDragPlugin::DrawCollapsedRowsBorder](#)
[cbRowDragPlugin::DrawEmptyRow](#)
[cbRowDragPlugin::DrawOrtoRomb](#)
[cbRowDragPlugin::DrawRectShade](#)
[cbRowDragPlugin::DrawRomb](#)
[cbRowDragPlugin::DrawRombShades](#)
[cbRowDragPlugin::DrawRowDragHint](#)
[cbRowDragPlugin::DrawRowsDragHintsBorder](#)
[cbRowDragPlugin::DrawTrianDown](#)
[cbRowDragPlugin::DrawTrianRight](#)
[cbRowDragPlugin::DrawTrianUp](#)
[cbRowDragPlugin::ExpandRow](#)
[cbRowDragPlugin::FinishOnScreenDraw](#)
[cbRowDragPlugin::GetCollapsedIconsPos](#)
[cbRowDragPlugin::GetCollapsedIconRect](#)
[cbRowDragPlugin::GetCollapsedRowIconHeight](#)
[cbRowDragPlugin::GetFirstRow](#)

^a[bRowDragPlugin](#)

^c[browdragplugin](#)

^b[rowse00299](#)

^K[cbRowDragPlugin](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

[cbRowDragPlugin::GetHRowsCountForPane](#)
[cbRowDragPlugin::GetRowDragHintWidth](#)
[cbRowDragPlugin::GetRowHintRect](#)
[cbRowDragPlugin::HitTestCollapsedRowIcon](#)
[cbRowDragPlugin::HitTestRowDragHint](#)
[cbRowDragPlugin::InsertDraggedRowBefore](#)
[cbRowDragPlugin::ItemIsInFocus](#)
[cbRowDragPlugin::OnDrawPaneBackground](#)
[cbRowDragPlugin::OnInitPlugin](#)
[cbRowDragPlugin::OnLButtonDown](#)
[cbRowDragPlugin::OnLButtonUp](#)
[cbRowDragPlugin::OnMouseMove](#)
[cbRowDragPlugin::PrepareForRowDrag](#)
[cbRowDragPlugin::SetMouseCapture](#)
[cbRowDragPlugin::SetPaneMargins](#)
[cbRowDragPlugin::ShowDraggedRow](#)
[cbRowDragPlugin::ShowPanelImage](#)
[cbRowDragPlugin::UnhighlightItemInFocus](#)

\$#+K! **cbRowInfo**

Helper class used internally by the wxFrameLayout class. Holds and manages information about bar rows.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbRowInfo::cbRowInfo](#)

[cbRowInfo::~cbRowInfo](#)

[cbRowInfo::GetFirstBar](#)

^abRowInfo

^cbrowinfo

^browse00344

^K cbRowInfo

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbRowLayoutPlugin**

Simple implementation of a plugin which handles row layout requests sent from a frame layout.

Derived from

[cbPluginBase](#)

Include files

<wx/fl/rowlayoutpl.h>

Data structures

Members

[cbRowLayoutPlugin::cbRowLayoutPlugin](#)
[cbRowLayoutPlugin::AdjustLengthOfInserted](#)
[cbRowLayoutPlugin::ApplyLengthRatios](#)
[cbRowLayoutPlugin::CalcRowHeight](#)
[cbRowLayoutPlugin::CheckIfAtTheBoundary](#)
[cbRowLayoutPlugin::DetectBarHandles](#)
[cbRowLayoutPlugin::DoInsertBar](#)
[cbRowLayoutPlugin::ExpandNotFixedBars](#)
[cbRowLayoutPlugin::FitBarsToRange](#)
[cbRowLayoutPlugin::GetRowFreeSpace](#)
[cbRowLayoutPlugin::InsertBefore](#)
[cbRowLayoutPlugin::LayoutItemsVertically](#)
[cbRowLayoutPlugin::MinimizeNotFixedBars](#)
[cbRowLayoutPlugin::OnInsertBar](#)
[cbRowLayoutPlugin::OnLayoutRow](#)
[cbRowLayoutPlugin::OnLayoutRows](#)
[cbRowLayoutPlugin::OnRemoveBar](#)
[cbRowLayoutPlugin::OnResizeRow](#)
[cbRowLayoutPlugin::RecalcLengthRatios](#)
[cbRowLayoutPlugin::RelayoutNotFixedBarsAround](#)
[cbRowLayoutPlugin::ShiftLeftTrashold](#)
[cbRowLayoutPlugin::ShiftRightTrashold](#)
[cbRowLayoutPlugin::SlideLeftSideBars](#)
[cbRowLayoutPlugin::SlideRightSideBars](#)
[cbRowLayoutPlugin::StickRightSideBars](#)

[^bRowLayoutPlugin](#)

[^browlayoutplugin](#)

[^browse00348](#)

[^K cbRowLayoutPlugin](#)

[^EnableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)"](#)

\$#+K! **cbSimpleCustomizationPlugin**

This class enables customization of a bar, popping up a menu and handling basic customization such as floating and horizontal/vertical alignment of the bar.

Derived from

[cbPluginBase](#)

Include files

<wx/fi/cbcustom.h>

Data structures

Members

[cbSimpleCustomizationPlugin::cbSimpleCustomizationPlugin](#)

[cbSimpleCustomizationPlugin::OnCustomizeBar](#)

[cbSimpleCustomizationPlugin::OnCustomizeLayout](#)

[cbSimpleCustomizationPlugin::OnMenuItemSelected](#)

[^bSimpleCustomizationPlugin](#)

[^bsimplecustomizationplugin](#)

[browse00374](#)

[K cbSimpleCustomizationPlugin](#)

[EnableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K! **cbSimpleUpdatesMgr**

This class implements slightly optimized logic for refreshing the areas of frame layout that actually need to be updated.

Derived from

[cbUpdatesManagerBase](#)

Include files

<wx/fl/updatesmgr.h>

Data structures

Members

[cbSimpleUpdatesMgr::cbSimpleUpdatesMgr](#)
[cbSimpleUpdatesMgr::OnBarWillChange](#)
[cbSimpleUpdatesMgr::OnFinishChanges](#)
[cbSimpleUpdatesMgr::OnPaneMarginsWillChange](#)
[cbSimpleUpdatesMgr::OnPaneWillChange](#)
[cbSimpleUpdatesMgr::OnRowWillChange](#)
[cbSimpleUpdatesMgr::OnStartChanges](#)
[cbSimpleUpdatesMgr::UpdateNow](#)
[cbSimpleUpdatesMgr::WasChanged](#)

^abSimpleUpdatesMgr

^cbsimpleupdatesmgr

^browse00379

^K cbSimpleUpdatesMgr

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")")

\$#+K! **cbSizeBarWndEvent**

Class for bar window resize events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbSizeBarWndEvent::cbSizeBarWndEvent](#)

^bSizeBarWndEvent

^bsizebarwndevent

^browse00389

^K cbSizeBarWndEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbStartBarDraggingEvent**

Class for start-bar-dragging events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbStartBarDraggingEvent::cbStartBarDraggingEvent](#)

ºbStartBarDraggingEvent

ºbstardardraggingevent

þrowse00391

^K cbStartBarDraggingEvent

ÈnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbStartDrawInAreaEvent**

Class for start drawing in area events.

Derived from

[cbPluginEvent](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbStartDrawInAreaEvent::cbStartDrawInAreaEvent](#)

^bStartDrawInAreaEvent

^bstartdrawinareaevent

^browse00393

^K cbStartDrawInAreaEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **cbUpdateMgrData**

A structure that is present in each item of layout, used by any particular updates-manager to store auxiliary information to be used by its updating algorithm.

Derived from

[wxObject](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[cbUpdateMgrData::cbUpdateMgrData](#)
[cbUpdateMgrData::IsDirty](#)
[cbUpdateMgrData::SetCustomData](#)
[cbUpdateMgrData::SetDirty](#)
[cbUpdateMgrData::StoreItemState](#)

©bUpdateMgrData
©bupdatemgrdata
©browse00395
^K cbUpdateMgrData
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! cbUpdatesManagerBase

This class declares an abstract interface for optimized logic that should refresh areas of frame layout that actually need to be updated. This should be extended in future to implement a custom updating strategy.

Derived from

wxObject

Include files

<wx/fi/controlbar.h>

Data structures

Members

cbUpdatesManagerBase::cbUpdatesManagerBase
cbUpdatesManagerBase::~cbUpdatesManagerBase
cbUpdatesManagerBase::OnBarWillChange
cbUpdatesManagerBase::OnFinishChanges
cbUpdatesManagerBase::OnPaneMarginsWillChange
cbUpdatesManagerBase::OnPaneWillChange
cbUpdatesManagerBase::OnRowWillChange
cbUpdatesManagerBase::OnStartChanges
cbUpdatesManagerBase::SetLayout
cbUpdatesManagerBase::UpdateNow

↑bUpdatesManagerBase

↑bupdatesmanagerbase

↑browse00401

^K cbUpdatesManagerBase

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **wxDynamicToolBar**

wxDynamicToolBar manages containment and layout of tool windows.

Derived from

wxToolBarBase

Include files

<wx/fi/dyntbar.h>

Data structures

Members

wxDynamicToolBar::wxDynamicToolBar
wxDynamicToolBar::~wxDynamicToolBar
wxDynamicToolBar::AddSeparator
wxDynamicToolBar::AddTool
wxDynamicToolBar::Create
wxDynamicToolBar::CreateDefaultLayout
wxDynamicToolBar::CreateTool
wxDynamicToolBar::DoDeleteTool
wxDynamicToolBar::DoEnableTool
wxDynamicToolBar::DoInsertTool
wxDynamicToolBar::DoSetToggle
wxDynamicToolBar::DoToggleTool
wxDynamicToolBar::DrawSeparator
wxDynamicToolBar::EnableTool
wxDynamicToolBar::FindToolForPosition
wxDynamicToolBar::GetPreferredDim
wxDynamicToolBar::GetToolInfo
wxDynamicToolBar::Layout
wxDynamicToolBar::OnEraseBackground
wxDynamicToolBar::OnPaint
wxDynamicToolBar::OnSize
wxDynamicToolBar::Realize
wxDynamicToolBar::RemoveTool
wxDynamicToolBar::SetLayout
wxDynamicToolBar::SizeToolWindows

^wxDynamicToolBar

^wxdynamictoolbar

^browse00412

^K wxDynamicToolBar

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **wxDynToolInfo**

This class holds dynamic toolbar item information.

Derived from

[wxToolLayoutItem](#)

Include files

<wx/fi/dyntbar.h>

Data structures

wxDynToolInfo

wxdyntoolinfo

browse00438

K wxDynToolInfo

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")

\$#+K! **wxFrameLayout**

wxFrameLayout manages containment and docking of control bars, which can be docked along the top, bottom, right, or left side of the parent frame.

Derived from

[wxEvtHandler](#)

Include files

<wx/fi/controlbar.h>

Data structures

Members

[wxFrameLayout::wxFrameLayout](#)
[wxFrameLayout::~wxFrameLayout](#)
[wxFrameLayout::Activate](#)
[wxFrameLayout::AddBar](#)
[wxFrameLayout::AddPlugin](#)
[wxFrameLayout::AddPluginBefore](#)
[wxFrameLayout::ApplyBarProperties](#)
[wxFrameLayout::CanReparent](#)
[wxFrameLayout::CaptureEventsForPane](#)
[wxFrameLayout::CaptureEventsForPlugin](#)
[wxFrameLayout::CreateCursors](#)
[wxFrameLayout::CreateUpdatesManager](#)
[wxFrameLayout::Deactivate](#)
[wxFrameLayout::DestroyBarWindows](#)
[wxFrameLayout::DoSetBarState](#)
[wxFrameLayout::EnableFloating](#)
[wxFrameLayout::FindBarByName](#)
[wxFrameLayout::FindBarByWindow](#)
[wxFrameLayout::FindPlugin](#)
[wxFrameLayout::FirePluginEvent](#)
[wxFrameLayout::ForwardMouseEvent](#)
[wxFrameLayout::GetBarPane](#)
[wxFrameLayout::GetBars](#)
[wxFrameLayout::GetClientHeight](#)
[wxFrameLayout::GetClientRect](#)
[wxFrameLayout::GetClientWidth](#)
[wxFrameLayout::GetFrameClient](#)

^wxFrameLayout

^wxframeLayout

^browse00439

^KwxFrameLayout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

[wxFrameLayout::GetPane](#)
[wxFrameLayout::GetPaneProperties](#)
[wxFrameLayout::GetPanesArray](#)
[wxFrameLayout::GetParentFrame](#)
[wxFrameLayout::GetPrevClientRect](#)
[wxFrameLayout::GetTopPlugin](#)
[wxFrameLayout::GetUpdatesManager](#)
[wxFrameLayout::HasTopPlugin](#)
[wxFrameLayout::HideBarWindows](#)
[wxFrameLayout::HitTestPane](#)
[wxFrameLayout::HitTestPanes](#)
[wxFrameLayout::HookUpToFrame](#)
[wxFrameLayout::InverseVisibility](#)
[wxFrameLayout::LocateBar](#)
[wxFrameLayout::OnActivate](#)
[wxFrameLayout::OnEraseBackground](#)
[wxFrameLayout::OnIdle](#)
[wxFrameLayout::OnKillFocus](#)
[wxFrameLayout::OnLButtonDown](#)
[wxFrameLayout::OnLButtonUp](#)
[wxFrameLayout::OnLDoubleClick](#)
[wxFrameLayout::OnMouseMove](#)
[wxFrameLayout::OnPaint](#)
[wxFrameLayout::OnRButtonDown](#)
[wxFrameLayout::OnRButtonUp](#)
[wxFrameLayout::OnSetFocus](#)
[wxFrameLayout::OnSize](#)
[wxFrameLayout::PopAllPlugins](#)
[wxFrameLayout::PopPlugin](#)
[wxFrameLayout::PositionClientWindow](#)
[wxFrameLayout::PositionPanes](#)
[wxFrameLayout::PushDefaultPlugins](#)
[wxFrameLayout::PushPlugin](#)
[wxFrameLayout::RecalcLayout](#)
[wxFrameLayout::RedockBar](#)
[wxFrameLayout::RefreshNow](#)
[wxFrameLayout::ReleaseEventsFromPane](#)
[wxFrameLayout::ReleaseEventsFromPlugin](#)
[wxFrameLayout::RemoveBar](#)
[wxFrameLayout::RemovePlugin](#)
[wxFrameLayout::ReparentWindow](#)
[wxFrameLayout::RepositionFloatedBar](#)
[wxFrameLayout::RouteMouseEvent](#)
[wxFrameLayout::SetBarState](#)
[wxFrameLayout::SetFrameClient](#)
[wxFrameLayout::SetMargins](#)
[wxFrameLayout::SetPaneBackground](#)
[wxFrameLayout::SetPaneProperties](#)
[wxFrameLayout::SetTopPlugin](#)
[wxFrameLayout::SetUpdatesManager](#)
[wxFrameLayout::ShowFloatedWindows](#)

wxFrameLayout::UnhookFromFrame

\$#+K! **wxFrameManager**

Derived from

[wxObject](#)

Data structures

Members

[wxFrameManager::wxFrameManager](#)
[wxFrameManager::~wxFrameManager](#)
[wxFrameManager::ActivateView](#)
[wxFrameManager::AddView](#)
[wxFrameManager::DeactivateCurrentView](#)
[wxFrameManager::DestroyViews](#)
[wxFrameManager::DoSerialize](#)
[wxFrameManager::EnableMenusForView](#)
[wxFrameManager::GetActiveView](#)
[wxFrameManager::GetActiveViewNo](#)
[wxFrameManager::GetActiveViewNode](#)
[wxFrameManager::GetClientWindow](#)
[wxFrameManager::GetObjectStore](#)
[wxFrameManager::GetParentFrame](#)
[wxFrameManager::GetParentWindow](#)
[wxFrameManager::GetView](#)
[wxFrameManager::GetViewNo](#)
[wxFrameManager::Init](#)
[wxFrameManager::ReloadViews](#)
[wxFrameManager::RemoveView](#)
[wxFrameManager::SaveViewsNow](#)
[wxFrameManager::SetClientWindow](#)
[wxFrameManager::SyncAllMenus](#)
[wxFrameManager::ViewsAreLoaded](#)

^w[xFrameManager](#)

^w[xframemanager](#)

^b[rowse00519](#)

^K[wxFrameManager](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K!**GarbageCollector**

This class implements an extremely slow but simple garbage collection algorithm.

Derived from

No base class

Include files

<wx/fi/garbagec.h>

Data structures

Members

[GarbageCollector::GarbageCollector](#)
[GarbageCollector::~GarbageCollector](#)
[GarbageCollector::AddDependency](#)
[GarbageCollector::AddObject](#)
[GarbageCollector::ArrangeCollection](#)
[GarbageCollector::DestroyItemList](#)
[GarbageCollector::FindItemNode](#)
[GarbageCollector::FindReferenceFreeItemNode](#)
[GarbageCollector::GetCycledObjects](#)
[GarbageCollector::GetRegularObjects](#)
[GarbageCollector::RemoveReferencesToNode](#)
[GarbageCollector::Reset](#)
[GarbageCollector::ResolveReferences](#)

^cgarbageCollector

^ggarbagecollector

^browse00544

^K GarbageCollector

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref)")"

\$#+K! **LayoutManagerBase**

This is a base class for layout algorithm implementations.

Derived from

No base class

Include files

<wx/fi/dyntbar.h>

Data structures

Members

[LayoutManagerBase::~LayoutManagerBase](#)

[LayoutManagerBase::Layout](#)

^LayoutManagerBase

^Iayoutmanagerbase

^browse00558

^KLayoutManagerBase

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! **[wxNewBitmapButton](#)**

This is an alternative class to wxBitmapButton. It is used in the implementation of dynamic toolbars.

Derived from

[wxPanel](#)

Include files

<wx/fi/newbmpbtn.h>

Data structures

Members

[wxNewBitmapButton::wxNewBitmapButton](#)
[wxNewBitmapButton::~wxNewBitmapButton](#)
[wxNewBitmapButton::DestroyLabels](#)
[wxNewBitmapButton::DrawDecorations](#)
[wxNewBitmapButton::DrawLabel](#)
[wxNewBitmapButton::DrawShade](#)
[wxNewBitmapButton::GetStatusLabel](#)
[wxNewBitmapButton::IsInWindow](#)
[wxNewBitmapButton::OnEraseBackground](#)
[wxNewBitmapButton::OnKillFocus](#)
[wxNewBitmapButton::OnLButtonDown](#)
[wxNewBitmapButton::OnLButtonUp](#)
[wxNewBitmapButton::OnMouseMove](#)
[wxNewBitmapButton::OnPaint](#)
[wxNewBitmapButton::OnSize](#)
[wxNewBitmapButton::RenderAllLabelImages](#)
[wxNewBitmapButton::RenderLabelImage](#)
[wxNewBitmapButton::RenderLabelImages](#)
[wxNewBitmapButton::Reshape](#)
[wxNewBitmapButton::SetAlignments](#)
[wxNewBitmapButton::SetLabel](#)

^w[xNewBitmapButton](#)

^w[xnewbitmapbutton](#)

^b[rowse00561](#)

^K[wxNewBitmapButton](#)

^E[nableButton\("Up"\);ChangeButtonBinding\("Up", "JumpId\(`fl.hlp', `classref\)"\)](#)

\$#+K! **wxToolLayoutItem**

Tool layout item.

Derived from

wxObject

Include files

<wx/fi/dyntbar.h>

Data structures

```
typedef wxToolLayoutItem* wxToolLayoutItemPtrT
```

```
typedef wxDynToolInfo* wxDynToolInfoPtrT
```

^wxToolLayoutItem
^wxtoollayoutitem
^browse00583
^KwxToolLayoutItem
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K!wxToolWindow

A tool window is a special kind of frame that paints its own title, and can be used to implement small floating windows.

Derived from

wxFrme

Include files

<wx/fi/toolwnd.h>

Data structures

Members

wxToolWindow::wxToolWindow
wxToolWindow::~wxToolWindow
wxToolWindow::AddMiniButton
wxToolWindow::AdjustRectPos
wxToolWindow::CalcResizedRect
wxToolWindow::DrawHintRect
wxToolWindow::GetClient
wxToolWindow::GetMinimalWndDim
wxToolWindow::GetPreferredSize
wxToolWindow::GetScrMousePos
wxToolWindow::GetScrWindowRect
wxToolWindow::HandleTitleClick
wxToolWindow::HitTestWindow
wxToolWindow::LayoutMiniButtons
wxToolWindow::OnEraseBackground
wxToolWindow::OnLeftDown
wxToolWindow::OnLeftUp
wxToolWindow::OnMiniButtonClicked
wxToolWindow::OnMotion
wxToolWindow::OnPaint
wxToolWindow::OnSize
wxToolWindow::SetClient
wxToolWindow::SetHintCursor
wxToolWindow::SetTitleFont

^wxToolWindow

^wxtoolwindow

^browse00584

^K wxToolWindow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `classref')")

\$#+K! Notes on using the reference

In the descriptions of the wxWindows classes and their member functions, note that descriptions of inherited member functions are not duplicated in derived classes unless their behaviour is different. So in using a class such as `wxScrolledWindow`, be aware that `wxWindow` functions may be relevant.

Note also that arguments with default values may be omitted from a function call, for brevity. Size and position arguments may usually be given a value of -1 (the default), in which case wxWindows will choose a suitable value.

Most strings are returned as `wxString` objects. However, for remaining `char *` return values, the strings are allocated and deallocated by wxWindows. Therefore, return values should always be copied for long-term use, especially since the same buffer is often used by wxWindows.

The member functions are given in alphabetical order except for constructors and destructors which appear first.

^Notes on using the reference

^referencenotes

^browse00611

^K Notes on using the reference

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `overviews')")

\$#+K! **Event macros and identifiers**

These are the event macros and event identifiers defined by FL.

Event macro	Event identifier
EVT_PL_LEFT_DOWN(func)	cbEVT_PL_LEFT_DOWN
EVT_PL_LEFT_UP(func)	cbEVT_PL_LEFT_UP
EVT_PL_RIGHT_DOWN(func)	cbEVT_PL_RIGHT_DOWN
EVT_PL_RIGHT_UP(func)	cbEVT_PL_RIGHT_UP
EVT_PL_MOTION(func)	cbEVT_PL_MOTION
EVT_PL_LEFT_DCLICK(func)	cbEVT_PL_LEFT_DCLICK
EVT_PL_LAYOUT_ROW(func)	cbEVT_PL_LAYOUT_ROW
EVT_PL_RESIZE_ROW(func)	cbEVT_PL_RESIZE_ROW
EVT_PL_LAYOUT_ROWS(func)	cbEVT_PL_LAYOUT_ROWS
EVT_PL_INSERT_BAR(func)	cbEVT_PL_INSERT_BAR
EVT_PL_RESIZE_BAR(func)	cbEVT_PL_RESIZE_BAR
EVT_PL_REMOVE_BAR(func)	cbEVT_PL_REMOVE_BAR
EVT_PL_SIZE_BAR_WND(func)	cbEVT_PL_SIZE_BAR_WND
EVT_PL_DRAW_BAR_DECOR(func)	cbEVT_PL_DRAW_BAR_DECOR
EVT_PL_DRAW_ROW_DECOR(func)	cbEVT_PL_DRAW_ROW_DECOR
EVT_PL_DRAW_PANE_DECOR(func)	cbEVT_PL_DRAW_PANE_DECOR
EVT_PL_DRAW_BAR_HANDLES(func)	cbEVT_PL_DRAW_BAR_HANDLES
EVT_PL_DRAW_ROW_HANDLES(func)	cbEVT_PL_DRAW_ROW_HANDLES
EVT_PL_DRAW_ROW_BKGROUNd(func)	cbEVT_PL_DRAW_ROW_BKGROUNd
EVT_PL_DRAW_PANE_BKGROUNd(func)	cbEVT_PL_DRAW_PANE_BKGROUNd
EVT_PL_START_BAR_DRAGGING(func)	cbEVT_PL_START_BAR_DRAGGING

^Event macros and identifiers

^events

^browse00612

^K Event macros and identifiers

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `overviews')")

EVT_PL_DRAW_HINT_RECT(func)	cbEVT_PL_DRAW_HINT_RECT
EVT_PL_START_DRAW_IN_AREA(func)	cbEVT_PL_START_DRAW_IN_AREA
EVT_PL_FINISH_DRAW_IN_AREA(func)	cbEVT_PL_FINISH_DRAW_IN_AREA
EVT_PL_CUSTOMIZE_BAR(func)	cbEVT_PL_CUSTOMIZE_BAR
EVT_PL_CUSTOMIZE_LAYOUT(func)	cbEVT_PL_CUSTOMIZE_LAYOUT

See also the classes:

<u>cbCustomizeBarEvent</u>	Class for bar customization events.
<u>cbCustomizeLayoutEvent</u>	Class for layout customization events.
<u>cbDrawBarDecorEvent</u>	Class for bar decoration drawing events.
<u>cbDrawBarHandlesEvent</u>	Class for bar handles drawing events.
<u>cbDrawHintRectEvent</u>	Class for hint-rectangle drawing events.
<u>cbDrawPaneBkGroundEvent</u>	Class for pane background drawing events.
<u>cbDrawPaneDecorEvent</u>	Class for pane decoration drawing events.
<u>cbDrawRowBkGroundEvent</u>	Class for row background drawing events.
<u>cbDrawRowDecorEvent</u>	Class for row decoration drawing events.
<u>cbDrawRowHandlesEvent</u>	Class for row handles drawing events.
<u>cbFinishDrawInAreaEvent</u>	Class for finish drawing in area events.
<u>cbInsertBarEvent</u>	Class for bar insertion events.
<u>cbLayoutRowEvent</u>	Class for single row layout events.
<u>cbLayoutRowsEvent</u>	Class for multiple rows layout events.
<u>cbLeftDClickEvent</u>	Class for mouse left double click events.
<u>cbLeftDownEvent</u>	Class for mouse left down events.
<u>cbLeftUpEvent</u>	Class for mouse left up events.
<u>cbMotionEvent</u>	Class for mouse motion events.
<u>cbPluginEvent</u>	Base class for all control-bar plugin events.
<u>cbRemoveBarEvent</u>	Class for bar removal events.
<u>cbResizeBarEvent</u>	Class for bar resize events.
<u>cbResizeRowEvent</u>	Class for row resize events.
<u>cbRightDownEvent</u>	Class for mouse right down events.

<u>cbRightUpEvent</u>	Class for mouse right up events.
<u>cbSizeBarWndEvent</u>	Class for bar window resize events.
<u>cbStartBarDraggingEvent</u>	Class for start-bar-dragging events.
<u>cbStartDrawInAreaEvent</u>	Class for start drawing in area events.

\$#+K! **FAQ**

A row of all non-fixed bars don't position properly

^fAQ
^faq
^browse00613
^KFAQ
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `overviews')")

\$#+K! **BagLayout::Layout**

**void Layout(const wxSize& parentDim, wxSize& resultingDim,
wxLayoutItemArrayT& items, int horizGap, int vertGap)^K**

Constructor.

^BagLayout::Layout

^baglayoutlayout

^browse00010

^K BagLayout Layout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `baglayout')")

^K Layout

\$#+K! **wxBarIterator::wxBarIterator**

wxBarIterator(RowArrayT& rows)^K

Constructor, taking row array.

^wxBarIterator::wxBarIterator

^wxbariteratorwxbariterator

^browse00012

^K wxBarIterator wxBarIterator

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxbariterator')")

^K wxBarIterator

\$#+K! **wxBarIterator::BarInfo**

cbBarInfo& BarInfo()^K

Gets the current bar information.

^wxBarIterator::BarInfo

^wxbariteratorbarinfo

^browse00013

^K wxBarIterator BarInfo

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxbariterator')")

^K BarInfo

\$#+K! **wxBarIterator::Next**

bool Next()^K

Advances the iterator and returns TRUE if a bar is available.

^WxBarIterator::Next

^Wxbariteratornext

^Browse00014

^K wxBarIterator Next

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxbariterator')")

^K Next

\$#+K! **wxBarIterator::Reset**

void Reset()^K

Resets the iterator to the start of the first row.

^WxBarIterator::Reset

^Wxbariteratorreset

^browse00015

^K wxBarIterator Reset

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxbariterator')")

^K Reset

\$#+K! **wxBarIterator::RowInfo**

cbRowInfo& RowInfo()^K

Returns a reference to the currently traversed row.

^wxBarIterator::RowInfo

^wxbariteratorrowinfo

^browse00016

^K wxBarIterator RowInfo

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxbariterator')")

^K RowInfo

\$#+K!cbAntiflickerPlugin::cbAntiflickerPlugin

cbAntiflickerPlugin()^K

Default constructor.

cbAntiflickerPlugin(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)^K

Constructor taking frame layout panel, and pane mask.

^cbAntiflickerPlugin::cbAntiflickerPlugin

^cbantiflickerplugin^cbantiflickerplugin

^browse00018

^K cbAntiflickerPlugin cbAntiflickerPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId('fl.hlp',
`cbantiflickerplugin')")

^K cbAntiflickerPlugin

^K cbAntiflickerPlugin

\$#+K! **cbAntiflickerPlugin::~cbAntiflickerPlugin**

~cbAntiflickerPlugin()^K

Destructor.

cbAntiflickerPlugin::~cbAntiflickerPlugin

bantiflickerplugindtor

browse00019

K cbAntiflickerPlugin ~cbAntiflickerPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbantiflickerplugin')")

K ~cbAntiflickerPlugin

\$#+K! **cbAntiflickerPlugin::AllocNewBuffer**

wxDC* AllocNewBuffer(const wxRect& forArea)^K

Allocates a suitable buffer.

^cbAntiflickerPlugin::AllocNewBuffer

^cbantiflickerpluginallocnewbuffer

^browse00020

^K cbAntiflickerPlugin AllocNewBuffer

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbantiflickerplugin')")

^K AllocNewBuffer

\$#+K! **cbAntiflickerPlugin::FindSuitableBuffer**

wxDC* FindSuitableBuffer(const wxRect& forArea)^K

Finds a suitable buffer. Returns NULL if a suitable buffer is not present.

^cbAntiflickerPlugin::FindSuitableBuffer

^cbantiflickerpluginfindsuitablebuffer

^browse00021

^K cbAntiflickerPlugin FindSuitableBuffer

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbantiflickerplugin')")

^K FindSuitableBuffer

\$#+K! cbAntiflickerPlugin::GetClientDC

wxDC& GetClientDC()^K

Gets the client device context.

^bAntiflickerPlugin::GetClientDC

^bantiflickerplugingetclientdc

browse00022

K cbAntiflickerPlugin GetClientDC

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbantiflickerplugin')")

K GetClientDC

\$#+K! **cbAntiflickerPlugin::GetWindowDC**

wxDC& GetWindowDC()^K

Gets the window device context.

^cbAntiflickerPlugin::GetWindowDC

^cbantiflickerplugingetwindowdc

^browse00023

^K cbAntiflickerPlugin GetWindowDC

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbantiflickerplugin')")

^K GetWindowDC

```
$#+K!cbAntiflickerPlugin::OnFinishDrawInArea  
void OnFinishDrawInArea(cbFinishDrawInAreaEvent& event)K  
Handler for plugin event.
```

```
cbAntiflickerPlugin::OnFinishDrawInArea  
cbantiflickerpluginonfinishdrawinarea  
browse00024  
K cbAntiflickerPlugin OnFinishDrawInArea  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',  
`cbantiflickerplugin')")  
K OnFinishDrawInArea
```

\$#+K! cbAntiflickerPlugin::OnStartDrawInArea
void OnStartDrawInArea(cbStartDrawInAreaEvent& event)^K

Handler for plugin event.

^cbAntiflickerPlugin::OnStartDrawInArea
^cbantiflickerpluginonstartdrawinarea
^browse00025
^K cbAntiflickerPlugin OnStartDrawInArea
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`cbantiflickerplugin')")
^K OnStartDrawInArea

\$#+K! **cbBarDimHandlerBase::cbBarDimHandlerBase**

cbBarDimHandlerBase()^K

to multiple bars, it's instance is reference-counted Default constructor. The initial reference count is 0, since the handler is not used until the first invocation of AddRef().

^obBarDimHandlerBase::cbBarDimHandlerBase

^cbbardimhandlerbasecbbardimhandlerbase

^browse00027

^K cbBarDimHandlerBase cbBarDimHandlerBase

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbbardimhandlerbase')")

^K cbBarDimHandlerBase

\$#+K! **cbBarDimHandlerBase::AddRef**

void AddRef()^K

Increments the reference count.

^obBarDimHandlerBase::AddRef

^obbardimhandlerbaseaddref

^browse00028

^K cbBarDimHandlerBase AddRef

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbbardimhandlerbase')")

^K AddRef

\$#+K! **cbBarDimHandlerBase::OnChangeBarState**

void OnChangeBarState(cbBarInfo* pBar, int newState)^K

Responds to "bar-state-changes" notifications.

^obBarDimHandlerBase::OnChangeBarState

^cbbardimhandlerbaseonchangebarstate

^browse00029

^K cbBarDimHandlerBase OnChangeBarState

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbbardimhandlerbase')")

^K OnChangeBarState

\$#+K! **cbBarDimHandlerBase::OnResizeBar**

void OnResizeBar(cbBarInfo* pBar, const wxSize& given, wxSize& preferred)^K

Responds to bar resize notifications.

^abBarDimHandlerBase::OnResizeBar

^cbbardimhandlerbaseonresizebar

^browse00030

^K cbBarDimHandlerBase OnResizeBar

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`cbardimhandlerbase')")

^K OnResizeBar

\$#+K! **cbBarDimHandlerBase::RemoveRef**

void RemoveRef()^K

Decrements the reference count, and if the count is at zero, delete 'this'.

^obBarDimHandlerBase::RemoveRef

^obbardimhandlerbaseremoveref

^browse00031

^K cbBarDimHandlerBase RemoveRef

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbbardimhandlerbase')")

^K RemoveRef

cbBarDragPlugin::cbBarDragPlugin

cbBarDragPlugin()^K

Default constructor.

cbBarDragPlugin(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)^K

Constructor taking a parent frame, and flag. See cbPluginBase.

cbBarDragPlugin::cbBarDragPlugin

cbardragplugin in **cbardragplugin**

browse00033

K **cbBarDragPlugin** **cbBarDragPlugin**

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbardragplugin')")

K **cbBarDragPlugin**

K **cbBarDragPlugin**

\$#+K! **cbBarDragPlugin::~cbBarDragPlugin**

~cbBarDragPlugin()^K

Destructor.

^o**bBarDragPlugin::~cbBarDragPlugin**

^o**bbardragpluginctor**

^b**rowse00034**

^K **cbBarDragPlugin ~cbBarDragPlugin**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")**

^K **~cbBarDragPlugin**

\$#+K! **cbBarDragPlugin::AdjustHintRect**

void AdjustHintRect(wxPoint& mousePos)^K

the thicker rectangle is drawn using hatched brush, the default border width for this rectangle is 8 pix. Internal implementation function.

^obBarDragPlugin::AdjustHintRect

^obbardragpluginadjusthintrect

^browse00035

^K cbBarDragPlugin AdjustHintRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K AdjustHintRect

\$#+K! **cbBarDragPlugin::CalcOnScreenDims**

void CalcOnScreenDims(wxRect& rect)^K

Internal implementation function.

^obBarDragPlugin::CalcOnScreenDims

^obbardragplugincalconscreendims

^browse00036

^K cbBarDragPlugin CalcOnScreenDims

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K CalcOnScreenDims

\$#+K! **cbBarDragPlugin::ClipPosInFrame**

void ClipPosInFrame(wxPoint& pos)^K

Internal implementation function.

^obBarDragPlugin::ClipPosInFrame

^obbardragpluginclipposinframe

^browse00037

^K cbBarDragPlugin ClipPosInFrame

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K ClipPosInFrame

\$#+K! **cbBarDragPlugin::ClipRectInFrame**

void ClipRectInFrame(wxRect& rect)^K

Internal implementation function.

^obBarDragPlugin::ClipRectInFrame

^obbardragplugincliprectinframe

^browse00038

^K cbBarDragPlugin ClipRectInFrame

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K ClipRectInFrame

\$#+K! **cbBarDragPlugin::DoDrawHintRect**

void DoDrawHintRect(wxRect& rect, bool isInClientRect)^K

Internal implementation function. Draw the hint rectangle.

^cbBarDragPlugin::DoDrawHintRect

^qbbardragpluginndo drawhintrect

^browse00039

^K cbBarDragPlugin DoDrawHintRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K DoDrawHintRect

\$#+K! **cbBarDragPlugin::DrawHintRect**

void DrawHintRect(wxRect& rect, bool isInClientRect)^K

Internal implementation function. Draw the visual hint while dragging.

^obBarDragPlugin::DrawHintRect

^obbardragplugindrawhintrect

^browse00040

^K cbBarDragPlugin DrawHintRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K DrawHintRect

\$#+K! **cbBarDragPlugin::EraseHintRect**

void EraseHintRect(wxRect& rect, bool isInClientRect)^K

Internal implementation function. Erase the visual hint while dragging.

^obBarDragPlugin::EraseHintRect

^obbardragpluginerasehintrect

^browse00041

^K cbBarDragPlugin EraseHintRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K EraseHintRect

\$#+K!cbBarDragPlugin::FinishTracking

void FinishTracking()^K

Internal implementation function. Stop showing the visual hint while dragging.

^obBarDragPlugin::FinishTracking

^obbardragpluginfinishtracking

^browse00042

^K cbBarDragPlugin FinishTracking

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K FinishTracking

\$#+K! **cbBarDragPlugin::GetBarHeightInPane**

int GetBarHeightInPane(cbDockPane* pPane)^K

Internal implementation function.

^obBarDragPlugin::GetBarHeightInPane

^obbardragplugingetbarheightinpane

^browse00043

^K cbBarDragPlugin GetBarHeightInPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K GetBarHeightInPane

\$#+K! **cbBarDragPlugin::GetBarWidthInPane**

int GetBarWidthInPane(cbDockPane* pPane)^K

Internal implementation function.

^o**bBarDragPlugin::GetBarWidthInPane**

^q**bbardragplugingegetbarwidthinpane**

^b**rowse00044**

^K **cbBarDragPlugin GetBarWidthInPane**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")**

^K **GetBarWidthInPane**

\$#+K! **cbBarDragPlugin::GetDistanceToPane**

int GetDistanceToPane(cbDockPane* pPane, wxPoint& mousePos)^K

Internal implementation function.

^o**bBarDragPlugin::GetDistanceToPane**

^q**bbardragpluggingetdistancetopane**

^b**rowse00045**

^K **cbBarDragPlugin GetDistanceToPane**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")**

^K **GetDistanceToPane**

\$#+K! **cbBarDragPlugin::HitTestPanes**

cbDockPane* HitTestPanes(**wxRect&** *rect*)^K

Internal implementation function. Finds the pane under the specified rectangle.

cbDockPane* HitTestPanes(**wxPoint&** *pos*)^K

Internal implementation function. Finds the pane under the specified point.

^cbBarDragPlugin::HitTestPanes

^cbbardragpluginhitptestpanes

^browse00046

^K cbBarDragPlugin HitTestPanes

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K HitTestPanes

^K HitTestPanes

\$#+K! **cbBarDragPlugin::HitsPane**

bool HitsPane(cbDockPane* pPane, wxRect& rect)^K

Internal implementation function.

^obBarDragPlugin::HitsPane

^obbardragpluginhitspane

^browse00047

^K cbBarDragPlugin HitsPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K HitsPane

\$#+K! **cbBarDragPlugin::IsInClientArea**

bool IsInClientArea(wxPoint& mousePos)^K

Internal implementation function.

bool IsInClientArea(wxRect& rect)^K

Internal implementation function.

^cbBarDragPlugin::IsInClientArea

^cbbardragpluginisinclientarea

^browse00048

^K cbBarDragPlugin IsInClientArea

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K IsInClientArea

^K IsInClientArea

\$#+K! **cbBarDragPlugin::IsInOtherPane**

bool IsInOtherPane(wxPoint& mousePos)^K

Internal implementation function.

^obBarDragPlugin::IsInOtherPane

^obbardragpluginisinotherpane

^browse00049

^K cbBarDragPlugin IsInOtherPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K IsInOtherPane

\$#+K! cbBarDragPlugin::OnDrawHintRect

void OnDrawHintRect(cbDrawHintRectEvent& event)^K

Handles event, which originates from itself.

^bBarDragPlugin::OnDrawHintRect

^bbardragpluginondrawhinctrect

^browse00050

^K cbBarDragPlugin OnDrawHintRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K OnDrawHintRect

```
$#+K! cbBarDragPlugin::OnLButtonDown  
void OnLButtonDown(cbLeftDownEvent& event)K
```

Handler for plugin event.

```
abBarDragPlugin::OnLButtonDown  
abbardragpluginonlbuttondown  
browse00051  
K cbBarDragPlugin OnLButtonDown  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")  
K OnLButtonDown
```

\$#+K! **cbBarDragPlugin::OnLButtonUp**

void OnLButtonUp(cbLeftUpEvent& event)^K

Handler for plugin event.

^obBarDragPlugin::OnLButtonUp

^obbardragpluginonlbuttonup

^browse00052

^K cbBarDragPlugin OnLButtonUp

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K OnLButtonUp

\$#+K! **cbBarDragPlugin::OnLDbClick**

void OnLDbClick(cbLeftDClickEvent& event)^K

Handler for plugin event.

^obBarDragPlugin::OnLDbClick

^obbardragpluginonldblclick

^browse00053

^K cbBarDragPlugin OnLDbClick

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K OnLDbClick

\$#+K! **cbBarDragPlugin::OnMouseMove**

void OnMouseMove(cbMotionEvent& event)^K

Handler for plugin event.

^abBarDragPlugin::OnMouseMove

^abbardragpluginonmousemove

^browse00054

^K cbBarDragPlugin OnMouseMove

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K OnMouseMove

\$#+K! cbBarDragPlugin::OnStartBarDragging

void OnStartBarDragging(cbStartBarDraggingEvent& event)^K

Handler for plugin event.

°bBarDragPlugin::OnStartBarDragging

°bbardragpluginonstartbardragging

rowse00055

K cbBarDragPlugin OnStartBarDragging

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

K OnStartBarDragging

cbBarDragPlugin::RectToScr

void RectToScr(wxRect& frameRect, wxRect& scrRect)^K

Internal implementation function. Converts the given rectangle from window to screen coordinates.

^obBarDragPlugin::RectToScr

^obbardragpluginrecttoscr

^browse00056

^K cbBarDragPlugin RectToScr

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K RectToScr

\$#+K! **cbBarDragPlugin::ShowHint**

void ShowHint(bool prevWasInClient)^K

Internal implementation function. Show the hint; called within OnMouseMove.

^abBarDragPlugin::ShowHint

^abbardragpluginshowhint

^browse00057

^K cbBarDragPlugin ShowHint

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K ShowHint

\$#+K! **cbBarDragPlugin::StartTracking**

void StartTracking()^K

on-screen hint-tracking related methods Internal implementation function. Start showing a visual hint while dragging.

^obBarDragPlugin::StartTracking

^obbardragpluginstarttracking

^browse00058

^K cbBarDragPlugin StartTracking

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K StartTracking

\$#+K! **cbBarDragPlugin::StickToPane**

void StickToPane(cbDockPane* pPane, wxPoint& mousePos)^K

Internal implementation function.

^obBarDragPlugin::StickToPane

^obbardragpluginsticktopane

^browse00059

^K cbBarDragPlugin StickToPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K StickToPane

\$#+K! **cbBarDragPlugin::UnstickFromPane**

void UnstickFromPane(cbDockPane* pPane, wxPoint& mousePos)^K

Internal implementation function.

^obBarDragPlugin::UnstickFromPane

^qbbardragpluginunstickfrompane

^browse00060

^K cbBarDragPlugin UnstickFromPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbardragplugin')")

^K UnstickFromPane

\$#+K! cbBarHintsPlugin::cbBarHintsPlugin

cbBarHintsPlugin()^K

Default constructor.

cbBarHintsPlugin(wxFrameLayout* pLayout, int paneMask = wxALL_PANES)^K

Constructor, taking parent frame and pane mask flag.

^bBarHintsPlugin::cbBarHintsPlugin

^bbarhintsplugincbbarhintsplugin

browse00062

K cbBarHintsPlugin cbBarHintsPlugin

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

K cbBarHintsPlugin

K cbBarHintsPlugin

\$#+K! **cbBarHintsPlugin::~cbBarHintsPlugin**

~cbBarHintsPlugin()^K

Destructor.

^o**bBarHintsPlugin::~cbBarHintsPlugin**

^o**bbarhintsplugindtor**

^b**rowse00063**

^K **cbBarHintsPlugin ~cbBarHintsPlugin**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")**

^K **~cbBarHintsPlugin**

\$#+K! **cbBarHintsPlugin::CreateBoxes**

void CreateBoxes()^K

Helper function: creates close and collapse boxes.

^obBarHintsPlugin::CreateBoxes

^obbarhintsplugincreateboxes

^browse00064

^K cbBarHintsPlugin CreateBoxes

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K CreateBoxes

\$#+K! **cbBarHintsPlugin::DoDrawHint**

void DoDrawHint(wxDC& dc, wxRect& rect, int pos, int boxOfs, int grooveOfs, bool isFixed)

Helper function: draws a hint.

^cbBarHintsPlugin::DoDrawHint

^qbbarhintspluginodrawhint

^browse00065

^K cbBarHintsPlugin DoDrawHint

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K DoDrawHint

\$#+K! **cbBarHintsPlugin::Draw3DBox**

void Draw3DBox(wxDC& dc, const wxPoint& pos, bool pressed)^K

Helper function: draws a 3D box.

^obBarHintsPlugin::Draw3DBox

^obbarhintsplugindraw3dbox

^browse00066

^K cbBarHintsPlugin Draw3DBox

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K Draw3DBox

\$#+K! **cbBarHintsPlugin::DrawCloseBox**

void DrawCloseBox(wxDC& dc, const wxPoint& pos, bool pressed)^K

Helper function: draws a close box.

^abBarHintsPlugin::DrawCloseBox

^abbarhintsplugindrawclosebox

^browse00067

^K cbBarHintsPlugin DrawCloseBox

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K DrawCloseBox

\$#+K! **cbBarHintsPlugin::DrawCollapseBox**

**void DrawCollapseBox(wxDC& dc, const wxPoint& pos, bool atLeft, bool disabled,
bool pressed)**^K

Helper function: draws a collapse box.

^obBarHintsPlugin::DrawCollapseBox

^obbarhintsplugindrawcollapsebox

^browse00068

^K cbBarHintsPlugin DrawCollapseBox

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K DrawCollapseBox

\$#+K! **cbBarHintsPlugin::DrawGrooves**

void DrawGrooves(wxDC& dc, const wxPoint& pos, int length)^K

Helper function: draws grooves.

^obBarHintsPlugin::DrawGrooves

^obbarhintsplugindrawgrooves

^browse00069

^K cbBarHintsPlugin DrawGrooves

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K DrawGrooves

\$#+K! **cbBarHintsPlugin::ExcludeHints**

void ExcludeHints(wxRect& rect, cbBarInfo& info)^K

Helper function.

^abBarHintsPlugin::ExcludeHints

^abbarhintspluginexcludehints

^browse00070

^K cbBarHintsPlugin ExcludeHints

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K ExcludeHints

\$#+K! **cbBarHintsPlugin::GetHintsLayout**

void GetHintsLayout(wxRect& rect, cbBarInfo& info, int& boxOfs, int& grooveOfs, int& pos)^K

Helper function: gets the layout of a hint.

^abBarHintsPlugin::GetHintsLayout

^bbbarhintsplugingethintslayout

^browse00071

^K cbBarHintsPlugin GetHintsLayout

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K GetHintsLayout

\$#+K! **cbBarHintsPlugin::HitTestHints**

int HitTestHints(cbBarInfo& info, const wxPoint& pos)^K

Helper function: returns information about the hint under the given position.

^abBarHintsPlugin::HitTestHints

^abbarhintspluginhithesthints

^browse00072

^K cbBarHintsPlugin HitTestHints

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K HitTestHints

\$#+K! cbBarHintsPlugin::OnDrawBarDecorations

void OnDrawBarDecorations(cbDrawBarDecorEvent& event)^K

Handles a plugin event.

^obBarHintsPlugin::OnDrawBarDecorations

^qbbarhintspluginondrawbardecorations

^browse00073

^K cbBarHintsPlugin OnDrawBarDecorations

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K OnDrawBarDecorations

\$#+K! **cbBarHintsPlugin::OnInitPlugin**

void OnInitPlugin()^K

Called to initialize this plugin.

^obBarHintsPlugin::OnInitPlugin

^obbarhintspluginoninitplugin

^browse00074

^K cbBarHintsPlugin OnInitPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K OnInitPlugin

\$#+K! **cbBarHintsPlugin::OnLeftDown**

void OnLeftDown(cbLeftDownEvent& event)^K

Handles a plugin event.

^abBarHintsPlugin::OnLeftDown

^abbarhintspluginonleftdown

^browse00075

^K cbBarHintsPlugin OnLeftDown

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K OnLeftDown

\$#+K! cbBarHintsPlugin::OnLeftUp

void OnLeftUp(cbLeftUpEvent& event)^K

Handles a plugin event.

^abBarHintsPlugin::OnLeftUp

^abbarhintspluginonleftup

^browse00076

^K cbBarHintsPlugin OnLeftUp

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K OnLeftUp

cbBarHintsPlugin::OnMotion

void OnMotion(cbMotionEvent& event)^K

Handles a plugin event.

^abBarHintsPlugin::OnMotion

^abbarhintspluginonmotion

^browse00077

^K cbBarHintsPlugin OnMotion

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K OnMotion

\$#+K! **cbBarHintsPlugin::OnSizeBarWindow**

void OnSizeBarWindow(cbSizeBarWndEvent& event)^K

Handles a plugin event.

^obBarHintsPlugin::OnSizeBarWindow

^qbbarhintspluginonsizebarwindow

^browse00078

^K cbBarHintsPlugin OnSizeBarWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K OnSizeBarWindow

\$#+K! **cbBarHintsPlugin::SetGrooveCount**

void SetGrooveCount(int nGrooves)^K

Set the number of grooves to be shown in the pane.

^abBarHintsPlugin::SetGrooveCount

^abbarhintspluginsetgroovecount

^browse00079

^K cbBarHintsPlugin SetGrooveCount

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarhintsplugin')")

^K SetGrooveCount

\$#+K! **cbBarInfo::cbBarInfo**

cbBarInfo()^K

Constructor.

^obBarInfo::cbBarInfo

^obbarinfocbbarinfo

^browse00081

^K cbBarInfo cbBarInfo

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarinfo')")

^K cbBarInfo

\$#+K! **cbBarInfo::~cbBarInfo**

~cbBarInfo()^K

Destructor.

^cbBarInfo::~cbBarInfo

^cbbarinfodtor

^browse00082

^K cbBarInfo ~cbBarInfo

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarinfo')")

^K ~cbBarInfo

\$#+KK! **cbBarInfo::IsExpanded**

bool IsExpanded() const

Returns TRUE if this bar is expanded.

^obBarInfo::IsExpanded

^obbarinfoisexpanded

^browse00083

^K cbBarInfo IsExpanded

^K IsExpanded

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarinfo')")

\$#+KK! **cbBarInfo::IsFixed**

bool IsFixed() const

Returns TRUE if this bar is fixed.

^cbBarInfo::IsFixed

^qbbarinfoisfixed

^browse00084

^K cbBarInfo IsFixed

^K IsFixed

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarinfo')")

\$#+K! **cbBarSpy::cbBarSpy**

cbBarSpy(wxFrameLayout* pPanel)^K

Constructor, taking a parent pane.

cbBarSpy()^K

Default constructor.

cbBarSpy::cbBarSpy

cbbarspy::cbbarspy

browse00087

K cbBarSpy cbBarSpy

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarspy')")

K cbBarSpy

K cbBarSpy

\$#+K!**cbBarSpy::ProcessEvent**

bool ProcessEvent(wxEvent& event)^K

Performs special event processing.

^abBarSpy::ProcessEvent

^abbarspyprocessevent

^browse00088

^K cbBarSpy ProcessEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarspy')")

^K ProcessEvent

\$#+K! **cbBarSpy::SetBarWindow**

void SetBarWindow(wxWindow* pWnd)^K

Sets the bar window.

^abBarSpy::SetBarWindow

^abbarspysetbarwindow

^browse00089

^K cbBarSpy SetBarWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbbarspy')")

^K SetBarWindow

\$#+K! **cbCloseBox::Draw**

void Draw(wxDC& dc)^K

Draws the close button appearance.

^abCloseBox::Draw

^abcloseboxdraw

^browse00091

^K cbCloseBox Draw

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbcclosebox')")

^K Draw

\$#+K! **cbCollapseBox::Draw**

void Draw(wxDC& dc)^K

Draws the collapse button appearance.

^obCollapseBox::Draw

^obcollapseboxdraw

^browse00093

^K cbCollapseBox Draw

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbcollapsebox')")

^K Draw

\$#+K! **cbCustomizeBarEvent::cbCustomizeBarEvent**

cbCustomizeBarEvent(cbBarInfo* pBar, const wxPoint& clickPos, cbDockPane* pPane)^K

Constructor, taking bar information, mouse position, and pane.

^obCustomizeBarEvent::cbCustomizeBarEvent

^obcustomizebareventcbcustomzebarevent

^browse00096

^K cbCustomizeBarEvent cbCustomizeBarEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',` cbcustomizebarevent')")

^K cbCustomizeBarEvent

\$#+K! **cbCustomizeLayoutEvent::cbCustomizeLayoutEvent**

cbCustomizeLayoutEvent(const wxPoint& clickPos)^K

Constructor, taking mouse position.

^cbCustomizeLayoutEvent::cbCustomizeLayoutEvent

^cbcustomizelayouteventcbcustomizelayoutevent

^browse00098

^K cbCustomizeLayoutEvent cbCustomizeLayoutEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbcUSTOMIZELAYOUTEVENT')")

^K cbCustomizeLayoutEvent

\$#+K! **cbDimInfo::cbDimInfo**

cbDimInfo(cbBarDimHandlerBase* pDimHandler, bool isFixed)^K

Constructor. isFixed is TRUE if vertical/horizontal dimensions cannot be manually adjusted by the user using resizing handles. If FALSE, the frame-layout automatically places resizing handles among bars that do are not fixed.

**cbDimInfo(int dh_x, int dh_y, int dv_x, int dv_y, int f_x, int f_y, bool isFixed = TRUE,
int horizGap = 6, int vertGap = 6, cbBarDimHandlerBase* pDimHandler = NULL)^K**

Constructor taking dimension information. dh_x, dh_y are the dimensions when docked horizontally. dv_x, dv_y are the dimensions when docked vertically. f_x, f_y are the dimensions when floating. For information on isFixed, see comments above. horizGap is the left/right gap, separating decorations from the bar's actual window, filled with the frame's background colour. The dimension is given in the frame's coordinates. vertGap is the top/bottom gap, separating decorations from the bar's actual window, filled with the frame's background colour. The dimension is given in the frame's coordinates.

**cbDimInfo(int x, int y, bool isFixed = TRUE, int gap = 6, cbBarDimHandlerBase*
pDimHandler = NULL)^K**

Constructor.

cbDimInfo()^K

Default constructor.

^cbDimInfo::cbDimInfo

^cbdiminfocbdiminfo

^browse00100

^K cbDimInfo cbDimInfo

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdiminfo')")

^K cbDimInfo

^K cbDimInfo

^K cbDimInfo

^K cbDimInfo

\$#+K! cbDimInfo::~cbDimInfo

~cbDimInfo()^K

Destructor. Destroys handler automatically, if present.

^bDimInfo::~cbDimInfo

^bdiminfodtor

^browse00101

^K cbDimInfo ~cbDimInfo

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdiminfo')")

^K ~cbDimInfo

\$#+K! **cbDimInfo::GetDimHandler**

cbBarDimHandlerBase* GetDimHandler()^K

Returns the handler, if any.

^abDimInfo::GetDimHandler

^abdiminfogetdimhandler

^browse00102

^K cbDimInfo GetDimHandler

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdiminfo')")

^K GetDimHandler

\$#+K! **cbDimInfo::operator=**
const cbDimInfo& operator operator=(const cbDimInfo& other)^K

Assignment operator.

^abDimInfo::operator=
^abdiminfooperatorassign
^browse00103
^K cbDimInfo operator=
enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdiminfo')")
^K operator=

\$#+K! **cbDockBox::Draw**

void Draw(wxDC& dc)^K

Draws the dock button appearance.

^obDockBox::Draw

^obdockboxdraw

^browse00105

^K cbDockBox Draw

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockbox')")

^K Draw

\$#+K! **cbDockPane::cbDockPane**

cbDockPane(int alignment, wxFrameLayout* pPanel)^K

Constructor, taking alignment and layout panel.

cbDockPane()^K

public members Default constructor.

^cbDockPane::cbDockPane

^cbdockpanecbdockpane

^browse00107

^K cbDockPane cbDockPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K cbDockPane

^K cbDockPane

\$#+K! **cbDockPane::~cbDockPane**

~cbDockPane()^K

Destructor.

^abDockPane::~cbDockPane

^abdockpanedtor

^browse00108

^K cbDockPane ~cbDockPane

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K ~cbDockPane

\$#+K! **cbDockPane::BarPresent**

bool BarPresent(cbBarInfo* pBar)^K

Returns TRUE if the given bar is present in this pane.

^abDockPane::BarPresent

^abdockpanebarpresent

^browse00109

^K cbDockPane BarPresent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K BarPresent

\$#+K! **cbDockPane::CalcLengthRatios**

void CalcLengthRatios(cbRowInfo* pInRow)^K

Calculate lengths. Internal function called by plugins.

^abDockPane::CalcLengthRatios

^abdockpanecalclengthratios

^browse00110

^K cbDockPane CalcLengthRatios

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K CalcLengthRatios

\$#+K! **cbDockPane::ContractBar**

void ContractBar(cbBarInfo* pBar)^K

Contracts the bar. Internal function called by plugins.

^abDockPane::ContractBar

^abdockpanecontractbar

^browse00111

^K cbDockPane ContractBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K ContractBar

\$#+K! **cbDockPane::DoInsertBar**

void DoInsertBar(cbBarInfo* pBar, int rowNo)^K

Inserts the bar at the given row number. Internal function called by plugins.

^abDockPane::DoInsertBar

^abdockpanedoinsertbar

^browse00112

^K cbDockPane DoInsertBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K DoInsertBar

\$#+K! **cbDockPane::DrawHorizHandle**

void DrawHorizHandle(wxDC& dc, int x, int y, int width)^K

Row/bar resizing related helper-method.

^obDockPane::DrawHorizHandle

^obdockpanedrawhorizhandle

^browse00113

^K cbDockPane DrawHorizHandle

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K DrawHorizHandle

\$#+K! **cbDockPane::DrawVertHandle**

void DrawVertHandle(wxDC& dc, int x, int y, int height)^K

protected really (accessed only by plugins) Row/bar resizing related helper-method.

^abDockPane::DrawVertHandle

^abdockpanedrawverthandle

^browse00114

^K cbDockPane DrawVertHandle

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K DrawVertHandle

\$#+K! **cbDockPane::ExpandBar**

void ExpandBar(cbBarItem* pBar)^K

Expands the bar. Internal function called by plugins.

^obDockPane::ExpandBar

^obdockpaneexpandbar

^browse00115

^K cbDockPane ExpandBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K ExpandBar

\$#+K! **cbDockPane::FinishDrawInArea**

void FinishDrawInArea(const wxRect& area)^K

Generates cbFinishDrawInAreaEvent and sends it to the layout. Internal function called by plugins.

^obDockPane::FinishDrawInArea

^obdockpanefinishdrawinarea

^browse00116

^K cbDockPane FinishDrawInArea

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K FinishDrawInArea

\$#+K! **cbDockPane::FrameToPane**

void FrameToPane(int* x, int* y)^K

Coordinate translation between parent's frame and this pane. Internal function called by plugins.

void FrameToPane(wxRect* pRect)^K

Coordinate translation between parent's frame and this pane. Internal function called by plugins.

^cbDockPane::FrameToPane

^cbdockpaneframetopane

^browse00117

^K cbDockPane FrameToPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K FrameToPane

^K FrameToPane

\$#+K! **cbDockPane::GetAlignment**

int GetAlignment()^K

Returns the alignment for this pane. The value is one of FL_ALIGN_TOP,
FL_ALIGN_BOTTOM, FL_ALIGN_LEFT, FL_ALIGN_RIGHT.

^abDockPane::GetAlignment

^abdockpanegetalignment

^browse00118

^K cbDockPane GetAlignment

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetAlignment

\$#+K! **cbDockPane::GetBarInfoByWindow**

cbBarInfo* GetBarInfoByWindow(wxWindow* pBarWnd)^K

Finds the bar information by corresponding window.

^obDockPane::GetBarInfoByWindow

^obdockpanegetbarinfobywindow

^browse00119

^K cbDockPane GetBarInfoByWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetBarInfoByWindow

\$#+K! **cbDockPane::GetBarResizeRange**

void GetBarResizeRange(cbBarInfo* pBar, int* from, int* till, bool forLeftHandle)^K

Returns the bar's resize range.

^obDockPane::GetBarResizeRange

^obdockpanegetbarresizerange

^browse00120

^K cbDockPane GetBarResizeRange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetBarResizeRange

\$#+K! **cbDockPane::GetDockingState**

int GetDockingState()^K

Returns wxCBAR_DOCKED_HORIZONTAL if the alignment is top or bottom, or
wxCBAR_DOCKED_VERTICAL otherwise.

^abDockPane::GetDockingState

^abdockpanegetdockingstate

^browse00121

^K cbDockPane GetDockingState

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetDockingState

\$#+K! **cbDockPane::GetFirstRow**

cbRowInfo* GetFirstRow()^K

Returns the first row.

^abDockPane::GetFirstRow

^abdockpanegetfirstrow

^browse00122

^K cbDockPane GetFirstRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetFirstRow

\$#+K! **cbDockPane::GetMinimalRowHeight**

int GetMinimalRowHeight(cbRowInfo* pRow)^K

Returns the minimal row height for the given row. Internal function called by plugins.

^obDockPane::GetMinimalRowHeight

^obdockpanegetminimalrowheight

^browse00123

^K cbDockPane GetMinimalRowHeight

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetMinimalRowHeight

\$#+K! **cbDockPane::GetNotFixedBarsCount**

int GetNotFixedBarsCount(cbRowInfo* pRow)^K

Returns the number of bars whose size is not fixed. Internal function called by plugins.

^abDockPane::GetNotFixedBarsCount

^cbdockpanegetnotfixedbarscount

^browse00124

^K cbDockPane GetNotFixedBarsCount

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetNotFixedBarsCount

\$#+K! **cbDockPane::GetPaneHeight**

int GetPaneHeight()^K

Returns the height in the pane's coordinates.

^obDockPane::GetPaneHeight

^obdockpanegetpaneheight

^browse00125

^K cbDockPane GetPaneHeight

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetPaneHeight

\$#+K! **cbDockPane::GetRealRect**

wxRect& GetRealRect()^K

Returns the bounds of the pane, in parent coordinates.

^obDockPane::GetRealRect

^obdockpanegetrealrect

^browse00126

^K cbDockPane GetRealRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRealRect

\$#+K! **cbDockPane::GetRow**

cbRowInfo* GetRow(int row)^K

protected really (accessed only by plugins) Returns the row info for a row index. Internal function called by plugins.

^abDockPane::GetRow

^abdockpanegetrow

^browse00127

^K cbDockPane GetRow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRow

\$#+K! **cbDockPane::GetRowAt**

int GetRowAt(int paneY)

Returns the row at the given vertical position. Returns -1 if the row is not present at given vertical position. Internal function called by plugins.

int GetRowAt(int upperY, int lowerY)

Returns the row between the given vertical positions. Returns -1 if the row is not present. Internal function called by plugins.

^cbDockPane::GetRowAt

^cbdockpanegetrowat

^browse00128

^K cbDockPane GetRowAt

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRowAt

^K GetRowAt

\$#+K! **cbDockPane::GetRowIndex**

int GetRowIndex(cbRowInfo* pRow)^K

Returns the row index for the given row info. Internal function called by plugins.

^obDockPane::GetRowIndex

^obdockpanegetrowindex

^browse00129

^K cbDockPane GetRowIndex

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRowIndex

\$#+K! **cbDockPane::GetRowList**

RowArrayT& GetRowList()^K

Returns an array of rows. Used by updates-managers.

^abDockPane::GetRowList

^abdockpanegetrowlist

^browse00130

^K cbDockPane GetRowList

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRowList

\$#+K! **cbDockPane::GetRowResizeRange**

void GetRowResizeRange(cbRowInfo* pRow, int* from, int* till, bool forUpperHandle)^K

Returns the row's resize range.

^obDockPane::GetRowResizeRange

^obdockpanegetrowresizerange

^browse00131

^K cbDockPane GetRowResizeRange

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRowResizeRange

\$#+K! **cbDockPane::GetRowShapeData**

void GetRowShapeData(cbRowInfo* pRow, wxList* pLst)^K

Returns row shape data. cbBarShapeData objects will be added to the given pLst. cbBarShapeData is used for storing the original bar's positions in the row, when the 'non-destructive-friction' option is turned on.

^abDockPane::GetRowShapeData

^abdockpanegetrowshapedata

^browse00132

^K cbDockPane GetRowShapeData

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRowShapeData

\$#+K! **cbDockPane::GetRowY**

int GetRowY(cbRowInfo* pRow)^K

Gets the vertical position at the given row. Internal function called by plugins.

^obDockPane::GetRowY

^obdockpanegetrowy

^browse00133

^K cbDockPane GetRowY

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K GetRowY

\$#+K! **cbDockPane::HasNotFixedBarsLeft**

bool HasNotFixedBarsLeft(cbBarInfo* pBar)^K

Returns TRUE if there are any variable-sized rows to the left of this one. Internal function called by plugins.

^abDockPane::HasNotFixedBarsLeft

^abdockpanehasnotfixedbarsleft

^browse00134

^K cbDockPane HasNotFixedBarsLeft

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K HasNotFixedBarsLeft

\$#+K! **cbDockPane::HasNotFixedBarsRight**

bool HasNotFixedBarsRight(cbBarInfo* pBar)^K

Returns TRUE if there are any variable-sized rows to the right of this one. Internal function called by plugins.

^abDockPane::HasNotFixedBarsRight

^abdockpanehasnotfixedbarsright

^browse00135

^K cbDockPane HasNotFixedBarsRight

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K HasNotFixedBarsRight

\$#+K! **cbDockPane::HasNotFixedRowsAbove**

bool HasNotFixedRowsAbove(cbRowInfo* pRow)^K

Returns TRUE if there are any variable-sized rows above this one. Internal function called by plugins.

^abDockPane::HasNotFixedRowsAbove

^abdockpanehasnotfixedrowsabove

^browse00136

^K cbDockPane HasNotFixedRowsAbove

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K HasNotFixedRowsAbove

\$#+K! **cbDockPane::HasNotFixedRowsBelow**

bool HasNotFixedRowsBelow(cbRowInfo* pRow)^K

Returns TRUE if there are any variable-sized rows below this one. Internal function called by plugins.

^abDockPane::HasNotFixedRowsBelow

^abdockpanehasnotfixedrowsbelow

^browse00137

^K cbDockPane HasNotFixedRowsBelow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K HasNotFixedRowsBelow

\$#+K! **cbDockPane::HasPoint**

bool HasPoint(const wxPoint& pos, int x, int y, int width, int height)^K

Returns TRUE if pos is within the given rectangle. Internal function called by plugins.

^abDockPane::HasPoint

^abdockpanehaspoint

^browse00138

^K cbDockPane HasPoint

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K HasPoint

\$#+K! **cbDockPane::HitTestPanelItems**

int HitTestPanelItems(const wxPoint& pos, cbRowInfo ppRow, cbBarInfo** ppBar)**^K

Returns the result of hit-testing items in the pane. See CB_HITTEST_RESULT enumerated type. pos is the position in this pane's coordinates.

^abDockPane::HitTestPanelItems

^abdockpanehittestpaneitems

^browse00139

^K cbDockPane HitTestPanelItems

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K HitTestPanelItems

\$#+K! **cbDockPane::InitLinksForRow**

void InitLinksForRow(cbRowInfo* pRow)^K

Sets up links between bars. Internal function called by plugins.

^abDockPane::InitLinksForRow

^abdockpaneinitlinksforrow

^browse00140

^K cbDockPane InitLinksForRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K InitLinksForRow

\$#+K! **cbDockPane::InitLinksForRows**

void InitLinksForRows()^K

Sets up links between bars. Internal function called by plugins.

^obDockPane::InitLinksForRows

^obdockpaneinitlinksforrows

^browse00141

^K cbDockPane InitLinksForRows

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K InitLinksForRows

\$#+K! **cbDockPane::InsertBar**

void InsertBar(cbBarInfo* pBarInfo)^K

Inserts bar and sets its position according to the preferred settings given in pBarInfo.

void InsertBar(cbBarInfo* pBar, const wxRect& rect)^K

Inserts the bar into this pane. rect is given in the parent frame's coordinates.

void InsertBar(cbBarInfo* pBar, cbRowInfo* pIntoRow)^K

Inserts the bar into the given row, with dimensions and position stored in pBarInfo->mBounds. Returns the node of inserted bar.

^cbDockPane::InsertBar

^cbdockpaneinsertbar

^browse00142

^K cbDockPane InsertBar

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K InsertBar

^K InsertBar

^K InsertBar

\$#+K! **cbDockPane::InsertRow**

void InsertRow(cbRowInfo* pRow, cbRowInfo* pBeforeRow)^K

Inserts a row. Does not refresh the inserted row immediately. If pBeforeRowNode is NULL, the row is appended to the end of pane's row list.

^abDockPane::InsertRow

^abdockpaneinsertrow

^browse00143

^K cbDockPane InsertRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K InsertRow

\$#+K! **cbDockPane::IsFixedSize**

bool IsFixedSize(cbBarInfo* pInfo)^K

Returns TRUE if the bar's dimension information indicates a fixed size. Internal function called by plugins.

^abDockPane::IsFixedSize

^abdockpaneisfixedsize

^browse00144

^K cbDockPane IsFixedSize

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K IsFixedSize

\$#+K! **cbDockPane::IsHorizontal**

bool IsHorizontal()^K

Returns TRUE if the pane is aligned to the top or bottom.

^abDockPane::IsHorizontal

^abdockpaneishorizontal

^browse00145

^K cbDockPane IsHorizontal

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K IsHorizontal

\$#+K! **cbDockPane::MatchesMask**

bool MatchesMask(int paneMask)^K

Returns TRUE if the given mask matches the pane's mask.

^abDockPane::MatchesMask

^abdockpanematchesmask

^browse00146

^K cbDockPane MatchesMask

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K MatchesMask

\$#+K! **cbDockPane::PaintBar**

void PaintBar(cbBarInfo* pBar, wxDC& dc)^K

Calls PaintBarDecorations and PaintBarHandles. Internal function called by plugins.

^obDockPane::PaintBar

^obdockpanepaintbar

^browse00147

^K cbDockPane PaintBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintBar

\$#+K! **cbDockPane::PaintBarDecorations**

void PaintBarDecorations(cbBarItem* pBar, wxDC& dc)^K

protected really (accessed only by plugins) Generates a cbDrawBarDecorEvent and sends it to the layout to paint the bar decorations. Internal function called by plugins.

^abDockPane::PaintBarDecorations

^abdockpanepaintbardecorations

^browse00148

^K cbDockPane PaintBarDecorations

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintBarDecorations

\$#+K! **cbDockPane::PaintBarHandles**

void PaintBarHandles(cbBarItem* pBar, wxDC& dc)^K

Generates a cbDrawBarHandlesEvent and sends it to the layout to paint the bar handles. Internal function called by plugins.

^abDockPane::PaintBarHandles

^abdockpanepaintbarhandles

^browse00149

^K cbDockPane PaintBarHandles

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintBarHandles

\$#+K! **cbDockPane::PaintPane**

void PaintPane(wxDC& dc)^K

Paints the pane background, the row background and decorations, and finally the pane decorations. Internal function called by plugins.

^obDockPane::PaintPane

^obdockpanepaintpane

^browse00150

^K cbDockPane PaintPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintPane

\$#+K! **cbDockPane::PaintPaneBackground**

void PaintPaneBackground(wxDC& dc)^K

Generates cbDrawPaneBkGroundEvent and sends it to the layout. Internal function called by plugins.

^obDockPane::PaintPaneBackground

^obdockpanepaintpanebackground

^browse00151

^K cbDockPane PaintPaneBackground

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintPaneBackground

\$#+K! **cbDockPane::PaintPaneDecorations**

void PaintPaneDecorations(wxDC& dc)^K

Generates cbDrawPaneDecorEvent and sends it to the layout. Internal function called by plugins.

^obDockPane::PaintPaneDecorations

^obdockpanepaintpanedecorations

^browse00152

^K cbDockPane PaintPaneDecorations

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintPaneDecorations

\$#+K! **cbDockPane::PaintRow**

void PaintRow(cbRowInfo* pRow, wxDC& dc)^K

Calls PaintRowBackground, PaintRowDecorations, PaintRowHandles. Internal function called by plugins.

^obDockPane::PaintRow

^obdockpanepaintrow

^browse00153

^K cbDockPane PaintRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintRow

\$#+K! **cbDockPane::PaintRowBackground**

void PaintRowBackground(cbRowInfo* pRow, wxDC& dc)^K

Generates cbDrawRowBkGroundEvent and sends it to the layout. Internal function called by plugins.

^abDockPane::PaintRowBackground

^abdockpanepaintrowbackground

^browse00154

^K cbDockPane PaintRowBackground

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintRowBackground

\$#+K! **cbDockPane::PaintRowDecorations**

void PaintRowDecorations(cbRowInfo* pRow, wxDC& dc)^K

Calls PaintBarDecorations for each row. Internal function called by plugins.

^obDockPane::PaintRowDecorations

^obdockpanepaintrowdecorations

^browse00155

^K cbDockPane PaintRowDecorations

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintRowDecorations

\$#+K! **cbDockPane::PaintRowHandles**

void PaintRowHandles(cbRowInfo* pRow, wxDC& dc)^K

Generates cbDrawRowHandlesEvent and cbDrawRowDecorEvent and sends them to the layout. Internal function called by plugins.

^abDockPane::PaintRowHandles

^abdockpanepaintrowhandles

^browse00156

^K cbDockPane PaintRowHandles

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaintRowHandles

\$#+K! **cbDockPane::PaneToFrame**

void PaneToFrame(wxRect* pRect)^K

Coordinate translation between parent's frame and this pane. Internal function called by plugins.

void PaneToFrame(int* x, int* y)^K

Coordinate translation between parent's frame and this pane. Internal function called by plugins.

^cbDockPane::PaneToFrame

^cbdockpanepanetoframe

^browse00157

^K cbDockPane PaneToFrame

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K PaneToFrame

^K PaneToFrame

\$#+K! **cbDockPane::RecalcLayout**

void RecalcLayout()^K

Generates events to perform layout calculations.

^obDockPane::RecalcLayout

^obdockpanerecalclayout

^browse00158

^K cbDockPane RecalcLayout

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K RecalcLayout

\$#+K! **cbDockPane::RecalcRowLayout**

void RecalcRowLayout(cbRowInfo* pRow)^K

Generates a cbLayoutRowEvent event to recalculate row layouts. Internal function called by plugins.

^abDockPane::RecalcRowLayout

^abdockpanerecalcrowlayout

^browse00159

^K cbDockPane RecalcRowLayout

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K RecalcRowLayout

\$#+K! **cbDockPane::RemoveBar**

void RemoveBar(cbBarInfo* pBar)^K

Removes the bar from this pane. Does not destroy the bar.

^abDockPane::RemoveBar

^abdockpaneremovebar

^browse00160

^K cbDockPane RemoveBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K RemoveBar

\$#+K! **cbDockPane::RemoveRow**

void RemoveRow(cbRowInfo* pRow)^K

Removes the row from this pane. Does not destroy the row object.

^abDockPane::RemoveRow

^abdockpaneremoverow

^browse00161

^K cbDockPane RemoveRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K RemoveRow

\$#+K! **cbDockPane::ResizeBar**

void ResizeBar(cbBarInfo* pBar, int ofs, bool forLeftHandle)^K

Row/bar resizing related helper-method.

^abDockPane::ResizeBar

^abdockpaneresizebar

^browse00162

^K cbDockPane ResizeBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K ResizeBar

\$#+K! **cbDockPane::ResizeRow**

void ResizeRow(cbRowInfo* pRow, int ofs, bool forUpperHandle)^K

Row/bar resizing related helper-method.

^abDockPane::ResizeRow

^abdockpaneresizerow

^browse00163

^K cbDockPane ResizeRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K ResizeRow

\$#+K! **cbDockPane::SetBoundsInParent**

void SetBoundsInParent(const wxRect& rect)^K

Set the position and dimensions of the pane in the parent frame's coordinates.

^abDockPane::SetBoundsInParent

^abdockpanesetboundsinparent

^browse00164

^K cbDockPane SetBoundsInParent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SetBoundsInParent

\$#+K! **cbDockPane::SetMargins**

void SetMargins(int top, int bottom, int left, int right)^K

Sets pane's margins in frame's coordinate orientations.

^obDockPane::SetMargins

^obdockpanesetmargins

^browse00165

^K cbDockPane SetMargins

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SetMargins

\$#+K! **cbDockPane::SetPaneWidth**

void SetPaneWidth(int width)^K

Sets pane's width in the pane's coordinates (including margins).

^abDockPane::SetPaneWidth

^abdockpanesetpanewidth

^browse00166

^K cbDockPane SetPaneWidth

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SetPaneWidth

\$#+K! **cbDockPane::SetRowHeight**

void SetRowHeight(cbRowInfo* pRow, int newHeight)^K

Sets the row height for the given height. newHeight includes the height of row handles, if present. Internal function called by plugins.

^abDockPane::SetRowHeight

^abdockpanesetrowheight

^browse00167

^K cbDockPane SetRowHeight

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SetRowHeight

\$#+K! **cbDockPane::SetRowShapeData**

void SetRowShapeData(cbRowInfo* pRowNode, wxList* pLst)^K

Sets the shape data for the given row, using the data provided in pLst. cbBarShapeData is used for storing the original bar's positions in the row, when the 'non-destructive-friction' option is turned on.

^abDockPane::SetRowShapeData

^abdockpanesetrowshapedata

^browse00168

^K cbDockPane SetRowShapeData

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SetRowShapeData

\$#+K! **cbDockPane::SizeBar**

void SizeBar(cbBarInfo* pBar)^K

Generates a cbSizeBarWndEvent and sends it to the layout. Internal function called by plugins.

^abDockPane::SizeBar

^abdockpanesizebar

^browse00169

^K cbDockPane SizeBar

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SizeBar

\$#+K! **cbDockPane::SizePaneObjects**

void SizePaneObjects()^K

Calls SizeRowObjects for each row. Internal function called by plugins.

^abDockPane::SizePaneObjects

^abdockpanesizepaneobjects

^browse00170

^K cbDockPane SizePaneObjects

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SizePaneObjects

\$#+K! **cbDockPane::SizeRowObjects**

void SizeRowObjects(cbRowInfo* pRow)^K

Calls SizeBar for each bar in the row. Internal function called by plugins.

^abDockPane::SizeRowObjects

^abdockpanesizerowobjects

^browse00171

^K cbDockPane SizeRowObjects

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SizeRowObjects

\$#+K! **cbDockPane::StartDrawInArea**

wxDC* StartDrawInArea(const wxRect& area)^K

Generates cbStartDrawInAreaEvent and sends it to the layout. Internal function called by plugins.

^obDockPane::StartDrawInArea

^obdockpanestartdrawinarea

^browse00172

^K cbDockPane StartDrawInArea

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K StartDrawInArea

\$#+K! **cbDockPane::SyncRowFlags**

void SyncRowFlags(cbRowInfo* pRow)^K

Sets up flags in the row information structure, so that they match the changed state of row items correctly. Internal function called by plugins.

^abDockPane::SyncRowFlags

^abdockpanesyncrowflags

^browse00173

^K cbDockPane SyncRowFlags

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbdockpane')")

^K SyncRowFlags

\$#+K! **cbDrawBarDecorEvent::cbDrawBarDecorEvent**

cbDrawBarDecorEvent(cbBarInfo* pBar, wxDC& dc, cbDockPane* pPane)^K

Constructor, taking bar information, device context, and pane.

^abDrawBarDecorEvent::cbDrawBarDecorEvent

^cbdrawbardecorereventcbdrawbardecorerevent

^browse00175

^K cbDrawBarDecorEvent cbDrawBarDecorEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbdrawbardecorerevent')")

^K cbDrawBarDecorEvent

\$#+K! **cbDrawBarHandlesEvent::cbDrawBarHandlesEvent**

cbDrawBarHandlesEvent(cbBarInfo* pBar, wxDC& dc, cbDockPane* pPane)^K

Constructor, taking bar information, device context, and pane.

^cbDrawBarHandlesEvent::cbDrawBarHandlesEvent

^cbdrawbarhandleseventcbdrawbarhandlesevent

^browse00177

^K cbDrawBarHandlesEvent cbDrawBarHandlesEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbdrawbarhandlesevent')")

^K cbDrawBarHandlesEvent

\$#+K! **cbDrawHintRectEvent::cbDrawHintRectEvent**

cbDrawHintRectEvent(const wxRect& rect, bool isInClient, bool eraseRect, bool lastTime)^K

e.g. with fat/hatched border Constructor, taking hint rectangle and three flags.

^cbDrawHintRectEvent::cbDrawHintRectEvent

^cbdrawhintrecteventcbdrawhinctrectevent

^browse00179

^K cbDrawHintRectEvent cbDrawHintRectEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbdrawhinctrectevent')")

^K cbDrawHintRectEvent

\$#+K! **cbDrawPaneBkGroundEvent::cbDrawPaneBkGroundEvent**

cbDrawPaneBkGroundEvent(wxDC& dc, cbDockPane* pPane)^K

Constructor, taking device context and pane.

^abDrawPaneBkGroundEvent::cbDrawPaneBkGroundEvent

^cbdrawpanebkgroundeventcbdrawpanebkgroundevent

^browse00181

^K cbDrawPaneBkGroundEvent cbDrawPaneBkGroundEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp",

`cbdrawpanebkgroundevent')")

^K cbDrawPaneBkGroundEvent

\$#+K! **cbDrawPaneDecorEvent::cbDrawPaneDecorEvent**

cbDrawPaneDecorEvent(wxDC& dc, cbDockPane* pPane)^K

Constructor, taking device context and pane.

^abDrawPaneDecorEvent::cbDrawPaneDecorEvent

^cbdrawpanedecoreventcbdrawpanedecorevent

^browse00183

^K cbDrawPaneDecorEvent cbDrawPaneDecorEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp",

`cbdrawpanedecorevent')")

^K cbDrawPaneDecorEvent

\$#+K! **cbDrawRowBkGroundEvent::cbDrawRowBkGroundEvent**

cbDrawRowBkGroundEvent(cbRowInfo* pRow, wxDC& dc, cbDockPane* pPane)^K

Constructor, taking row information, device context, and pane.

^CbDrawRowBkGroundEvent::cbDrawRowBkGroundEvent

^Cbdrawrowbkgroundeventcbdrawrowbkgroundevent

^Browse00185

^K cbDrawRowBkGroundEvent cbDrawRowBkGroundEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp",

`cbdrawrowbkgroundevent')")

^K cbDrawRowBkGroundEvent

\$#+K! **cbDrawRowDecorEvent::cbDrawRowDecorEvent**

cbDrawRowDecorEvent(cbRowInfo* pRow, wxDC& dc, cbDockPane* pPane)^K

Constructor, taking row information, device context, and pane.

^cbDrawRowDecorEvent::cbDrawRowDecorEvent

^cbdrawrowdecorereventcbdrawrowdecorerevent

^browse00187

^K cbDrawRowDecorEvent cbDrawRowDecorEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbdrawrowdecorerevent')")

^K cbDrawRowDecorEvent

\$#+K! **cbDrawRowHandlesEvent::cbDrawRowHandlesEvent**

cbDrawRowHandlesEvent(cbRowInfo* pRow, wxDC& dc, cbDockPane* pPane)^K

Constructor, taking row information, device context, and pane.

^cbDrawRowHandlesEvent::cbDrawRowHandlesEvent

^cbdrawrowhandleseventcbdrawrowhandlesevent

^browse00189

^K cbDrawRowHandlesEvent cbDrawRowHandlesEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbdrawrowhandlesevent')")

^K cbDrawRowHandlesEvent

\$#+K! **cbDynToolBarDimHandler::OnChangeBarState**

void OnChangeBarState(cbBarInfo* pBar, int newState)^K

Called when the bar changes state.

^cbDynToolBarDimHandler::OnChangeBarState

^cbdyntoolbardimhandleronchangebarstate

^browse00191

^K cbDynToolBarDimHandler OnChangeBarState

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbdyntoolbardimhandler')")

^K OnChangeBarState

\$#+K! **cbDynToolBarDimHandler::OnResizeBar**

void OnResizeBar(cbBarInfo* pBar, const wxSize& given, wxSize& preferred)^K

Called when a bar is resized.

^abDynToolBarDimHandler::OnResizeBar

^abdyntoolbardimhandleronresizebar

^browse00192

^K cbDynToolBarDimHandler OnResizeBar

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbdyntoolbardimhandler')")

^K OnResizeBar

\$#+K! **cbFinishDrawInAreaEvent::cbFinishDrawInAreaEvent**

cbFinishDrawInAreaEvent(const wxRect& area, cbDockPane* pPane)^K

Constructor, taking rectangular area and pane.

^o**bFinishDrawInAreaEvent::cbFinishDrawInAreaEvent**

^c**bfinishdrawinareaeventcbfinishdrawinareaevent**

^b**rowse00194**

^K **cbFinishDrawInAreaEvent cbFinishDrawInAreaEvent**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbfinishdrawinareaevent')")**

^K **cbFinishDrawInAreaEvent**

\$#+K! **cbFloatedBarWindow::cbFloatedBarWindow**

cbFloatedBarWindow()^K

Default constructor.

^cbFloatedBarWindow::cbFloatedBarWindow

^cbfloatedbarwindowcbfloatedbarwindow

^browse00196

^K cbFloatedBarWindow cbFloatedBarWindow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbfloatedbarwindow')")

^K cbFloatedBarWindow

\$#+K! **cbFloatedBarWindow::GetBar**

cbBarInfo* GetBar()^K

Returns the bar information for this window.

cbFloatedBarWindow::GetBar

bfloatedbarwindowgetbar

browse00197

K cbFloatedBarWindow GetBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbfloatedbarwindow')")

K GetBar

\$#+K! **cbFloatedBarWindow::GetPreferredSize**

wxSize GetPreferredSize(const wxSize& given)^K

Overridden function returning the preferred size.

^obFloatedBarWindow::GetPreferredSize

^cbfloatedbarwindowgetpreferedsiz

^browse00198

^K cbFloatedBarWindow GetPreferredSize

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbfloatedbarwindow')")

^K GetPreferredSize

\$#+K! **cbFloatedBarWindow::HandleTitleClick**

bool HandleTitleClick(wxMouseEvent& event)^K

Overridden function responding to mouse button clicks on the titlebar.

^obFloatedBarWindow::HandleTitleClick

^cbfloatedbarwindowhandletitleclick

^browse00199

^K cbFloatedBarWindow HandleTitleClick

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbfloatedbarwindow')")

^K HandleTitleClick

\$#+K! **cbFloatedBarWindow::OnDblClick**

void OnDblClick(wxMouseEvent& event)^K

Responds to double-click mouse events.

^obFloatedBarWindow::OnDblClick

^cbfloatedbarwindowondblclick

^browse00200

^K cbFloatedBarWindow OnDblClick

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbfloatedbarwindow')")

^K OnDblClick

\$#+K! **cbFloatedBarWindow::OnMiniButtonClicked**

void OnMiniButtonClicked(int btnIdx)^K

Overridden function responding to mouse clicks on mini-buttons.

^obFloatedBarWindow::OnMiniButtonClicked

^cbfloatedbarwindowonminibuttonclicked

^browse00201

^K cbFloatedBarWindow OnMiniButtonClicked

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbfloatedbarwindow')")

^K OnMiniButtonClicked

\$#+K! **cbFloatedBarWindow::PositionFloatedWnd**

void PositionFloatedWnd(int scrX, int scrY, int width, int height)^K

Position the floating window. The given coordinates are those of the bar itself; the floated container window's position and size are adjusted accordingly.

^obFloatedBarWindow::PositionFloatedWnd

^obfloatedbarwindowpositionfloatedwnd

^browse00202

^K cbFloatedBarWindow PositionFloatedWnd

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbfloatedbarwindow')")

^K PositionFloatedWnd

\$#+K! **cbFloatedBarWindow::SetBar**

void SetBar(cbBarInfo* pBar)^K

Sets the bar information for this window.

^obFloatedBarWindow::SetBar

^obfloatedbarwindowsetbar

^browse00203

^K cbFloatedBarWindow SetBar

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbfloatedbarwindow')")

^K SetBar

\$#+K! **cbFloatedBarWindow::SetLayout**

void SetLayout(wxFrameLayout* pLayout)^K

Sets the layout for this window.

^obFloatedBarWindow::SetLayout

^cbfloatedbarwindowsetlayout

^browse00204

^K cbFloatedBarWindow SetLayout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`cbfloatedbarwindow')")

^K SetLayout

\$#+K! **cbGCUpdatesMgr::cbGCUpdatesMgr**

cbGCUpdatesMgr()^K

Default constructor.

cbGCUpdatesMgr(wxFrameLayout* pPanel)^K

Constructor, taking a frame layout.

^abGCUpdatesMgr::cbGCUpdatesMgr

^cbgcupdatesmgrcbgcupdatesmgr

^browse00206

^K cbGCUpdatesMgr cbGCUpdatesMgr

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbgcupdatesmgr')")

^K cbGCUpdatesMgr

^K cbGCUpdatesMgr

\$#+K! **cbGCUpdatesMgr::AddItem**

void AddItem(wxList& itemList, cbBarInfo* pBar, cbDockPane* pPane, wxRect& curBounds, wxRect& prevBounds)^K

Internal function for repositioning items.

^abGCUpdatesMgr::AddItem

^abgcupdatesmgradditem

^browse00207

^K cbGCUpdatesMgr AddItem

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbgcupdatesmgr')")

^K AddItem

\$#+K! **cbGCUpdatesMgr::DoRepositionItems**

void DoRepositionItems(wxList& items)^K

Internal function for repositioning items.

^abGCUpdatesMgr::DoRepositionItems

^abgcupdatesmgrdorepositionitems

^browse00208

^K cbGCUpdatesMgr DoRepositionItems

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbgcupdatesmgr')")

^K DoRepositionItems

\$#+K! **cbGCUpdatesMgr::OnStartChanges**

void OnStartChanges()^K

Receives notifications from the frame layout.

^abGCUpdatesMgr::OnStartChanges

^abgcupdatesmgronstartchanges

^browse00209

^K cbGCUpdatesMgr OnStartChanges

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbgcupdatesmgr')")

^K OnStartChanges

\$#+K! **cbGCUpdatesMgr::UpdateNow**

void UpdateNow()^K

Refreshes the parts of the frame layout which need an update.

^obGCUpdatesMgr::UpdateNow

^obgcupdatesmgrupdatenow

^browse00210

^K cbGCUpdatesMgr UpdateNow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbgcupdatesmgr')")

^K UpdateNow

\$#+K! **cbHintAnimationPlugin::cbHintAnimationPlugin**

cbHintAnimationPlugin()^K

Default constructor.

cbHintAnimationPlugin(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)^K

Constructor, taking a layout panel and pane mask.

^c**bHintAnimationPlugin::cbHintAnimationPlugin**

^c**bhintanimationpluginincbhintanimationplugin**

^b**rowse00212**

^K **cbHintAnimationPlugin cbHintAnimationPlugin**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`cbhintanimationplugin')")**

^K **cbHintAnimationPlugin**

^K **cbHintAnimationPlugin**

\$#+K!cbHintAnimationPlugin::~cbHintAnimationPlugin
~cbHintAnimationPlugin()^K

Destructor.

^bHintAnimationPlugin::~cbHintAnimationPlugin
^bhintanimationpluginctor
browse00213
K cbHintAnimationPlugin ~cbHintAnimationPlugin
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`cbhintanimationplugin')")
K ~cbHintAnimationPlugin

\$#+K! **cbHintAnimationPlugin::DoDrawHintRect**
void DoDrawHintRect(wxRect& rect, bool isInClientRect)^K

Internal function for drawing a hint rectangle.

^obHintAnimationPlugin::DoDrawHintRect
^obhintanimationpluginododrawhintrect
^browse00214
^K cbHintAnimationPlugin DoDrawHintRect
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbhintanimationplugin')")
^K DoDrawHintRect

\$#+K! **cbHintAnimationPlugin::DrawHintRect**

void DrawHintRect(wxRect& rect, bool isInClientRect)^K

Internal function for drawing a hint rectangle.

^obHintAnimationPlugin::DrawHintRect

^obhintanimationplugindrawhirect

^browse00215

^K cbHintAnimationPlugin DrawHintRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`cbhintanimationplugin')")

^K DrawHintRect

\$#+K! **cbHintAnimationPlugin::EraseHintRect**

void EraseHintRect(wxRect& rect, bool isInClientRect)^K

Internal function for erasing a hint rectangle.

^abHintAnimationPlugin::EraseHintRect

^cbhintanimationpluginerasehintrect

^browse00216

^K cbHintAnimationPlugin EraseHintRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbhintanimationplugin')")

^K EraseHintRect

\$#+K! **cbHintAnimationPlugin::FinishTracking**

void FinishTracking()^K

Internal function for finishing tracking.

^obHintAnimationPlugin::FinishTracking

^obhintanimationpluginfinishtracking

^browse00217

^K cbHintAnimationPlugin FinishTracking

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbhintanimationplugin')")

^K FinishTracking

\$#+K! **cbHintAnimationPlugin::OnDrawHintRect**

void OnDrawHintRect(cbDrawHintRectEvent& event)^K

Event handler respoding to hint draw events.

^obHintAnimationPlugin::OnDrawHintRect

^obhintanimationpluginondrawhintrect

^browse00218

^K cbHintAnimationPlugin OnDrawHintRect

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbhintanimationplugin')")

^K OnDrawHintRect

\$#+K! **cbHintAnimationPlugin::RectToScr**

void RectToScr(wxRect& frameRect, wxRect& scrRect)^K

Internal function for translating coordinates.

^abHintAnimationPlugin::RectToScr

^abhintanimationpluginrecttoscr

^browse00219

^K cbHintAnimationPlugin RectToScr

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`cbhintanimationplugin')")

^K RectToScr

\$#+K! **cbHintAnimationPlugin::StartTracking**

void StartTracking()^K

speed is constant. Default: TRUE TBD:: get/set methods for above members Internal function for starting tracking.

^cbHintAnimationPlugin::StartTracking

^cbhintanimationpluginstarttracking

^browse00220

^K cbHintAnimationPlugin StartTracking

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbhintanimationplugin')")

^K StartTracking

\$#+K! **cbInsertBarEvent::cbInsertBarEvent**

cbInsertBarEvent(cbBarInfo* pBar, cbRowInfo* pIntoRow, cbDockPane* pPane)^K

Constructor, taking bar information, row information, and pane.

^obInsertBarEvent::cbInsertBarEvent

^obinsertbareventcbinsertbarevent

^browse00222

^K cbInsertBarEvent cbInsertBarEvent

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbinsertbarevent')")

^K cbInsertBarEvent

\$#+K! **cbLayoutRowEvent::cbLayoutRowEvent**

cbLayoutRowEvent(cbRowInfo* pRow, cbDockPane* pPane)^K

Constructor, taking row information and pane.

^abLayoutRowEvent::cbLayoutRowEvent

^ablayoutroweventcblayoutrowevent

^browse00224

^K cbLayoutRowEvent cbLayoutRowEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cblayoutrowevent')")

^K cbLayoutRowEvent

\$#+K! **cbLayoutRowsEvent::cbLayoutRowsEvent**

cbLayoutRowsEvent(cbDockPane* pPane)^K

Constructor, taking pane.

^cbLayoutRowsEvent::cbLayoutRowsEvent

^clayoutrowseventcblayoutrowsevent

^browse00226

^K cbLayoutRowsEvent cbLayoutRowsEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cblayoutrowsevent')")

^K cbLayoutRowsEvent

\$#+K! **cbLeftDClickEvent::cbLeftDClickEvent**

cbLeftDClickEvent(const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking mouse position and pane.

^abLeftDClickEvent::cbLeftDClickEvent

^ableftdclickeventcbleftdclickevent

^browse00228

^K cbLeftDClickEvent cbLeftDClickEvent

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbleftdclickevent')")

^K cbLeftDClickEvent

\$#+K! **cbLeftDownEvent::cbLeftDownEvent**

cbLeftDownEvent(const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking mouse position and pane.

^abLeftDownEvent::cbLeftDownEvent

^ableftdowneventcbleftdownevent

^browse00230

^K cbLeftDownEvent cbLeftDownEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbleftdownevent')")

^K cbLeftDownEvent

\$#+K! **cbLeftUpEvent::cbLeftUpEvent**

cbLeftUpEvent(const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking mouse position and pane.

^abLeftUpEvent::cbLeftUpEvent

^ableftupeventcbleftupevent

^browse00232

^K cbLeftUpEvent cbLeftUpEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbleftupevent')")

^K cbLeftUpEvent

\$#+K! **cbMiniButton::cbMiniButton**

cbMiniButton()^K

Default constructor.

^o**bMiniButton::cbMiniButton**

^o**bminibuttoncbminibutton**

^b**rowse00234**

^K **cbMiniButton cbMiniButton**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")**

^K **cbMiniButton**

\$#+K! **cbMiniButton::Draw**

void Draw(wxDC& dc)^K

Draws the button. Override this to implement the desired appearance.

^obMiniButton::Draw

^obminibuttondraw

^browse00235

^K cbMiniButton Draw

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K Draw

\$#+K! **cbMiniButton::Enable**

void Enable(bool enable)^K

Enable or disable the button.

^obMiniButton::Enable

^obminibuttonenable

^browse00236

^K cbMiniButton Enable

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K Enable

\$#+K! **cbMiniButton::HitTest**

bool HitTest(const wxPoint& pos)^K

Returns TRUE if the given position was over the button.

^obMiniButton::HitTest

^obminibuttonhittest

^browse00237

^K cbMiniButton HitTest

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K HitTest

\$#+K! **cbMiniButton::IsPressed**

bool IsPressed()^K

Returns TRUE if this button is pressed.

^obMiniButton::IsPressed

^obminibuttonispressed

^browse00238

^K cbMiniButton IsPressed

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K IsPressed

\$#+K! **cbMiniButton::OnLeftDown**

void OnLeftDown(const wxPoint& pos)^K

Responds to a left down event.

^abMiniButton::OnLeftDown

^abminibuttononleftdown

^browse00239

^K cbMiniButton OnLeftDown

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K OnLeftDown

\$#+K! **cbMiniButton::OnLeftUp**
void OnLeftUp(const wxPoint& pos)^K

Responds to a left up event.

^abMiniButton::OnLeftUp
^bbminibuttononleftup
^browse00240
^K cbMiniButton OnLeftUp
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")
^K OnLeftUp

\$#+K! **cbMiniButton::OnMotion**
void OnMotion(const wxPoint& pos)^K

Responds to a mouse move event.

^abMiniButton::OnMotion
^abminibuttononmotion
^browse00241
^K cbMiniButton OnMotion
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")
^K OnMotion

\$#+K! **cbMiniButton::Refresh**

void Refresh()^K

Refreshes the button.

^obMiniButton::Refresh

^obminibuttonrefresh

^browse00242

^K cbMiniButton Refresh

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K Refresh

\$#+K! **cbMiniButton::Reset**

void Reset()^K

Reset the button.

^obMiniButton::Reset

^obminibuttonreset

^browse00243

^K cbMiniButton Reset

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K Reset

\$#+K! **cbMiniButton::SetPos**

void SetPos(const wxPoint& pos)^K

Set the position of the button.

^abMiniButton::SetPos

^abminibuttonsetpos

^browse00244

^K cbMiniButton SetPos

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K SetPos

\$#+K! **cbMiniButton::WasClicked**

bool WasClicked()^K

Returns TRUE if the button was clicked.

^obMiniButton::WasClicked

^obminibuttonwasclicked

^browse00245

^K cbMiniButton WasClicked

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbminibutton')")

^K WasClicked

\$#+K! **cbMotionEvent::cbMotionEvent**

cbMotionEvent(const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking mouse position and pane.

^abMotionEvent::cbMotionEvent

^abmotioneventcbmotionevent

^browse00247

^K cbMotionEvent cbMotionEvent

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbmotionevent')")

^K cbMotionEvent

cbPaneDrawPlugin::cbPaneDrawPlugin

cbPaneDrawPlugin(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)^K

Constructor taking frame layout pane and a pane mask.

cbPaneDrawPlugin()^K

Default constructor.

cbPaneDrawPlugin::cbPaneDrawPlugin

cbpanedrawplugin **cbpanedrawplugin**

browse00249

K cbPaneDrawPlugin cbPaneDrawPlugin

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

K cbPaneDrawPlugin

K cbPaneDrawPlugin

\$#+K! cbPaneDrawPlugin::~cbPaneDrawPlugin

~cbPaneDrawPlugin()^K

Destructor.

^bPaneDrawPlugin::~cbPaneDrawPlugin

^bpanedrawplugindtor

browse00250

K cbPaneDrawPlugin ~cbPaneDrawPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

K ~cbPaneDrawPlugin

\$#+K! **cbPaneDrawPlugin::Clone**

cbPluginBase* Clone()^K

Clone function, returning a new instance of this class.

^obPaneDrawPlugin::Clone

^obpanedrawpluginclone

^browse00251

^K cbPaneDrawPlugin Clone

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K Clone

```
$#+K! cbPaneDrawPlugin::DrawBarInnerShadeRect  
void DrawBarInnerShadeRect(cbBarInfo* pBar, wxDC& dc)K
```

Internal helper: draws the inner bar shading.

```
obPaneDrawPlugin::DrawBarInnerShadeRect  
obpanedrawplugindrawbarinnershaderect  
browse00252  
K cbPaneDrawPlugin DrawBarInnerShadeRect  
enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
K DrawBarInnerShadeRect
```

```
$#+K! cbPaneDrawPlugin::DrawDraggedHandle  
void DrawDraggedHandle(const wxPoint& pos, cbDockPane& pane)K
```

Internal helper: draws the dragged handle.

```
obPaneDrawPlugin::DrawDraggedHandle  
obpanedrawplugin drawdraggedhandle  
browse00253  
K cbPaneDrawPlugin DrawDraggedHandle  
enableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
K DrawDraggedHandle
```

\$#+K! **cbPaneDrawPlugin::DrawLowerRowHandle**

void DrawLowerRowHandle(cbRowInfo* pRow, wxDC& dc)^K

Internal helper: draws the lower row handle.

^obPaneDrawPlugin::DrawLowerRowHandle

^obpanedrawplugin drawlowerrowhandle

^browse00254

^K cbPaneDrawPlugin DrawLowerRowHandle

^EnableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K DrawLowerRowHandle

\$#+K! cbPaneDrawPlugin::DrawLowerRowShades

void DrawLowerRowShades(cbRowInfo* pRow, wxDC& dc, int level)^K

Internal helper: draws the lower row shading.

°bPaneDrawPlugin::DrawLowerRowShades

°bpanedrawplugin drawlowerrowshades

°browse00255

^K cbPaneDrawPlugin DrawLowerRowShades

EnableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K DrawLowerRowShades

\$#+K! **cbPaneDrawPlugin::DrawPaneShade**

void DrawPaneShade(wxDC& dc, int alignment)^K

Internal helper: draws the pane shading.

^obPaneDrawPlugin::DrawPaneShade

^obpanedrawplugindrawpaneshade

^browse00256

^K cbPaneDrawPlugin DrawPaneShade

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K DrawPaneShade

\$#+K! **cbPaneDrawPlugin::DrawPaneShadeForRow**
void DrawPaneShadeForRow(cbRowInfo* pRow, wxDC& dc)^K

Internal helper: draws the pane shading for a row.

^obPaneDrawPlugin::DrawPaneShadeForRow
^obpanedrawplugin drawpaneshadeforrow
^browse00257
^K cbPaneDrawPlugin DrawPaneShadeForRow
enableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")
^K DrawPaneShadeForRow

\$#+K! **cbPaneDrawPlugin::DrawShade**

void DrawShade(int level, wxRect& rect, int alignment, wxDC& dc)^K

Internal helper: draws shading.

^obPaneDrawPlugin::DrawShade

^obpanedrawplugindrawshade

^browse00258

^K cbPaneDrawPlugin DrawShade

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K DrawShade

```
$#+K! cbPaneDrawPlugin::DrawShade1  
void DrawShade1(int level, wxRect& rect, int alignment, wxDC& dc)K  
Internal helper: draws shading.
```

```
obPaneDrawPlugin::DrawShade1  
obpanedrawplugindrawshade1  
browse00259  
K cbPaneDrawPlugin DrawShade1  
enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
K DrawShade1
```

\$#+K! **cbPaneDrawPlugin::DrawUpperRowHandle**

void DrawUpperRowHandle(cbRowInfo* pRow, wxDC& dc)^K

Internal helper: draws the upper row handle.

^obPaneDrawPlugin::DrawUpperRowHandle

^obpanedrawplugin drawupperrowhandle

^browse00260

^K cbPaneDrawPlugin DrawUpperRowHandle

^EnableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K DrawUpperRowHandle

\$#+K! cbPaneDrawPlugin::DrawUpperRowShades

void DrawUpperRowShades(cbRowInfo* pRow, wxDC& dc, int level)^K

Internal helper: draws the upper row shading.

°bPaneDrawPlugin::DrawUpperRowShades

°bpanedrawplugin drawupperrowshades

b rowse00261

K cbPaneDrawPlugin DrawUpperRowShades

EnableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

K DrawUpperRowShades

```
$#+K! cbPaneDrawPlugin::OnDrawBarDecorations  
void OnDrawBarDecorations(cbDrawBarDecorEvent& event)K
```

Handler for draw bar decorations events.

```
obPaneDrawPlugin::OnDrawBarDecorations  
obpanedrawpluginondrawbardecorations  
browse00262  
K cbPaneDrawPlugin OnDrawBarDecorations  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
K OnDrawBarDecorations
```

\$#+K! **cbPaneDrawPlugin::OnDrawBarHandles**
void OnDrawBarHandles(cbDrawBarHandlesEvent& event)^K

Handler for draw bar handles events.

^obPaneDrawPlugin::OnDrawBarHandles
^obpanedrawpluginondrawbarhandles
^browse00263
^K cbPaneDrawPlugin OnDrawBarHandles
 EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")
^K OnDrawBarHandles

\$#+K! **cbPaneDrawPlugin::OnDrawPaneBackground**

void OnDrawPaneBackground(cbDrawPaneBkGroundEvent& event)^K

Handler for draw pane background events.

^o**bPaneDrawPlugin::OnDrawPaneBackground**

^o**bpanedrawpluginondrawpanebackground**

^b**rowse00264**

^K **cbPaneDrawPlugin OnDrawPaneBackground**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")**

^K **OnDrawPaneBackground**

\$#+K! cbPaneDrawPlugin::OnDrawPaneDecorations

void OnDrawPaneDecorations(cbDrawPaneDecorEvent& event)^K

Handler for draw pane decoration events.

^bPaneDrawPlugin::OnDrawPaneDecorations

^bpanedrawpluginondrawpanedecorations

browse00265

K cbPaneDrawPlugin OnDrawPaneDecorations

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

K OnDrawPaneDecorations

\$#+K! **cbPaneDrawPlugin::OnDrawRowBackground**

void OnDrawRowBackground(cbDrawRowBkGroundEvent& event)^K

Handler for draw row background events.

^obPaneDrawPlugin::OnDrawRowBackground

^obpanedrawpluginondrawrowbackground

^browse00266

^K cbPaneDrawPlugin OnDrawRowBackground

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K OnDrawRowBackground

\$#+K! **cbPaneDrawPlugin::OnDrawRowDecorations**
void OnDrawRowDecorations(cbDrawRowDecorEvent& event)^K

Handler for draw row decoration events.

^abPaneDrawPlugin::OnDrawRowDecorations
^bbpanedrawpluginondrawrowdecorations
^browse00267
^K cbPaneDrawPlugin OnDrawRowDecorations
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")
^K OnDrawRowDecorations

\$#+K! **cbPaneDrawPlugin::OnDrawRowHandles**
void OnDrawRowHandles(cbDrawRowHandlesEvent& event)^K

Handler for draw row handles events.

^obPaneDrawPlugin::OnDrawRowHandles
^obpanedrawpluginondrawrowhandles
^browse00268
^K cbPaneDrawPlugin OnDrawRowHandles
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")
^K OnDrawRowHandles

```
$#+K! cbPaneDrawPlugin::OnFinishDrawInArea  
void OnFinishDrawInArea(cbFinishDrawInAreaEvent& event)^K
```

Handler for finish draw in area events.

```
^bPaneDrawPlugin::OnFinishDrawInArea  
^bpanedrawpluginonfinishdrawinarea  
^browse00269  
^K cbPaneDrawPlugin OnFinishDrawInArea  
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
^K OnFinishDrawInArea
```

```
$#+K! cbPaneDrawPlugin::OnLButtonDown  
void OnLButtonDown(cbLeftDownEvent& event)K
```

Handler for left mouse button down events.

```
^bPaneDrawPlugin::OnLButtonDown  
^bpanedrawpluginonlbuttondown  
^browse00270  
^ cbPaneDrawPlugin OnLButtonDown  
^nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
^ OnLButtonDown
```

\$#+K! **cbPaneDrawPlugin::OnLButtonUp**
void OnLButtonUp(cbLeftUpEvent& event)^K

Handler for left mouse button up events.

^obPaneDrawPlugin::OnLButtonUp
^obpanedrawpluginonlbuttonup
^browse00271
^K cbPaneDrawPlugin OnLButtonUp
 EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")
^K OnLButtonUp

\$#+K! **cbPaneDrawPlugin::OnLDbClick**

void OnLDbClick(cbLeftDClickEvent& event)^K

Handler for left double-click mouse button down events.

^obPaneDrawPlugin::OnLDbClick

^obpanedrawpluginonldblclick

^browse00272

^K cbPaneDrawPlugin OnLDbClick

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K OnLDbClick

\$#+K! **cbPaneDrawPlugin::OnMouseMove**

void OnMouseMove(cbMotionEvent& event)^K

Handler for mouse move events.

^o**bPaneDrawPlugin::OnMouseMove**

^o**bpanedrawpluginonmousemove**

^b**rowse00273**

^K **cbPaneDrawPlugin OnMouseMove**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")**

^K **OnMouseMove**

```
$#+K! cbPaneDrawPlugin::OnRButtonUp  
void OnRButtonUp(cbRightUpEvent& event)K
```

Handler for right mouse button up events.

```
^bPaneDrawPlugin::OnRButtonUp  
^bpanedrawpluginonrbuttonup  
^browse00274  
^ cbPaneDrawPlugin OnRButtonUp  
^nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")  
^ OnRButtonUp
```

\$#+K! **cbPaneDrawPlugin::OnSizeBarWindow**

void OnSizeBarWindow(cbSizeBarWndEvent& event)^K

Handler for bar size events.

^obPaneDrawPlugin::OnSizeBarWindow

^obpanedrawpluginonsizebarwindow

^browse00275

^K cbPaneDrawPlugin OnSizeBarWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K OnSizeBarWindow

\$#+K! **cbPaneDrawPlugin::OnStartDrawInArea**
void OnStartDrawInArea(cbStartDrawInAreaEvent& event)^K

Handler for start draw in area events.

^obPaneDrawPlugin::OnStartDrawInArea
^obpanedrawpluginonstartdrawinarea
^browse00276
^K cbPaneDrawPlugin OnStartDrawInArea
 EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")
^K OnStartDrawInArea

\$#+K! **cbPaneDrawPlugin::SetDarkPixel**

void SetDarkPixel(int x, int y, wxDC& dc)^K

Internal helper: sets a dark pixel at the given location.

^obPaneDrawPlugin::SetDarkPixel

^obpanedrawpluginsetdarkpixel

^browse00277

^K cbPaneDrawPlugin SetDarkPixel

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K SetDarkPixel

\$#+K! **cbPaneDrawPlugin::SetLightPixel**

void SetLightPixel(int x, int y, wxDC& dc)^K

Internal helper: sets a light pixel at the given location.

^obPaneDrawPlugin::SetLightPixel

^obpanedrawpluginsetlightpixel

^browse00278

^K cbPaneDrawPlugin SetLightPixel

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpanedrawplugin')")

^K SetLightPixel

\$#+K! **cbPluginBase::cbPluginBase**

cbPluginBase(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)^K

Constructor taking layout panel and a mask.

cbPluginBase()^K

Default constructor.

^cbPluginBase::cbPluginBase

^cbpluginbasecbpluginbase

^browse00280

^K cbPluginBase cbPluginBase

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginbase')")

^K cbPluginBase

^K cbPluginBase

\$#+K! **cbPluginBase::~cbPluginBase**

~cbPluginBase()^K

Destructor. Destroys the whole plugin chain of connected plugins.

^CbPluginBase::~cbPluginBase

^Cbpluginbasedtor

^Browse00281

^K cbPluginBase ~cbPluginBase

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginbase')")

^K ~cbPluginBase

\$#+K! **cbPluginBase::GetPaneMask**

int GetPaneMask()^K

Returns the pane mask.

^obPluginBase::GetPaneMask

^obpluginbasegetpanemask

^browse00282

^K cbPluginBase GetPaneMask

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginbase')")

^K GetPaneMask

\$#+K! **cbPluginBase::IsReady**

bool IsReady()^K

Returns TRUE if the plugin is ready to receive events.

^obPluginBase::IsReady

^obpluginbaseisready

^browse00283

^K cbPluginBase IsReady

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginbase')")

^K IsReady

\$#+K! cbPluginBase::OnInitPlugin

void OnInitPlugin()^K

Override this method to do plugin-specific initialization. At this point plugin is already attached to the frame layout, and pane masks are set.

^obPluginBase::OnInitPlugin

^obpluginbaseoninitplugin

^browse00284

^K cbPluginBase OnInitPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginbase')")

^K OnInitPlugin

\$#+K! **cbPluginBase::ProcessEvent**

bool ProcessEvent(wxEvent& event)^K

Overridden to determine whether the target pane specified in the event matches the pane mask of this plugin (specific plugins do not override this method).

^abPluginBase::ProcessEvent

^abpluginbaseprocessevent

^browse00285

^K cbPluginBase ProcessEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginbase')")

^K ProcessEvent

\$#+K! **cbPluginEvent::cbPluginEvent**

cbPluginEvent(wxEventType eventType, cbDockPane* pPane)^K

Constructor, taking event type and pane.

^abPluginEvent::cbPluginEvent

^abplugineventcbpluginevent

^browse00287

^K cbPluginEvent cbPluginEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginevent')")

^K cbPluginEvent

\$#+KKI! **cbPluginEvent::Clone**

wxEVENT* Clone() const

Not used, but required.

^cbPluginEvent::Clone

^cbplugineventclone

^browse00288

^K cbPluginEvent Clone

^K Clone

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbpluginevent')")

\$#+K! **cbRemoveBarEvent::cbRemoveBarEvent**

cbRemoveBarEvent(cbBarInfo* pBar, cbDockPane* pPane)^K

Constructor, taking bar information and pane.

^abRemoveBarEvent::cbRemoveBarEvent

^cbremovebareventcbremovebarevent

^browse00290

^K cbRemoveBarEvent cbRemoveBarEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbremovebarevent')")

^K cbRemoveBarEvent

\$#+K! **cbResizeBarEvent::cbResizeBarEvent**

cbResizeBarEvent(cbBarInfo* pBar, cbRowInfo* pRow, cbDockPane* pPane)^K

Constructor, taking bar information, row information, and pane.

^abResizeBarEvent::cbResizeBarEvent

^bbresizebareventcbresizebarevent

^browse00292

^K cbResizeBarEvent cbResizeBarEvent

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbresizebarevent')")

^K cbResizeBarEvent

\$#+K! **cbResizeRowEvent::cbResizeRowEvent**

**cbResizeRowEvent(cbRowInfo* pRow, int handleOfs, bool forUpperHandle,
cbDockPane* pPane)**^K

Constructor, taking row information, two parameters of currently unknown use, and pane.

^abResizeRowEvent::cbResizeRowEvent

^bresizeroweventcbresizerowevent

^browse00294

^K cbResizeRowEvent cbResizeRowEvent

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbresizerowevent')")

^K cbResizeRowEvent

\$#+K! **cbRightDownEvent::cbRightDownEvent**

cbRightDownEvent(const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking mouse position and pane.

^abRightDownEvent::cbRightDownEvent

^cbrightdowneventcbrightdownevent

^browse00296

^K cbRightDownEvent cbRightDownEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrightdownevent')")

^K cbRightDownEvent

\$#+K! **cbRightUpEvent::cbRightUpEvent**

cbRightUpEvent(const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking mouse position and pane.

^abRightUpEvent::cbRightUpEvent

^abrightupeventcbrightupevent

^browse00298

^K cbRightUpEvent cbRightUpEvent

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrightupevent')")

^K cbRightUpEvent

cbRowDragPlugin::cbRowDragPlugin
cbRowDragPlugin(wxFrameLayout* pLayout, int paneMask = wxALL_PANES)^K

Constructor, taking parent layout frame and pane mask.

cbRowDragPlugin()^K

Default constructor.

bRowDragPlugin::cbRowDragPlugin
browndragpluginincbrowndragplugin
browse00300
cbRowDragPlugin cbRowDragPlugin
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowndragplugin')")
cbRowDragPlugin
cbRowDragPlugin

\$#+K! **cbRowDragPlugin::~cbRowDragPlugin**

~cbRowDragPlugin()^K

Destructor.

^abRowDragPlugin::~cbRowDragPlugin

^abrowdragplugindtor

^browse00301

^K cbRowDragPlugin ~cbRowDragPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K ~cbRowDragPlugin

\$#+K! **cbRowDragPlugin::CaptureDCArea**

wxBitmap* CaptureDCArea(wxDC& dc, wxRect& area)^K

Helper for drag and drop.

^abRowDragPlugin::CaptureDCArea

^abrowdragpluginincapturedarea

^browse00302

^K cbRowDragPlugin CaptureDCArea

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K CaptureDCArea

\$#+K! cbRowDragPlugin::CheckPrevItemInFocus

void CheckPrevItemInFocus(cbRowInfo* pRow, int iconIdx)^K

Helper for drag and drop.

^abRowDragPlugin::CheckPrevItemInFocus

^bbrowdragplugincheckpreviteminfocus

^browse00303

^K cbRowDragPlugin CheckPrevItemInFocus

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K CheckPrevItemInFocus

\$#+K! **cbRowDragPlugin::Clone**

cbPluginBase* Clone()^K

Clone function, returning a new instance of this class.

^abRowDragPlugin::Clone

^abrowdragpluginclone

^browse00304

^K cbRowDragPlugin Clone

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K Clone

\$#+K! **cbRowDragPlugin::CollapseRow**

void CollapseRow(cbRowInfo* pRow)^K

Helper for drag and drop.

^abRowDragPlugin::CollapseRow

^abrowdragplugincollapseRow

^browse00305

^K cbRowDragPlugin CollapseRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K CollapseRow

\$#+K! **cbRowDragPlugin::Draw3DPattern**

void Draw3DPattern(wxRect& inRect, wxDC& dc)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::Draw3DPattern

^abrowdragplugindraw3dpattern

^browse00306

^K cbRowDragPlugin Draw3DPattern

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K Draw3DPattern

\$#+K! **cbRowDragPlugin::Draw3DRect**

void Draw3DRect(wxRect& inRect, wxDC& dc, wxBrush& bkBrush)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::Draw3DRect

^abrowdragplugindraw3drect

^browse00307

^K cbRowDragPlugin Draw3DRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K Draw3DRect

\$#+K! **cbRowDragPlugin::DrawCollapsedRowIcon**

void DrawCollapsedRowIcon(int index, wxDC& dc, bool isHighlighted)^K

Draws collapsed row icon (appearance-dependent).

^abRowDragPlugin::DrawCollapsedRowIcon

^abrowdragplugindrawcollapsedrowicon

^browse00308

^K cbRowDragPlugin DrawCollapsedRowIcon

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawCollapsedRowIcon

\$#+K! **cbRowDragPlugin::DrawCollapsedRowsBorder**

void DrawCollapsedRowsBorder(wxDC& dc)^K

Draws collapsed rows border (appearance-dependent).

^obRowDragPlugin::DrawCollapsedRowsBorder

^obrowdragplugindrawcollapsedrowsborder

^browse00309

^K cbRowDragPlugin DrawCollapsedRowsBorder

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawCollapsedRowsBorder

\$#+K! **cbRowDragPlugin::DrawEmptyRow**

void DrawEmptyRow(wxDC& dc, wxRect& rowBounds)^K

Draws empty row (appearance-dependent).

^abRowDragPlugin::DrawEmptyRow

^abrowdragplugindrawemptyrow

^browse00310

^K cbRowDragPlugin DrawEmptyRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawEmptyRow

\$#+K! **cbRowDragPlugin::DrawOrtoRomb**

void DrawOrtoRomb(wxRect& inRect, wxDC& dc, wxBrush& bkBrush)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::DrawOrtoRomb

^abrowdragplugindrawortoromb

^browse00311

^K cbRowDragPlugin DrawOrtoRomb

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawOrtoRomb

\$#+K! **cbRowDragPlugin::DrawRectShade**

**void DrawRectShade(wxRect& inRect, wxDC& dc, int level, wxPen& upperPen,
wxPen& lowerPen)^K**

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::DrawRectShade

^abrowdragplugindrawrectshade

^browse00312

^K cbRowDragPlugin DrawRectShade

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawRectShade

\$#+K! **cbRowDragPlugin::DrawRomb**

void DrawRomb(wxRect& inRect, wxDC& dc, wxBrush& bkBrush)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::DrawRomb

^abrowdragplugindrawromb

^browse00313

^K cbRowDragPlugin DrawRomb

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawRomb

```
$#+K! cbRowDragPlugin::DrawRombShades  
void DrawRombShades(wxPoint& p1, wxPoint& p2, wxPoint& p3, wxPoint& p4,  
wxDC& dc)K
```

Implements 'hard-coded metafile' for Netscape Navigator look.

```
abRowDragPlugin::DrawRombShades  
abrowdragplugindrawrombshades  
browse00314  
K cbRowDragPlugin DrawRombShades  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")  
K DrawRombShades
```

\$#+K! **cbRowDragPlugin::DrawRowDragHint**

void DrawRowDragHint(cbRowInfo* pRow, wxDC& dc, bool isHighlighted)^K

Draws row drag hint (appearance-dependent).

^abRowDragPlugin::DrawRowDragHint

^abrowdragplugindrawrowdraghint

^browse00315

^K cbRowDragPlugin DrawRowDragHint

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawRowDragHint

\$#+K! cbRowDragPlugin::DrawRowsDragHintsBorder

void DrawRowsDragHintsBorder(wxDC& dc)^K

Draws rows drag hints border (appearance-dependent).

°bRowDragPlugin::DrawRowsDragHintsBorder

°browdragplugindrawrowsdraghintsborder

browse00316

K cbRowDragPlugin DrawRowsDragHintsBorder

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

K DrawRowsDragHintsBorder

\$#+K! **cbRowDragPlugin::DrawTrianDown**

void DrawTrianDown(wxRect& inRect, wxDC& dc)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::DrawTrianDown

^abrowdragplugindrawtriandown

^browse00317

^K cbRowDragPlugin DrawTrianDown

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawTrianDown

\$#+K! **cbRowDragPlugin::DrawTrianRight**

void DrawTrianRight(wxRect& inRect, wxDC& dc)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::DrawTrianRight

^abrowdragplugindrawtrianright

^browse00318

^K cbRowDragPlugin DrawTrianRight

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawTrianRight

\$#+K! **cbRowDragPlugin::DrawTrianUp**

void DrawTrianUp(wxRect& inRect, wxDC& dc)^K

Implements 'hard-coded metafile' for Netscape Navigator look.

^abRowDragPlugin::DrawTrianUp

^abrowdragplugindrawtrianup

^browse00319

^K cbRowDragPlugin DrawTrianUp

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K DrawTrianUp

\$#+K! **cbRowDragPlugin::ExpandRow**

void ExpandRow(int collapsedIconIdx)^K

Helper for drag and drop.

^abRowDragPlugin::ExpandRow

^abrowdragpluginexpandrow

^browse00320

^K cbRowDragPlugin ExpandRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K ExpandRow

\$#+K! **cbRowDragPlugin::FinishOnScreenDraw**

void FinishOnScreenDraw()^K

Helper for drag and drop.

^obRowDragPlugin::FinishOnScreenDraw

^obrowdragpluginfinishonscreendraw

^browse00321

^K cbRowDragPlugin FinishOnScreenDraw

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K FinishOnScreenDraw

\$#+K! **cbRowDragPlugin::GetCollapsedIconsPos**

int GetCollapsedIconsPos()^K

Helper for drag and drop.

^obRowDragPlugin::GetCollapsedIconsPos

^obrowdragplugingetcollapsediconspos

^browse00322

^K cbRowDragPlugin GetCollapsedIconsPos

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K GetCollapsedIconsPos

\$#+K! **cbRowDragPlugin::GetCollapsedInconRect**

void GetCollapsedInconRect(int iconIdx, wxRect& rect)^K

Helper for drag and drop.

^abRowDragPlugin::GetCollapsedInconRect

^abrowdragplugingetcollapsedinconrect

^browse00323

^K cbRowDragPlugin GetCollapsedInconRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K GetCollapsedInconRect

\$#+K! **cbRowDragPlugin::GetCollapsedRowIconHeight**

int GetCollapsedRowIconHeight()^K

Gets the collapsed row icon height.

^abRowDragPlugin::GetCollapsedRowIconHeight

^abrowdragplugingetcollapsedrowiconheight

^browse00324

^K cbRowDragPlugin GetCollapsedRowIconHeight

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K GetCollapsedRowIconHeight

\$#+K! **cbRowDragPlugin::GetFirstRow**

cbRowInfo* GetFirstRow()^K

Helper for drag and drop.

^abRowDragPlugin::GetFirstRow

^abrowdragplugingetfirstrow

^browse00325

^K cbRowDragPlugin GetFirstRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K GetFirstRow

\$#+K! **cbRowDragPlugin::GetHRowsCountForPane**

int GetHRowsCountForPane(cbDockPane* pPane)^K

Helper for drag and drop.

^abRowDragPlugin::GetHRowsCountForPane

^bbrowdragplugingethrowscountforpane

^browse00326

^K cbRowDragPlugin GetHRowsCountForPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K GetHRowsCountForPane

\$#+K! cbRowDragPlugin::GetRowDragHintWidth

int GetRowDragHintWidth()^K

Gets the row drag hint width.

^bRowDragPlugin::GetRowDragHintWidth

^browdragplugingetrowdraghintwidth

browse00327

K cbRowDragPlugin GetRowDragHintWidth

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

K GetRowDragHintWidth

\$#+K! **cbRowDragPlugin::GetRowHintRect**

void GetRowHintRect(cbRowInfo* pRow, wxRect& rect)^K

Helper for drag and drop.

^abRowDragPlugin::GetRowHintRect

^abrowdragplugingetrowhintrect

^browse00328

^K cbRowDragPlugin GetRowHintRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K GetRowHintRect

\$#+K! **cbRowDragPlugin::HitTestCollapsedRowIcon**

bool HitTestCollapsedRowIcon(int iconIdx, const wxPoint& pos)^K

Test for the collapsed row icon position.

^abRowDragPlugin::HitTestCollapsedRowIcon

^cbrowdragpluginhitittestcollapsedrowicon

^browse00329

^K cbRowDragPlugin HitTestCollapsedRowIcon

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K HitTestCollapsedRowIcon

\$#+K! **cbRowDragPlugin::HitTestRowDragHint**

bool HitTestRowDragHint(cbRowInfo* pRow, const wxPoint& pos)^K

Test for the row drag hint position.

^abRowDragPlugin::HitTestRowDragHint

^abrowdragpluginhithestrowdraghint

^browse00330

^K cbRowDragPlugin HitTestRowDragHint

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K HitTestRowDragHint

```
$#+K! cbRowDragPlugin::InsertDraggedRowBefore  
void InsertDraggedRowBefore(cbRowInfo* pBeforeRow)K  
Helper for drag and drop.
```

```
abRowDragPlugin::InsertDraggedRowBefore  
abrowdragplugininsertdraggedrowbefore  
browse00331  
K cbRowDragPlugin InsertDraggedRowBefore  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")  
K InsertDraggedRowBefore
```

\$#+K! **cbRowDragPlugin::ItemIsInFocus**

bool ItemIsInFocus()^K

Helper for drag and drop.

^abRowDragPlugin::ItemIsInFocus

^abrowdragpluginitemisinfocus

^browse00332

^K cbRowDragPlugin ItemIsInFocus

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K ItemIsInFocus

\$#+K! **cbRowDragPlugin::OnDrawPaneBackground**

void OnDrawPaneBackground(cbDrawPaneDecorEvent& event)^K

Handles pane drawing plugin events (appearance-independent logic).

^obRowDragPlugin::OnDrawPaneBackground

^obrowdragpluginondrawpanebackground

^browse00333

^K cbRowDragPlugin OnDrawPaneBackground

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K OnDrawPaneBackground

\$#+K! **cbRowDragPlugin::OnInitPlugin**

void OnInitPlugin()^K

Called to initialize this plugin.

^obRowDragPlugin::OnInitPlugin

^obrowdragpluginoninitplugin

^browse00334

^K cbRowDragPlugin OnInitPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K OnInitPlugin

\$#+K! **cbRowDragPlugin::OnLButtonDown**

void OnLButtonDown(cbLeftDownEvent& event)^K

Handles left button down plugin events (appearance-independent logic).

^obRowDragPlugin::OnLButtonDown

^obrowdragpluginonlbuttondown

^browse00335

^K cbRowDragPlugin OnLButtonDown

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K OnLButtonDown

\$#+K! **cbRowDragPlugin::OnLButtonUp**

void OnLButtonUp(cbLeftUpEvent& event)^K

Handles left button up plugin events (appearance-independent logic).

^abRowDragPlugin::OnLButtonUp

^abrowdragpluginonlbuttonup

^browse00336

^K cbRowDragPlugin OnLButtonUp

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K OnLButtonUp

\$#+K! **cbRowDragPlugin::OnMouseMove**

void OnMouseMove(cbMotionEvent& event)^K

Handles mouse move plugin events (appearance-independent logic).

^abRowDragPlugin::OnMouseMove

^abrowdragpluginonmousemove

^browse00337

^K cbRowDragPlugin OnMouseMove

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K OnMouseMove

\$#+K! **cbRowDragPlugin::PrepareForRowDrag**

void PrepareForRowDrag()^K

Helper for drag and drop.

^obRowDragPlugin::PrepareForRowDrag

^obrowdragpluginprepareforrowdrag

^browse00338

^K cbRowDragPlugin PrepareForRowDrag

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K PrepareForRowDrag

\$#+K! **cbRowDragPlugin::SetMouseCapture**

void SetMouseCapture(bool captureOn)^K

Helper for drag and drop.

^abRowDragPlugin::SetMouseCapture

^abrowdragpluginsetmousecapture

^browse00339

^K cbRowDragPlugin SetMouseCapture

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K SetMouseCapture

\$#+K! **cbRowDragPlugin::SetPaneMargins**

void SetPaneMargins()^K

Sets the pane margins.

^obRowDragPlugin::SetPaneMargins

^obrowdragpluginsetpanemargins

^browse00340

^K cbRowDragPlugin SetPaneMargins

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K SetPaneMargins

\$#+K! **cbRowDragPlugin::ShowDraggedRow**

void ShowDraggedRow(int offset)^K

Helper for drag and drop.

^abRowDragPlugin::ShowDraggedRow

^abrowdragpluginshowdraggedrow

^browse00341

^K cbRowDragPlugin ShowDraggedRow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K ShowDraggedRow

\$#+K! **cbRowDragPlugin::ShowPanelImage**

void ShowPanelImage()^K

Helper for drag and drop.

^abRowDragPlugin::ShowPaneImage

^abrowdragpluginshowpaneimage

^browse00342

^K cbRowDragPlugin ShowPaneImage

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K ShowPaneImage

\$#+K! **cbRowDragPlugin::UnhighlightItemInFocus**

void UnhighlightItemInFocus()^K

Helper for drag and drop.

^abRowDragPlugin::UnhighlightItemInFocus

^abrowdragpluginunhighlightiteminfocus

^browse00343

^K cbRowDragPlugin UnhighlightItemInFocus

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowdragplugin')")

^K UnhighlightItemInFocus

\$#+K! **cbRowInfo::cbRowInfo**

cbRowInfo()^K

Constructor.

^abRowInfo::cbRowInfo

^abrowinfocbrowinfo

^browse00345

^K cbRowInfo cbRowInfo

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowinfo')")

^K cbRowInfo

\$#+K! **cbRowInfo::~cbRowInfo**

~cbRowInfo()^K

Destructor.

^cbRowInfo::~cbRowInfo

^cbrowinfodtor

^browse00346

^K cbRowInfo ~cbRowInfo

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowinfo')")

^K ~cbRowInfo

\$#+K! **cbRowInfo::GetFirstBar**

cbBarInfo* GetFirstBar()^K

Returns the first bar.

^abRowInfo::GetFirstBar

^abrowinfogetfirstbar

^browse00347

^K cbRowInfo GetFirstBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbrowinfo')")

^K GetFirstBar

cbRowLayoutPlugin::cbRowLayoutPlugin

cbRowLayoutPlugin(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)

Constructor taking frame layout pane and pane mask.

cbRowLayoutPlugin()

Default constructor.

bRowLayoutPlugin::cbRowLayoutPlugin

browlayoutplugin in **browlayoutplugin**

browse00349

cbRowLayoutPlugin cbRowLayoutPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId('fl.hlp',
`cbrowlayoutplugin')")

K cbRowLayoutPlugin

K cbRowLayoutPlugin

\$#+K! cbRowLayoutPlugin::AdjustLengthOfInserted

void AdjustLengthOfInserted(cbRowInfo* pRow, cbBarInfo* pTheBar)^K

Internal helper relating to not-fixed-bars layout.

^bRowLayoutPlugin::AdjustLengthOfInserted

^browlayoutpluginadjustlengthofinserted

browse00350

K cbRowLayoutPlugin AdjustLengthOfInserted

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

K AdjustLengthOfInserted

\$#+K! cbRowLayoutPlugin::ApplyLengthRatios

void ApplyLengthRatios(cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^bRowLayoutPlugin::ApplyLengthRatios

^browlayoutpluginapplylengthratios

browse00351

K cbRowLayoutPlugin ApplyLengthRatios

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

K ApplyLengthRatios

\$#+K! **cbRowLayoutPlugin::CalcRowHeight**

int CalcRowHeight(cbRowInfo& row)^K

Row layout helper simulating bar 'friction'.

^abRowLayoutPlugin::CalcRowHeight

^cbrowlayoutplugincalcrowheight

^browse00352

^K cbRowLayoutPlugin CalcRowHeight

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K CalcRowHeight

cbRowLayoutPlugin::CheckIfAtTheBoundary

void CheckIfAtTheBoundary(cbBarInfo* pTheBar, cbRowInfo& rowInfo)^K

Internal helper relating to not-fixed-bars layout.

bRowLayoutPlugin::CheckIfAtTheBoundary

browlayoutplugincheckifattheboundary

browse00353

K cbRowLayoutPlugin CheckIfAtTheBoundary

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

K CheckIfAtTheBoundary

\$#+K! **cbRowLayoutPlugin::DetectBarHandles**

void DetectBarHandles(cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^cbRowLayoutPlugin::DetectBarHandles

^cbrowlayoutplugindetectbarhandles

^browse00354

^K cbRowLayoutPlugin DetectBarHandles

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K DetectBarHandles

\$#+K! **cbRowLayoutPlugin::DoInsertBar**
void DoInsertBar(cbBarInfo* pTheBar, cbRowInfo& row)^K

Insert the bar before the given row.

^cbRowLayoutPlugin::DoInsertBar
^cbrowlayoutplugininsertbar
^browse00355
^K cbRowLayoutPlugin DoInsertBar
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
'`cbrowlayoutplugin')")
^K DoInsertBar

\$#+K! **cbRowLayoutPlugin::ExpandNotFixedBars**

void ExpandNotFixedBars(cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^abRowLayoutPlugin::ExpandNotFixedBars

^cbrowlayoutpluginexpandnotfixedbars

^browse00356

^K cbRowLayoutPlugin ExpandNotFixedBars

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K ExpandNotFixedBars

\$#+K! **cbRowLayoutPlugin::FitBarsToRange**

void FitBarsToRange(int from, int till, cbBarInfo* pTheBar, cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^cbRowLayoutPlugin::FitBarsToRange

^cbrowlayoutpluginfitbarstorange

^browse00357

^K cbRowLayoutPlugin FitBarsToRange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbrowlayoutplugin')")

^K FitBarsToRange

\$#+K! **cbRowLayoutPlugin::GetRowFreeSpace**

int GetRowFreeSpace(cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^cbRowLayoutPlugin::GetRowFreeSpace

^cbrowlayoutplugingetrowfreespace

^browse00358

^K cbRowLayoutPlugin GetRowFreeSpace

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`cbrowlayoutplugin')")

^K GetRowFreeSpace

\$#+K! **cbRowLayoutPlugin::InsertBefore**
void InsertBefore(cbBarInfo* pBeforeBar, cbBarInfo* pTheBar, cbRowInfo& row)^K
Insert the bar before the given row.

^cbRowLayoutPlugin::InsertBefore
^cbrowlayoutplugininsertbefore
^browse00359
^K cbRowLayoutPlugin InsertBefore
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
'`cbrowlayoutplugin')")
^K InsertBefore

\$#+K! **cbRowLayoutPlugin::LayoutItemsVertically**

void LayoutItemsVertically(cbRowInfo& row)^K

Row layout helper simulating bar 'friction'.

^cbRowLayoutPlugin::LayoutItemsVertically

^cbrowlayoutpluginlayoutitemsvertically

^browse00360

^K cbRowLayoutPlugin LayoutItemsVertically

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K LayoutItemsVertically

\$#+K! **cbRowLayoutPlugin::MinimzeNotFixedBars**

void MinimzeNotFixedBars(cbRowInfo* pRow, cbBarInfo* pBarToPreserve)^K

Internal helper relating to not-fixed-bars layout.

^abRowLayoutPlugin::MinimzeNotFixedBars

^cbrowlayoutpluginminimzenotfixedbars

^browse00361

^K cbRowLayoutPlugin MinimzeNotFixedBars

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K MinimzeNotFixedBars

```
$#+K! cbRowLayoutPlugin::OnInsertBar  
void OnInsertBar(cbInsertBarEvent& event)K
```

Responds to bar insertion event.

```
^bRowLayoutPlugin::OnInsertBar  
^browlayoutpluginoninsertbar  
^browse00362  
^ cbRowLayoutPlugin OnInsertBar  
^nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',  
`cbrowlayoutplugin')")  
^ OnInsertBar
```

\$#+K! **cbRowLayoutPlugin::OnLayoutRow**

void OnLayoutRow(cbLayoutRowEvent& event)^K

Responds to row layout event.

^cbRowLayoutPlugin::OnLayoutRow

^cbrowlayoutpluginonlayoutrow

^browse00363

^K cbRowLayoutPlugin OnLayoutRow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K OnLayoutRow

\$#+K!cbRowLayoutPlugin::OnLayoutRows

void OnLayoutRows(cbLayoutRowsEvent& event)^K

Responds to rows layout event.

^bRowLayoutPlugin::OnLayoutRows

^browlayoutpluginonlayoutrows

browse00364

K cbRowLayoutPlugin OnLayoutRows

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

K OnLayoutRows

\$#+K! **cbRowLayoutPlugin::OnRemoveBar**

void OnRemoveBar(cbRemoveBarEvent& event)^K

Responds to bar removal event.

bRowLayoutPlugin::OnRemoveBar

browlayoutpluginonremovebar

browse00365

K cbRowLayoutPlugin OnRemoveBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`cbrowlayoutplugin')")

K OnRemoveBar

\$#+K! **cbRowLayoutPlugin::OnResizeRow**
void OnResizeRow(cbResizeRowEvent& event)^K

Responds to row resize event.

^abRowLayoutPlugin::OnResizeRow
^cbrowlayoutpluginonresizerow
^browse00366
^K cbRowLayoutPlugin OnResizeRow
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
'`cbrowlayoutplugin')")
^K OnResizeRow

\$#+K! **cbRowLayoutPlugin::RecalcLengthRatios**

void RecalcLengthRatios(cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^abRowLayoutPlugin::RecalcLengthRatios

^cbrowlayoutpluginrecalclengthratios

^browse00367

^K cbRowLayoutPlugin RecalcLengthRatios

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K RecalcLengthRatios

\$#+K! **cbRowLayoutPlugin::RelayoutNotFixedBarsAround**

void RelayoutNotFixedBarsAround(cbBarInfo* pTheBar, cbRowInfo* pRow)^K

Internal helper relating to not-fixed-bars layout.

^abRowLayoutPlugin::RelayoutNotFixedBarsAround

^cbrowlayoutpluginrelayoutnotfixedbarsaround

^browse00368

^K cbRowLayoutPlugin RelayoutNotFixedBarsAround

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbrowlayoutplugin')")

^K RelayoutNotFixedBarsAround

```
$#+K! cbRowLayoutPlugin::ShiftLeftTrashold  
void ShiftLeftTrashold(cbBarInfo* pTheBar, cbRowInfo& row)K
```

Row layout helper simulating bar 'friction'.

```
abRowLayoutPlugin::ShiftLeftTrashold  
cbrowlayoutpluginshiftlefttrashold  
browse00369  
K cbRowLayoutPlugin ShiftLeftTrashold  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',  
`cbrowlayoutplugin')")  
K ShiftLeftTrashold
```

```
$#+K! cbRowLayoutPlugin::ShiftRightTrashold  
void ShiftRightTrashold(cbBarInfo* pTheBar, cbRowInfo& row)K
```

Row layout helper simulating bar 'friction'.

```
abRowLayoutPlugin::ShiftRightTrashold  
cbrowlayoutpluginshiftrighttrashold  
browse00370  
K cbRowLayoutPlugin ShiftRightTrashold  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',  
`cbrowlayoutplugin')")  
K ShiftRightTrashold
```

\$#+K! **cbRowLayoutPlugin::SlideLeftSideBars**

void SlideLeftSideBars(cbBarInfo* pTheBar)^K

Row layout helper simulating bar 'friction'.

^abRowLayoutPlugin::SlideLeftSideBars

^cbrowlayoutpluginslideleftsidebars

^browse00371

^K cbRowLayoutPlugin SlideLeftSideBars

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K SlideLeftSideBars

\$#+K! **cbRowLayoutPlugin::SlideRightSideBars**

void SlideRightSideBars(cbBarInfo* pTheBar)^K

Row layout helper simulating bar 'friction'.

^abRowLayoutPlugin::SlideRightSideBars

^cbrowlayoutpluginsliderightsidebars

^browse00372

^K cbRowLayoutPlugin SlideRightSideBars

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbrowlayoutplugin')")

^K SlideRightSideBars

\$#+K! **cbRowLayoutPlugin::StickRightSideBars**

void StickRightSideBars(cbBarInfo* pToBar)^K

Row layout helper simulating bar 'friction'.

^abRowLayoutPlugin::StickRightSideBars

^cbrowlayoutpluginstickrightsidebars

^browse00373

^K cbRowLayoutPlugin StickRightSideBars

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbrowlayoutplugin')")

^K StickRightSideBars

\$#+K! **cbSimpleCustomizationPlugin::cbSimpleCustomizationPlugin**

cbSimpleCustomizationPlugin(wxFrameLayout* pPanel, int paneMask = wxALL_PANES)

Constructor, taking parent pane and a pane mask flag.

cbSimpleCustomizationPlugin()^K

Default constructor.

^CbSimpleCustomizationPlugin::cbSimpleCustomizationPlugin

^Cbsimplecustomizationpluginincbsimplecustomizationplugin

^Browse00375

^K cbSimpleCustomizationPlugin cbSimpleCustomizationPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbsimplecustomizationplugin')")

^K cbSimpleCustomizationPlugin

^K cbSimpleCustomizationPlugin

\$#+K! **cbSimpleCustomizationPlugin::OnCustomizeBar**

void OnCustomizeBar(cbCustomizeBarEvent& event)^K

Plugin event handler for cbCustomizeBarEvent.

^o**bSimpleCustomizationPlugin::OnCustomizeBar**

^o**bsimplecustomizationpluginoncustomizebar**

^b**rowse00376**

^K **cbSimpleCustomizationPlugin OnCustomizeBar**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',**

`cbsimplecustomizationplugin')")

^K **OnCustomizeBar**

\$#+K!cbSimpleCustomizationPlugin::OnCustomizeLayout

void OnCustomizeLayout(cbCustomizeLayout& event)^K

Plugin event handler for cbCustomizeLayoutEvent.

^bSimpleCustomizationPlugin::OnCustomizeLayout

^bsimplecustomizationpluginoncustomizelayout

browse00377

K cbSimpleCustomizationPlugin OnCustomizeLayout

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbsimplecustomizationplugin')")

K OnCustomizeLayout

\$#+K! **cbSimpleCustomizationPlugin::OnMenuItemSelected**

void OnMenuItemSelected(wxCommandEvent& event)^K

Menu event handler.

^o**bSimpleCustomizationPlugin::OnMenuItemSelected**

^o**bsimplecustomizationpluginonmenuitemselected**

^b**rowse00378**

^K **cbSimpleCustomizationPlugin OnMenuItemSelected**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',**

`cbsimplecustomizationplugin')")

^K **OnMenuItemSelected**

\$#+K! **cbSimpleUpdatesMgr::cbSimpleUpdatesMgr**

cbSimpleUpdatesMgr()^K

Default constructor.

cbSimpleUpdatesMgr(wxFrameLayout* pPanel)^K

Constructor taking frame layout panel.

^cbSimpleUpdatesMgr::cbSimpleUpdatesMgr

^cbsimpleupdatesmgr cbSimpleUpdatesMgr

^browse00380

^K cbSimpleUpdatesMgr cbSimpleUpdatesMgr

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbsimpleupdatesmgr')")

^K cbSimpleUpdatesMgr

^K cbSimpleUpdatesMgr

\$#+K! **cbSimpleUpdatesMgr::OnBarWillChange**

void OnBarWillChange(cbBarInfo* pBar, cbRowInfo* pInRow, cbDockPane* pInPane)^K

Notification received from Frame Layout in the order in which they would usually be invoked.

^cbSimpleUpdatesMgr::OnBarWillChange

^cbsimpleupdatesmgronbarwillchange

^browse00381

^K cbSimpleUpdatesMgr OnBarWillChange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbsimpleupdatesmgr')")

^K OnBarWillChange

\$#+K! **cbSimpleUpdatesMgr::OnFinishChanges**

void OnFinishChanges()^K

Notification received from Frame Layout in the order in which they would usually be invoked.

^cbSimpleUpdatesMgr::OnFinishChanges

^cbsimpleupdatesmgronfinishchanges

^browse00382

^K cbSimpleUpdatesMgr OnFinishChanges

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbsimpleupdatesmgr')")

^K OnFinishChanges

\$#+K! **cbSimpleUpdatesMgr::OnPaneMarginsWillChange**

void OnPaneMarginsWillChange(cbDockPane* pPane)^K

Notification received from Frame Layout in the order in which they would usually be invoked.

^o**bSimpleUpdatesMgr::OnPaneMarginsWillChange**

^o**bsimpleupdatesmgronpanemarginswillchange**

^b**rowse00383**

^K **cbSimpleUpdatesMgr OnPaneMarginsWillChange**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',**

`cbsimpleupdatesmgr')")

^K **OnPaneMarginsWillChange**

\$#+K! **cbSimpleUpdatesMgr::OnPaneWillChange**

void OnPaneWillChange(cbDockPane* pPane)^K

Notification received from Frame Layout in the order in which they would usually be invoked.

^obSimpleUpdatesMgr::OnPaneWillChange

^obsimpleupdatesmgronpanewillchange

^browse00384

^K cbSimpleUpdatesMgr OnPaneWillChange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbsimpleupdatesmgr')")

^K OnPaneWillChange

\$#+K! **cbSimpleUpdatesMgr::OnRowWillChange**

void OnRowWillChange(cbRowInfo* pRow, cbDockPane* pInPane)^K

Notification received from Frame Layout in the order in which they would usually be invoked.

^cbSimpleUpdatesMgr::OnRowWillChange

^cbsimpleupdatesmgr::onrowwillchange

^browse00385

^K cbSimpleUpdatesMgr OnRowWillChange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbsimpleupdatesmgr')")

^K OnRowWillChange

\$#+K! **cbSimpleUpdatesMgr::OnStartChanges**

void OnStartChanges()^K

Notification received from Frame Layout in the order in which they would usually be invoked.

^cbSimpleUpdatesMgr::OnStartChanges

^cbsimpleupdatesmgr::onstartchanges

^browse00386

^K cbSimpleUpdatesMgr OnStartChanges

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbsimpleupdatesmgr')")

^K OnStartChanges

\$#+K! **cbSimpleUpdatesMgr::UpdateNow**

void UpdateNow()^K

Refreshes the parts of the frame layoutthat need an update.

^cbSimpleUpdatesMgr::UpdateNow

^cbsimpleupdatesmgrupdatenow

^browse00387

^K cbSimpleUpdatesMgr UpdateNow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbsimpleupdatesmgr')")

^K UpdateNow

\$#+K! **cbSimpleUpdatesMgr::WasChanged**

bool WasChanged(cbUpdateMgrData& data, wxRect& currentBounds)^K

Helper function.

^cbSimpleUpdatesMgr::WasChanged

^cbsimpleupdatesmgrwaschanged

^browse00388

^K cbSimpleUpdatesMgr WasChanged

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbsimpleupdatesmgr')")

^K WasChanged

\$#+K! **cbSizeBarWndEvent::cbSizeBarWndEvent**

cbSizeBarWndEvent(cbBarInfo* pBar, cbDockPane* pPane)^K

Constructor, taking bar information and pane.

^obSizeBarWndEvent::cbSizeBarWndEvent

^cbsizebarwndeventcbsizebarwndevent

^browse00390

^K cbSizeBarWndEvent cbSizeBarWndEvent

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbsizebarwndevent')")

^K cbSizeBarWndEvent

\$#+K! cbStartBarDraggingEvent::cbStartBarDraggingEvent

cbStartBarDraggingEvent(cbBarInfo* pBar, const wxPoint& pos, cbDockPane* pPane)^K

Constructor, taking bar information, mouse position, and pane.

^bStartBarDraggingEvent::cbStartBarDraggingEvent

^bstartbardraggingeventcbstartbardraggingevent

browse00392

K cbStartBarDraggingEvent cbStartBarDraggingEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`cbstartbardraggingevent')")

K cbStartBarDraggingEvent

\$#+K! cbStartDrawInAreaEvent::cbStartDrawInAreaEvent

cbStartDrawInAreaEvent(const wxRect& area, wxDC ppDCForArea,
cbDockPane* pPane)^K**

to the obtained buffer-context should be placed Constructor, taking rectangular area, device context pointer to a pointer, and pane.

^bStartDrawInAreaEvent::cbStartDrawInAreaEvent

^bstartdrawinareaeventcbstartdrawinareaevent

browse00394

K cbStartDrawInAreaEvent cbStartDrawInAreaEvent

**EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbstartdrawinareaevent')")**

K cbStartDrawInAreaEvent

\$#+K! **cbUpdateMgrData::cbUpdateMgrData**

cbUpdateMgrData()^K

Default constructor. Is-dirty flag is set TRUE initially.

^abUpdateMgrData::cbUpdateMgrData

^abupdatemgrdatacbupdatemgrdata

^browse00396

^K cbUpdateMgrData cbUpdateMgrData

enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbupdatemgrdata')")

^K cbUpdateMgrData

\$#+K! **cbUpdateMgrData::IsDirty**

bool IsDirty()^K

Returns the is-dirty flag.

^abUpdateMgrData::IsDirty

^bbupdatemgrdataisdirty

^browse00397

^K cbUpdateMgrData IsDirty

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbupdatemgrdata')")

^K IsDirty

\$#+K! **cbUpdateMgrData::SetCustomData**

void SetCustomData(wxObject* pCustomData)^K

Set custom data.

^abUpdateMgrData::SetCustomData

^abupdatemgrdatasetcustomdata

^browse00398

^K cbUpdateMgrData SetCustomData

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbupdatemgrdata')")

^K SetCustomData

\$#+K! **cbUpdateMgrData::SetDirty**

void SetDirty(bool *isDirty* = TRUE)^K

Set the dirty flag.

^abUpdateMgrData::SetDirty

^abupdatemgrdatasetdirty

^browse00399

^K cbUpdateMgrData SetDirty

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbupdatemgrdata')")

^K SetDirty

\$#+K! **cbUpdateMgrData::StoreItemState**
void StoreItemState(const wxRect& boundsInParent)^K

Store the item state.

^abUpdateMgrData::StoreItemState
^bbupdatemgrdatastoreitemstate
^browse00400
^K cbUpdateMgrData StoreItemState
enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `cbupdatemgrdata')")
^K StoreItemState

\$#+K! **cbUpdatesManagerBase::cbUpdatesManagerBase**

cbUpdatesManagerBase(wxFrameLayout* pPanel)^K

Constructor taking layout panel.

cbUpdatesManagerBase()^K

Default constructor

cbUpdatesManagerBase::cbUpdatesManagerBase

cbUpdatesManagerBase::cbUpdatesManagerBase

browse00402

K cbUpdatesManagerBase cbUpdatesManagerBase

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbUpdatesManagerBase')")

K cbUpdatesManagerBase

K cbUpdatesManagerBase

\$#+K! **cbUpdatesManagerBase::~cbUpdatesManagerBase**

~cbUpdatesManagerBase()^K

Destructor.

cbUpdatesManagerBase::~cbUpdatesManagerBase

bupdatesmanagerbasedtor

browse00403

K cbUpdatesManagerBase ~cbUpdatesManagerBase

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbupdatesmanagerbase')")

K ~cbUpdatesManagerBase

\$#+K! **cbUpdatesManagerBase::OnBarWillChange**

void OnBarWillChange(cbBarInfo* pBar, cbRowInfo* pInRow, cbDockPane* pInPane)^K

This function receives a notification from the frame layout (in the order in which they would usually be invoked). Custom updates-managers may utilize these notifications to implement a more fine-grained updating strategy.

^cbUpdatesManagerBase::OnBarWillChange

^cbupdatesmanagerbaseonbarwillchange

^browse00404

^K cbUpdatesManagerBase OnBarWillChange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbupdatesmanagerbase')")

^K OnBarWillChange

\$#+K!cbUpdatesManagerBase::OnFinishChanges

void OnFinishChanges()^K

This function receives a notification from the frame layout (in the order in which they would usually be invoked). Custom updates-managers may utilize these notifications to implement a more fine-grained updating strategy.

^bUpdatesManagerBase::OnFinishChanges

^bupdatesmanagerbaseonfinishchanges

^browse00405

^K cbUpdatesManagerBase OnFinishChanges

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbupdatesmanagerbase')")

^K OnFinishChanges

\$#+K! **cbUpdatesManagerBase::OnPaneMarginsWillChange**

void OnPaneMarginsWillChange(cbDockPane* pPane)^K

This function receives a notification from the frame layout (in the order in which they would usually be invoked). Custom updates-managers may utilize these notifications to implement a more fine-grained updating strategy.

^obUpdatesManagerBase::OnPaneMarginsWillChange

^cbupdatesmanagerbaseonpanemarginswillchange

^browse00406

^K cbUpdatesManagerBase OnPaneMarginsWillChange

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp",

`cbupdatesmanagerbase')")

^K OnPaneMarginsWillChange

\$#+K! cbUpdatesManagerBase::OnPaneWillChange

void OnPaneWillChange(cbDockPane* pPane)^K

This function receives a notification from the frame layout (in the order in which they would usually be invoked). Custom updates-managers may utilize these notifications to implement a more fine-grained updating strategy.

^bUpdatesManagerBase::OnPaneWillChange

^bupdatesmanagerbaseonpanewillchange

browse00407

K cbUpdatesManagerBase OnPaneWillChange

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbupdatesmanagerbase')")

K OnPaneWillChange

\$#+K! cbUpdatesManagerBase::OnRowWillChange

void OnRowWillChange(cbRowInfo* pRow, cbDockPane* pInPane)^K

This function receives a notification from the frame layout (in the order in which they would usually be invoked). Custom updates-managers may utilize these notifications to implement a more fine-grained updating strategy.

^bUpdatesManagerBase::OnRowWillChange

^bupdatesmanagerbaseonrowwillchange

browse00408

K cbUpdatesManagerBase OnRowWillChange

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`cbupdatesmanagerbase')")

K OnRowWillChange

\$#+K! cbUpdatesManagerBase::OnStartChanges

void OnStartChanges()^K

This function receives a notification from the frame layout (in the order in which they would usually be invoked). Custom updates-managers may utilize these notifications to implement a more fine-grained updating strategy.

^bUpdatesManagerBase::OnStartChanges

^bupdatesmanagerbaseonstartchanges

browse00409

K cbUpdatesManagerBase OnStartChanges

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbupdatesmanagerbase')")

K OnStartChanges

\$#+K! **cbUpdatesManagerBase::SetLayout**

void SetLayout(wxFrameLayout* pLayout)^K

Sets the associated layout.

cbUpdatesManagerBase::SetLayout

bupdatesmanagerbasesetlayout

browse00410

K cbUpdatesManagerBase SetLayout

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',

`cbupdatesmanagerbase')")

K SetLayout

\$#+K! **cbUpdatesManagerBase::UpdateNow**

void UpdateNow()^K

Refreshes parts of the frame layout that need an update.

^cbUpdatesManagerBase::UpdateNow

^cbupdatesmanagerbaseupdatenow

^browse00411

^K cbUpdatesManagerBase UpdateNow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`cbupdatesmanagerbase')")

^K UpdateNow

wxDynamicToolBar::wxDynamicToolBar

wxDynamicToolBar()^K

Default constructor.

wxDynamicToolBar(wxWindow* parent, const wxWindowID id, const wxPoint& pos = wxDefaultPosition, const wxSize& size = wxDefaultSize, const long style = wxNO_BORDER, const int orientation = wxVERTICAL, const int RowsOrColumns = 1, const wxString& name = wxT("ToolBarNameStr"))^K

Constructor: see the documentation for wxToolBar for details.

wxDynamicToolBar::wxDynamicToolBar

wxdynamictoolbarwxdynamictoolbar

browse00413

K wxDynamicToolBar wxDynamicToolBar

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`wxdynamictoolbar')")

K wxDynamicToolBar

K wxDynamicToolBar

\$#+K! **wxDynamicToolBar::~wxDynamicToolBar**

~**wxDynamicToolBar()**^K

Destructor.

^w**xDynamicToolBar::~wxDynamicToolBar**

^w**xdynamictoolbardtor**

^b**rowse00414**

^K **wxDynamicToolBar ~wxDynamicToolBar**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`wxdynamictoolbar')")**

^K **~wxDynamicToolBar**

\$#+K! **wxDynamicToolBar::AddSeparator**

void AddSeparator(wxWindow* pSepartorWnd = NULL)^K

Adds a separator. See the documentation for wxToolBar for details.

^wxDynamicToolBar::AddSeparator

^wxdynamictoolbaraddseparator

^browse00415

^K wxDynamicToolBar AddSeparator

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K AddSeparator

\$#+K! wxDynamicToolBar::AddTool

```
void AddTool(int toolIndex, wxWindow* pToolWindow, const wxSize& size =
wxDefaultSize)K
```

Adds a tool. See the documentation for wxToolBar for details.

```
void AddTool(int toolIndex, const wxString& imageName, wxBitmapType
imageFileType = wxBITMAP_TYPE_BMP, const wxString& labelText = "", bool
alignTextRight = FALSE, bool isFlat = TRUE)K
```

Adds a tool. See the documentation for wxToolBar for details.

```
void AddTool(int toolIndex, wxBitmap labelBmp, const wxString& labelText = "",
bool alignTextRight = FALSE, bool isFlat = TRUE)K
```

Adds a tool. See the documentation for wxToolBar for details.

```
wxToolBarToolBase* AddTool(const int toolIndex, const wxBitmap& bitmap, const
wxBitmap& pushedBitmap = wxNullBitmap, const bool toggle = FALSE, const long
xPos = -1, const long yPos = -1, wxObject* clientData = NULL, const wxString&
helpString1 = "", const wxString& helpString2 = "")K
```

Method from wxToolBarBase (for compatibility), only the first two arguments are valid.
See the documentation for wxToolBar for details.

^wxDynamicToolBar::AddTool

^wxdynamictoolbaraddtool

^browse00416

^K wxDynamicToolBar AddTool

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`wxdynamictoolbar')")

^K AddTool

^K AddTool

^K AddTool

^K AddTool

\$#+K! **wxDynamicToolBar::Create**

```
bool Create(wxWindow* parent, const wxWindowID id, const wxPoint& pos =  
wxDefaultPosition, const wxSize& size = wxDefaultSize, const long style =  
wxNO_BORDER, const int orientation = wxVERTICAL, const int RowsOrColumns = 1,  
const wxString& name = wxT("ToolBarNameStr"))K
```

Creation function: see the documentation for wxToolBar for details.

^wxDynamicToolBar::Create

^wxdynamictoolbarcreate

^browse00417

^K wxDynamicToolBar Create

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId('fl.hlp',
'wxdynamictoolbar')")

^K Create

\$#+K! **wxDynamicToolBar::CreateDefaultLayout**

LayoutManagerBase* CreateDefaultLayout()^K

Creates the default layout (BagLayout).

^wxDynamicToolBar::CreateDefaultLayout

^wxdynamictoolbarcreatedefaultlayout

^browse00418

^K wxDynamicToolBar CreateDefaultLayout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K CreateDefaultLayout

\$#+K! **wxDynamicToolBar::CreateTool**

wxToolBarToolBase* CreateTool(wxControl* control)^K

Creates a toolbar tool.

wxToolBarToolBase* CreateTool(int id, const wxBitmap& bitmap1, const wxBitmap& bitmap2, bool toggle, wxObject* clientData, const wxString& shortHelpString, const wxString& longHelpString)^K

Creates a toolbar tool.

wxDynamicToolBar::CreateTool

wxdynamictoolbarcreatetool

browse00419

K wxDynamicToolBar CreateTool

E nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`wxdynamictoolbar')")

K CreateTool

K CreateTool

\$#+K!**wxDynamicToolBar::DoDeleteTool**

bool DoDeleteTool(size_t pos, wxToolBarToolBase* tool)^K

Deletes a tool. The tool is still in m_tools list when this function is called, and it will only be deleted from it if it succeeds.

^wxDynamicToolBar::DoDeleteTool

^wxdynamictoolbardodeltool

^browse00420

^K wxDynamicToolBar DoDeleteTool

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K DoDeleteTool

wxDynamicToolBar::DoEnableTool

void DoEnableTool(wxToolBarToolBase* tool, bool enable)^K

Called when the tools enabled flag changes.

^wxDynamicToolBar::DoEnableTool

^wxdynamictoolbardoabletool

^browse00421

^K wxDynamicToolBar DoEnableTool

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K DoEnableTool

\$#+K!**wxDynamicToolBar::DoInsertTool**
bool DoInsertTool(size_t pos, wxToolBarToolBase* tool)^K

Inserts a tool at the given position.

^wxDynamicToolBar::DoInsertTool
^wxdynamictoolbardoinserttool
^browse00422
^K wxDynamicToolBar DoInsertTool
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
'wxdynamictoolbar')")
^K DoInsertTool

wxDynamicToolBar::DoSetToggle
void DoSetToggle(wxToolBarToolBase* tool, bool toggle)^K

Called when the tools 'can be toggled' flag changes.

^wxDynamicToolBar::DoSetToggle
^wxdynamictoolbardosettoggle
^browse00423
^K wxDynamicToolBar DoSetToggle
^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
'wxdynamictoolbar')")
^K DoSetToggle

wxDynamicToolBar::DoToggleTool
void DoToggleTool(wxToolBarToolBase* tool, bool toggle)^K

Called when the tool is toggled.

^wxDynamicToolBar::DoToggleTool
^wxdynamictoolbardotoggletool
^browse00424
^K wxDynamicToolBar DoToggleTool
EnableButton("Up");ChangeButtonBinding("Up", "JumpId('fl.hlp',
'wxdynamictoolbar')")
^K DoToggleTool

\$#+K! **wxDynamicToolBar::DrawSeparator**

void DrawSeparator(wxDynToolBarInfo& info, wxDC& dc)^K

Draws a separator. The default implementation draws a shaded line.

^wxDynamicToolBar::DrawSeparator

^wxdynamictoolbardrawseparator

^browse00425

^K wxDynamicToolBar DrawSeparator

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K DrawSeparator

wxDynamicToolBar::EnableTool
void EnableTool(const int toolIndex, const bool enable = TRUE)^K

Enables or disables the given tool.

^wxDynamicToolBar::EnableTool
^wxdynamictoolbarenabletool
^browse00426
^K wxDynamicToolBar EnableTool
enableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
'wxdynamictoolbar')")
^K EnableTool

\$#+KKI **wxDynamicToolBar::FindToolForPosition**

wxToolBarToolBase* FindToolForPosition(wxCoord x, wxCoord y) const

Finds a tool for the given position.

"wxDynamicToolBar::FindToolForPosition
"xdynamictoolbarfindtoolforposition
browse00427
^ wxDynamicToolBar FindToolForPosition
^ FindToolForPosition
`enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
'wxdynamictoolbar')")

\$#+K! **wxDynamicToolBar::GetPreferredDim**

void GetPreferredDim(const wxSize& givenDim, wxSize& prefDim)^K

Returns the preferred dimension, taking the given dimension and a reference to the result.

^wxDynamicToolBar::GetPreferredDim

^wxdynamictoolbargetpreferreddim

^browse00428

^K wxDynamicToolBar GetPreferredDim

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`wxdynamictoolbar')")

^K GetPreferredDim

wxDynamicToolBar::GetToolInfo

wxDynToolInfo* GetToolInfo(int toolIndex)^K

Returns tool information for the given tool index.

^wxDynamicToolBar::GetToolInfo

^wxdynamictoolbargettoolinfo

^browse00429

^K wxDynamicToolBar GetToolInfo

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K GetToolInfo

\$#+K! **wxDynamicToolBar::Layout**

bool Layout()^K

Performs layout. See definitions of orientation types.

^wxDynamicToolBar::Layout

^wxdynamictoolbarlayout

^browse00430

^K wxDynamicToolBar Layout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K Layout

\$#+K! **wxDynamicToolBar::OnEraseBackground**

void OnEraseBackground(wxEvent& event)^K

Responds to background erase events. Currently does nothing.

^wxDynamicToolBar::OnEraseBackground

^wxdynamictoolbaronerasebackground

^browse00431

^K wxDynamicToolBar OnEraseBackground

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K OnEraseBackground

\$#+K! **wxDynamicToolBar::OnPaint**

void OnPaint(wxPaintEvent& event)^K

Responds to paint events, drawing separators.

^wxDynamicToolBar::OnPaint

^wxdynamictoolbaronpaint

^browse00432

^K wxDynamicToolBar OnPaint

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K OnPaint

\$#+K! **wxDynamicToolBar::OnSize**

void OnSize(wxSizeEvent& event)^K

Responds to size events, calling Layout.

^wxDynamicToolBar::OnSize

^wxdynamictoolbaronsize

^browse00433

^K wxDynamicToolBar OnSize

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K OnSize

\$#+K! wxDynamicToolBar::Realize

bool Realize()^K

Overriden from wxToolBarBase; does nothing.

^wxDynamicToolBar::Realize

^wxdynamictoolbarrealize

^browse00434

^K wxDynamicToolBar Realize

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K Realize

\$#+K! **wxDynamicToolBar::RemveTool**

void RemveTool(int toolIndex)^K

Removes the given tool. Misspelt in order not to clash with a similar function in the base class.

^wxDynamicToolBar::RemveTool

^wxdynamictoolbarremvetool

^browse00435

^K wxDynamicToolBar RemveTool

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K RemveTool

\$#+K! **wxDynamicToolBar::SetLayout**

void SetLayout(LayoutManagerBase* pLayout)^K

Sets the layout for this toolbar.

^wxDynamicToolBar::SetLayout

^wxdynamictoolbarsetlayout

^browse00436

^K wxDynamicToolBar SetLayout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxdynamictoolbar')")

^K SetLayout

\$#+K!wxDynamicToolBar::SizeToolWindows

void SizeToolWindows()^K

Internal function for sizing tool windows.

wxDynamicToolBar::SizeToolWindows

wxdynamictoolbarsizetoolwindows

browse00437

K wxDynamicToolBar SizeToolWindows

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`wxdynamictoolbar')")

K SizeToolWindows

\$#+K! **wxFrameLayout::wxFrameLayout**

wxFrameLayout(wxWindow* pParentFrame, wxWindow* pFrameClient = NULL, bool activateNow = TRUE)^K

Constructor, taking parent window, the (MDI) client of the parent if there is one, and flag specifying whether to activate the layout.

wxFrameLayout()^K

Default constructor, used only for serialization.

^wxFrameLayout::wxFrameLayout

^wxframelayoutwxframelayout

^browse00440

^K wxFrameLayout wxFrameLayout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K wxFrameLayout

^K wxFrameLayout

\$#+K!wxFrameLayout::~wxFrameLayout

~wxFrameLayout()^K

Destructor. It does not destroy the bar windows.

wxFrameLayout::~wxFrameLayout

wxframeLayoutdtor

browse00441

K wxFrameLayout ~wxFrameLayout

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

K ~wxFrameLayout

\$#+K! **wxFrameLayout::Activate**

void Activate()^K

Activate can be called after some other layout has been deactivated, and this one must take over the current contents of the frame window. Effectively hooks itself to the frame window, re-displays all non-hidden bar windows and repaints the decorations.

^WxFrameLayout::Activate

^Wxframelayoutactivate

^browse00442

^K wxFrameLayout Activate

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K Activate

\$#+K! wxFrameLayout::AddBar

```
void AddBar(wxWindow* pBarWnd, const cbDimInfo& dimInfo, int alignment =  
FL_ALIGN_TOP, int rowNo = 0, int columnPos = 0, const wxString& name = "bar",  
bool spyEvents = FALSE, int state = wxCBAR.Docked_Horizontally)K
```

Adds bar information to the frame layout. The appearance of the layout is not refreshed immediately; RefreshNow() can be called if necessary. Notes: the argument pBarWnd can be NULL, resulting in bar decorations to be drawn around the empty rectangle (filled with default background colour). Argument dimInfo can be reused for adding any number of bars, since it is not used directly - instead its members are copied. If the dimensions handler is present, its instance is shared (reference counted). The dimension handler should always be allocated on the heap. pBarWnd is the window to be managed. dimInfo contains dimension information. alignment is a value such as FL_ALIGN_TOP. rowNo is the vertical position or row in the pane (if in docked state). columnPos is the horizontal position within the row in pixels (if in docked state). name is a name by which the bar can be referred in layout customization dialogs. If spyEvents is TRUE, input events for the bar should be "spied" in order to forward unhandled mouse clicks to the frame layout, for example to enable easy draggability of toolbars just by clicking on their interior regions. For widgets like text/tree control this value should be FALSE, since there's no certain way to detect whether the event was actually handled. state is the initial state, such as wxCBAR.Docked_Horizontally, wxCBAR.Floating, wxCBAR.Hidden.

^wxFrameLayout::AddBar

^wxframelayoutaddbar

^browse00443

^K wxFrameLayout AddBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K AddBar

\$#+K! **wxFrameLayout::AddPlugin**

void AddPlugin(wxClassInfo* pPlugin, int paneMask = wxALL_PANES)^K

An advanced methods for plugin configuration using their dynamic class information, for example CLASSINFO(pluginClass). First checks if the plugin of the given class is already "hooked up". If not, adds it to the top of the plugins chain.

^wxFrameLayout::AddPlugin

^wxframelayoutaddplugin

^browse00444

^K wxFrameLayout AddPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K AddPlugin

\$#+K! **wxFrameLayout::AddPluginBefore**

void AddPluginBefore(wxClassInfo* pNextPInfo, wxClassInfo* pInfo, int paneMask = wxALL_PANES)^K

First checks if the plugin of the given class is already hooked. If so, removes it, and then inserts it into the chain before the plugin of the class given by pNextPInfo. Note: this method is handy in some cases where the order of the plugin-chain could be important, for example when one plugin overrides some functionality of another already-hooked plugin, so that the former plugin should be hooked before the one whose functionality is being overridden.

^wxFrameLayout::AddPluginBefore

^wxframelayoutaddpluginbefore

^browse00445

^K wxFrameLayout AddPluginBefore

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K AddPluginBefore

\$#+K! **wxFrameLayout::ApplyBarProperties**

void ApplyBarProperties(cbBarInfo* pBar)^K

Reflects changes in bar information structure visually. For example, moves the bar, changes its dimension information, or changes the pane to which it is docked.

^wxFrameLayout::ApplyBarProperties

^wxframelayoutapplybarproperties

^browse00446

^K wxFrameLayout ApplyBarProperties

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K ApplyBarProperties

\$#+K! **wxFrameLayout::CanReparent**

bool CanReparent()^K

Returns TRUE if the platform allows reparenting. This may not return TRUE for all platforms. Reparenting allows control bars to be floated.

^wxFrameLayout::CanReparent

^wxframelayoutcanreparent

^browse00447

^K wxFrameLayout CanReparent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K CanReparent

\$#+K! **wxFrameLayout::CaptureEventsForPane**

void CaptureEventsForPane(cbDockPane* toPane)^K

Called by plugins; also captures the mouse in the parent frame.

^wxFrameLayout::CaptureEventsForPane

^wxframelayoutcaptureeventsforpane

^browse00448

^K wxFrameLayout CaptureEventsForPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K CaptureEventsForPane

\$#+K!wxFrameLayout::CaptureEventsForPlugin

void CaptureEventsForPlugin(cbPluginBase* pPlugin)^K

Captures user input events for the given plugin. Input events are: mouse movement, mouse clicks, keyboard input.

wxFrameLayout::CaptureEventsForPlugin

wxframeLayoutcaptureeventsforplugin

browse00449

K wxFrameLayout CaptureEventsForPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

K CaptureEventsForPlugin

\$#+K! **wxFrameLayout::CreateCursors**

void CreateCursors()^K

Creates the cursors.

^wxFrameLayout::CreateCursors

^wxframeLayoutCreateCursors

^browse00450

^K wxFrameLayout CreateCursors

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

^K CreateCursors

\$#+K! **wxFrameLayout::CreateUpdatesManager**

cbUpdatesManagerBase* CreateUpdatesManager()^K

Returns a new cbGCUpdatesMgr object.

^WxFrameLayout::CreateUpdatesManager

^Wxframelayoutcreateupdatesmanager

^browse00451

^K wxFrameLayout CreateUpdatesManager

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K CreateUpdatesManager

\$#+K! **wxFrameLayout::Deactivate**

void Deactivate()^K

Deactivate unhooks itself from frame window, and hides all non-hidden windows. Note: two frame layouts should not be active at the same time in the same frame window, since it would cause messy overlapping of bar windows from both layouts.

^wxFrameLayout::Deactivate

^wxframelayoutdeactivate

^browse00452

^K wxFrameLayout Deactivate

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K Deactivate

\$#+K! **wxFrameLayout::DestroyBarWindows**

void DestroyBarWindows()^K

Destroys the bar windows.

^WxFrameLayout::DestroyBarWindows

^WxframeLayoutDestroyBarWindows

^Browse00453

^K wxFrameLayout DestroyBarWindows

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

^K DestroyBarWindows

\$#+K! **wxFrameLayout::DoSetBarState**

void DoSetBarState(cbBarInfo* pBar)^K

Applies the state to the window objects.

^wxFrameLayout::DoSetBarState

^wxframelayoutdosetbarstate

^browse00454

^K wxFrameLayout DoSetBarState

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K DoSetBarState

\$#+K! **wxFrameLayout::EnableFloating**

void EnableFloating(bool enable = TRUE)^K

Enables floating behaviour. By default floating of control bars is on.

^wxFrameLayout::EnableFloating

^wxframeLayoutenablefloating

^browse00455

^K wxFrameLayout EnableFloating

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K EnableFloating

\$#+K! **wxFrameLayout::FindBarByName**
cbBarInfo* FindBarByName(const wxString& name)^K

Finds the bar in the framelayout, by name.

^wxFrameLayout::FindBarByName
^wxframelayoutfindbarbyname
^browse00456
^K wxFrameLayout FindBarByName
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")
^K FindBarByName

\$#+K! **wxFrameLayout::FindBarByWindow**

cbBarInfo* FindBarByWindow(const wxWindow* pWnd)^K

Finds the bar in the framelayout, by window.

^wxFrameLayout::FindBarByWindow

^wxframelayoutfindbarbywindow

^browse00457

^K wxFrameLayout FindBarByWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K FindBarByWindow

\$#+K! **wxFrameLayout::FindPlugin**

cbPluginBase* FindPlugin(wxClassInfo* pPlugin)^K

Finds a plugin with the given class, or returns NULL if a plugin of the given class is not hooked.

^WxFrameLayout::FindPlugin

^Wxframelayoutfindplugin

^browse00458

^K wxFrameLayout FindPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K FindPlugin

\$#+K! **wxFrameLayout::FirePluginEvent**

void FirePluginEvent(cbPluginEvent& event)^K

This function should be used instead of passing the event to the ProcessEvent method of the top-level plugin directly. This method checks if events are currently captured and ensures that plugin-event is routed correctly.

^wxFrameLayout::FirePluginEvent

^wxframelayoutfirepluginevent

^browse00459

^K wxFrameLayout FirePluginEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K FirePluginEvent

\$#+K! **wxFrameLayout::ForwardMouseEvent**

void ForwardMouseEvent(wxMouseEvent& event, cbDockPane* pToPane, int eventType)^K

Delegated from "bar-spy".

^wxFrameLayout::ForwardMouseEvent

^wxframelayoutforwardmouseevent

^browse00460

^K wxFrameLayout ForwardMouseEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K ForwardMouseEvent

\$#+K! **wxFrameLayout::GetBarPane**

cbDockPane* GetBarPane(cbBarItem* pBar)^K

Returns the pane to which the given bar belongs.

^wxFrameLayout::GetBarPane

^wxframelayoutgetbarpane

^browse00461

^K wxFrameLayout GetBarPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetBarPane

\$#+K! **wxFrameLayout::GetBars**

BarArrayT& GetBars()^K

Gets an array of bars.

^wxFrameLayout::GetBars

^wxframeLayoutgetbars

^browse00462

^K wxFrameLayout GetBars

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

^K GetBars

\$#+K! **wxFrameLayout::GetClientHeight**

int GetClientHeight()^K

Returns the client height.

^wxFrameLayout::GetClientHeight

^wxframelayoutgetclientheight

^browse00463

^K wxFrameLayout GetClientHeight

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetClientHeight

\$#+K! **wxFrameLayout::GetClientRect**

wxRect& GetClientRect()^K

Returns the client's rectangle.

^wxFrameLayout::GetClientRect

^wxframelayoutgetclientrect

^browse00464

^K wxFrameLayout GetClientRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetClientRect

\$#+K! **wxFrameLayout::GetClientWidth**

int GetClientWidth()^K

Returns the client width.

^wxFrameLayout::GetClientWidth

^wxframelayoutgetclientwidth

^browse00465

^K wxFrameLayout GetClientWidth

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetClientWidth

\$#+K! **wxFrameLayout::GetFrameClient**

wxWindow* GetFrameClient()^K

Returns the frame client, or NULL if not present.

^wxFrameLayout::GetFrameClient

^wxframelayoutgetframeclient

^browse00466

^K wxFrameLayout GetFrameClient

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetFrameClient

\$#+K! **wxFrameLayout::GetPane**

cbDockPane* GetPane(int alignment)^K

Returns a pane for the given alignment. See pane alignment types.

^wxFrameLayout::GetPane

^wxframelayoutgetpane

^browse00467

^K wxFrameLayout GetPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetPane

\$#+K! wxFrameLayout::GetPaneProperties

```
void GetPaneProperties(cbCommonPaneProperties& props, int alignment =  
FL_ALIGN_TOP)K
```

Gets the pane properties for the given alignment.

^wxFrameLayout::GetPaneProperties

^wxframelayoutgetpaneproperties

^browse00468

^K wxFrameLayout GetPaneProperties

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetPaneProperties

\$#+K! **wxFrameLayout::GetPanesArray**

cbDockPane GetPanesArray()**^K

Returns an array of panes. Used by update managers.

^WxFrameLayout::GetPanesArray

^Wxframelayoutgetpanesarray

^browse00469

^K wxFrameLayout GetPanesArray

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetPanesArray

\$#+K! **wxFrameLayout::GetParentFrame**

wxWindow& GetParentFrame()^K

Returns the parent frame.

wxFrameLayout::GetParentFrame

wxframeLayoutGetparentframe

browse00470

K wxFrameLayout GetParentFrame

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

K GetParentFrame

\$#+K! **wxFrameLayout::GetPrevClientRect**

wxRect& GetPrevClientRect()^K

Returns the previous client window rectangle.

^WxFrameLayout::GetPrevClientRect

^Wxframelayoutgetprevclientrect

^browse00471

^K wxFrameLayout GetPrevClientRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetPrevClientRect

\$#+K! **wxFrameLayout::GetTopPlugin**

cbPluginBase& GetTopPlugin()^K

Returns the current top-level plugin (the one that receives events first, except if input events are currently captured by some other plugin).

^wxFrameLayout::GetTopPlugin

^wxframelayoutgettopplugin

^browse00472

^K wxFrameLayout GetTopPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K GetTopPlugin

\$#+K!wxFrameLayout::GetUpdatesManager

cbUpdatesManagerBase& GetUpdatesManager()^K

Returns a reference to the updates manager. Note: in future, the updates manager will become a normal plugin.

wxFrameLayout::GetUpdatesManager

wxframeLayoutgetupdatesmanager

browse00473

K wxFrameLayout GetUpdatesManager

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

K GetUpdatesManager

\$#+K! **wxFrameLayout::HasTopPlugin**

bool HasTopPlugin()^K

Returns true if there is a top plugin.

^WxFrameLayout::HasTopPlugin

^Wxframelayouthastopplugin

^browse00474

^K wxFrameLayout HasTopPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K HasTopPlugin

\$#+K! **wxFrameLayout::HideBarWindows**

void HideBarWindows()^K

Hides the bar windows, and also the client window if present.

^wxFrameLayout::HideBarWindows

^wxframelayouthidebarwindows

^browse00475

^K wxFrameLayout HideBarWindows

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K HideBarWindows

\$#+K! **wxFrameLayout::HitTestPane**

bool HitTestPane(cbDockPane* pPane, int x, int y)^K

Returns TRUE if the position is within the given pane.

^wxFrameLayout::HitTestPane

^wxframelayouthittestpane

^browse00476

^K wxFrameLayout HitTestPane

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K HitTestPane

\$#+K! **wxFrameLayout::HitTestPanes**

cbDockPane* HitTestPanes(**const wxRect&** rect, **cbDockPane*** pCurPane)^K

Returns the pane for which the rectangle hit test succeeds, giving preference to the given pane if supplied.

^wxFrameLayout::HitTestPanes

^wxframelayouthittestpanes

^browse00477

^K wxFrameLayout HitTestPanes

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K HitTestPanes

\$#+K! **wxFrameLayout::HookUpToFrame**

void HookUpToFrame()^K

Hooks the layout up to the frame (pushes the layout onto the frame's event handler stack).

^wxFrameLayout::HookUpToFrame

^wxframelayouthookuptoframe

^browse00478

^K wxFrameLayout HookUpToFrame

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K HookUpToFrame

\$#+K! **wxFrameLayout::InverseVisibility**

void InverseVisibility(cbBarInfo* pBar)^K

Toggles the bar between visible and hidden.

^wxFrameLayout::InverseVisibility

^wxframelayoutinversevisibility

^browse00479

^K wxFrameLayout InverseVisibility

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K InverseVisibility

\$#+K! **wxFrameLayout::LocateBar**

bool LocateBar(cbBarInfo* pBarInfo, cbRowInfo ppRow, cbDockPane** ppPane)**^K

The purpose of this function is unknown.

^wxFrameLayout::LocateBar

^wxframelayoutlocatebar

^browse00480

^K wxFrameLayout LocateBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K LocateBar

\$#+K! **wxFrameLayout::OnActivate**

void OnActivate(wxActivateEvent& event)^K

Handles activation events. Currently does nothing.

^wxFrameLayout::OnActivate

^wxframelayoutonactivate

^browse00481

^K wxFrameLayout OnActivate

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnActivate

\$#+K! **wxFrameLayout::OnEraseBackground**

void OnEraseBackground(wxEraseEvent& event)^K

Handles background erase events. Currently does nothing.

^wxFrameLayout::OnEraseBackground

^wxframelayoutonerasebackground

^browse00482

^K wxFrameLayout OnEraseBackground

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnEraseBackground

\$#+K! **wxFrameLayout::OnIdle**

void OnIdle(wxIdleEvent& event)^K

Handles idle events.

^wxFrameLayout::OnIdle

^wxframelayoutonidle

^browse00483

^K wxFrameLayout OnIdle

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnIdle

\$#+K! **wxFrameLayout::OnKillFocus**

void OnKillFocus(wxFocusEvent& event)^K

Handles focus kill events. Currently does nothing.

^wxFrameLayout::OnKillFocus

^wxframelayoutonkillfocus

^browse00484

^K wxFrameLayout OnKillFocus

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnKillFocus

\$#+K! **wxFrameLayout::OnLButtonDown**
void OnLButtonDown(wxMouseEvent& event)^K

Event handler for a left down button event.

^wxFrameLayout::OnLButtonDown
^wxframelayoutonlbuttondown
^browse00485
^K wxFrameLayout OnLButtonDown
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")
^K OnLButtonDown

\$#+K! **wxFrameLayout::OnLButtonUp**

void OnLButtonUp(wxMouseEvent& event)^K

Event handler for a left button up event.

^wxFrameLayout::OnLButtonUp

^wxframelayoutonlbuttonup

^browse00486

^K wxFrameLayout OnLButtonUp

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnLButtonUp

\$#+K! **wxFrameLayout::OnLDbClick**

void OnLDbClick(wxMouseEvent& event)^K

Event handler for a left doubleclick button event.

^wxFrameLayout::OnLDbClick

^wxframelayoutonldblclick

^browse00487

^K wxFrameLayout OnLDbClick

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnLDbClick

\$#+K! **wxFrameLayout::OnMouseMove**

void OnMouseMove(wxMouseEvent& event)^K

Event handler for a mouse move event.

^wxFrameLayout::OnMouseMove

^wxframelayoutonmousemove

^browse00488

^K wxFrameLayout OnMouseMove

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnMouseMove

\$#+K! **wxFrameLayout::OnPaint**

void OnPaint(wxPaintEvent& event)^K

Handles paint events, calling PaintPane for each pane.

^wxFrameLayout::OnPaint

^wxframelayoutonpaint

^browse00489

^K wxFrameLayout OnPaint

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnPaint

\$#+K! **wxFrameLayout::OnRButtonDown**
void OnRButtonDown(wxMouseEvent& event)^K

Event handler for a right button down event.

^WxFrameLayout::OnRButtonDown
^Wxframelayoutonrbuttondown
^browse00490
^K wxFrameLayout OnRButtonDown
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")
^K OnRButtonDown

\$#+K! **wxFrameLayout::OnRButtonUp**

void OnRButtonUp(wxMouseEvent& event)^K

Event handler for a right button up event.

^wxFrameLayout::OnRButtonUp

^wxframelayoutonrbuttonup

^browse00491

^K wxFrameLayout OnRButtonUp

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnRButtonUp

\$#+K! **wxFrameLayout::OnSetFocus**

void OnSetFocus(wxFocusEvent& event)^K

Handles focus set events. Currently does nothing.

^wxFrameLayout::OnSetFocus

^wxframelayoutonsetfocus

^browse00492

^K wxFrameLayout OnSetFocus

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnSetFocus

\$#+K! **wxFrameLayout::OnSize**

void OnSize(wxSizeEvent& event)^K

Event handler for a size event.

^wxFrameLayout::OnSize

^wxframelayoutonsize

^browse00493

^K wxFrameLayout OnSize

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K OnSize

\$#+K! **wxFrameLayout::PopAllPlugins**

void PopAllPlugins()^K

Pop all plugins.

^WxFrameLayout::PopAllPlugins

^WxframeLayoutPopAllPlugins

^Browse00494

^K wxFrameLayout PopAllPlugins

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

^K PopAllPlugins

\$#+K! **wxFrameLayout::PopPlugin**

void PopPlugin()^K

Similar to wxWindow's "push/pop-event-handler" methods, except that the plugin is deleted upon "popping".

^wxFrameLayout::PopPlugin

^wxframelayoutpopplugin

^browse00495

^K wxFrameLayout PopPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K PopPlugin

\$#+K! **wxFrameLayout::PositionClientWindow**

void PositionClientWindow()^K

Called to apply the calculated layout to window objects.

^WxFrameLayout::PositionClientWindow

^Wxframelayoutpositionclientwindow

^browse00496

^K wxFrameLayout PositionClientWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K PositionClientWindow

\$#+K! **wxFrameLayout::PositionPanes**

void PositionPanes()^K

Called to apply the calculated layout to window objects.

^wxFrameLayout::PositionPanes

^wxframelayoutpositionpanes

^browse00497

^K wxFrameLayout PositionPanes

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K PositionPanes

\$#+K! wxFrameLayout::PushDefaultPlugins

void PushDefaultPlugins()^K

Adds the default plugins. These are cbPaneDrawPlugin, cbRowLayoutPlugin, cbBarDragPlugin, cbAntiflickerPlugin, cbSimpleCustomizePlugin. This method is automatically invoked if no plugins were found upon firing of the first plugin-event, i.e. when wxFrameLayout configures itself.

^wxFrameLayout::PushDefaultPlugins

^wxframelayoutpushdefaultplugins

^browse00498

^K wxFrameLayout PushDefaultPlugins

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K PushDefaultPlugins

\$#+K!wxFrameLayout::PushPlugin

void PushPlugin(cbPluginBase* pPugin)^K

Similar to wxWindow's "push/pop-event-handler" methods, except that the plugin is deleted upon "popping".

^wxFrameLayout::PushPlugin

^wxframelayoutpushplugin

^browse00499

^K wxFrameLayout PushPlugin

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K PushPlugin

\$#+K! **wxFrameLayout::RecalcLayout**

void RecalcLayout(bool repositionBarsNow = FALSE)^K

Recalculates the layout of panes, and all bars/rows in each pane.

^wxFrameLayout::RecalcLayout

^wxframeLayout::RecalcLayout

^browse00500

^K wxFrameLayout RecalcLayout

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

^K RecalcLayout

\$#+K! wxFrameLayout::RedockBar

bool RedockBar(cbBarInfo* pBar, const wxRect& shapeInParent, cbDockPane* pToPane = NULL, bool updateNow = TRUE)^K

ReddockBar can be used for repositioning existing bars. The given bar is first removed from the pane it currently belongs to, and inserted into the pane, which "matches" the given rectangular area. If pToPane is not NULL, the bar is docked to this given pane. To dock a bar which is floating, use the wxFrameLayout::DockBar method.

^wxFrameLayout::RedockBar

^wxframelayoutredockbar

^browse00501

^K wxFrameLayout RedockBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K RedockBar

\$#+K! **wxFrameLayout::RefreshNow**

void RefreshNow(bool *recalcLayout* = TRUE)^K

Recalculates layout and performs on-screen update of all panes.

^wxFrameLayout::RefreshNow

^wxframeLayoutrefreshnow

^browse00502

^K wxFrameLayout RefreshNow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K RefreshNow

\$#+K! **wxFrameLayout::ReleaseEventsFromPane**

void ReleaseEventsFromPane(cbDockPane* *fromPane*)^K

Called by plugins; also releases mouse in the parent frame.

^wxFrameLayout::ReleaseEventsFromPane

^wxframelayoutreleaseeventsfrompane

^browse00503

^K wxFrameLayout ReleaseEventsFromPane

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K ReleaseEventsFromPane

\$#+K!wxFrameLayout::ReleaseEventsFromPlugin

void ReleaseEventsFromPlugin(cbPluginBase* pPlugin)^K

Releases user input events for the given plugin. Input events are: mouse movement, mouse clicks, keyboard input

wxFrameLayout::ReleaseEventsFromPlugin

wxframeLayoutReleaseEventsFromPlugin

browse00504

K wxFrameLayout ReleaseEventsFromPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

K ReleaseEventsFromPlugin

\$#+K! **wxFrameLayout::RemoveBar**

void RemoveBar(cbBarInfo* pBar)^K

Removes the bar from the layout permanently, and hides its corresponding window if present.

^wxFrameLayout::RemoveBar

^wxframelayoutremovebar

^browse00505

^K wxFrameLayout RemoveBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K RemoveBar

\$#+K! **wxFrameLayout::RemovePlugin**

void RemovePlugin(wxClassInfo* pPlugin)^K

Checks if the plugin of the given class is hooked, and removes it if found.

^WxFrameLayout::RemovePlugin

^Wxframelayoutremoveplugin

^browse00506

^K wxFrameLayout RemovePlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K RemovePlugin

\$#+K! **wxFrameLayout::ReparentWindow**

void ReparentWindow(wxWindow* pChild, wxWindow* pNewParent)^K

Represents pChild to have parent pNewParent.

^wxFrameLayout::ReparentWindow

^wxframelayoutreparentwindow

^browse00507

^K wxFrameLayout ReparentWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K ReparentWindow

\$#+K! **wxFrameLayout::RepositionFloatedBar**

void RepositionFloatedBar(cbBarInfo* pBar)^K

Applies the calculated layout to a floating bar.

^wxFrameLayout::RepositionFloatedBar

^wxframeLayout::RepositionFloatedBar

^browse00508

^K wxFrameLayout RepositionFloatedBar

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframeLayout')")

^K RepositionFloatedBar

\$#+K! **wxFrameLayout::RouteMouseEvent**

void RouteMouseEvent(wxMouseEvent& event, int pluginEvtType)^K

Routes the mouse event to the appropriate pane.

^WxFrameLayout::RouteMouseEvent

^Wxframelayoutroutemouseevent

^browse00509

^K wxFrameLayout RouteMouseEvent

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K RouteMouseEvent

\$#+K! **wxFrameLayout::SetBarState**

void SetBarState(cbBarInfo* pBar, int newState, bool updateNow)^K

Changes the bar's docking state (see possible control bar states).

^wxFrameLayout::SetBarState

^wxframelayoutsetbarstate

^browse00510

^K wxFrameLayout SetBarState

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetBarState

\$#+K! **wxFrameLayout::SetFrameClient**

void SetFrameClient(wxWindow* pFrameClient)^K

Passes the client window (e.g. MDI client window) to be controlled by frame layout, the size and position of which should be adjusted to be surrounded by controlbar panes, whenever the frame is resized or the dimensions of control panes change.

^wxFrameLayout::SetFrameClient

^wxframelayoutsetframeclient

^browse00511

^K wxFrameLayout SetFrameClient

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetFrameClient

\$#+K! wxFrameLayout::SetMargins

void SetMargins(int top, int bottom, int left, int right, int paneMask = wxALL_PANES)^K

Sets the margins for the given panes. The margins should go into cbCommonPaneProperties in the future. Note: this method should be called before any custom plugins are attached.

^wxFrameLayout::SetMargins

^wxframelayoutsetmargins

^browse00512

^K wxFrameLayout SetMargins

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetMargins

\$#+K! **wxFrameLayout::SetPaneBackground**

void SetPaneBackground(const wxColour& colour)^K

Sets the pane background colour.

^wxFrameLayout::SetPaneBackground

^wxframelayoutsetpanebackground

^browse00513

^K wxFrameLayout SetPaneBackground

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetPaneBackground

\$#+K! **wxFrameLayout::SetPaneProperties**

void SetPaneProperties(const cbCommonPaneProperties& props, int paneMask = wxALL_PANES)

Sets the pane properties for the given alignment. Note: changing properties of panes does not result immediate on-screen update.

^wxFrameLayout::SetPaneProperties

^wxframelayoutsetpaneproperties

^browse00514

^K wxFrameLayout SetPaneProperties

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetPaneProperties

\$#+K! wxFrameLayout::SetTopPlugin

void SetTopPlugin(cbPluginBase* pPlugin)^K

Hooking custom plugins to frame layout. Note: when hooking one plugin on top of the other, use SetNextHandler or similar methods of wxEvtHandler class to compose the chain of plugins, than pass the left-most handler in this chain to the above methods (assuming that events are delegated from left-most towards right-most handler). This scenario is very inconvenient and "low-level", so use the Add/Push/PopPlugin methods instead.

^wxFrameLayout::SetTopPlugin

^wxframelayoutsettopplugin

^browse00515

^K wxFrameLayout SetTopPlugin

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetTopPlugin

\$#+K! **wxFrameLayout::SetUpdatesManager**

void SetUpdatesManager(cbUpdatesManagerBase* pUMgr)^K

Destroys the previous manager if any, and sets the new one.

^wxFrameLayout::SetUpdatesManager

^wxframelayoutsetupdatesmanager

^browse00516

^K wxFrameLayout SetUpdatesManager

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K SetUpdatesManager

\$#+K! **wxFrameLayout::ShowFloatedWindows**

void ShowFloatedWindows(bool show)^K

Shows all floated windows.

^wxFrameLayout::ShowFloatedWindows

^wxframelayoutshowfloatedwindows

^browse00517

^K wxFrameLayout ShowFloatedWindows

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K ShowFloatedWindows

\$#+K! **wxFrameLayout::UnhookFromFrame**

void UnhookFromFrame()^K

Unhooks the layout from the frame.

^wxFrameLayout::UnhookFromFrame

^wxframelayoutunhookfromframe

^browse00518

^K wxFrameLayout UnhookFromFrame

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframelayout')")

^K UnhookFromFrame

\$#+K! **wxFrameManager::wxFrameManager**

wxFrameManager()^K

^W**xFrameManager::wxFrameManager**

^W**xframemanagerwxframemanager**

^b**rowse00520**

^K **wxFrameManager wxFrameManager**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")**

^K **wxFrameManager**

\$#+K!**wxFrameManager::~wxFrameManager**
~**wxFrameManager()**^K

^W**wxFrameManager::~wxFrameManager**
^W**wxframemanagerdtor**
^b**rowse00521**
^K **wxFrameManager ~wxFrameManager**
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")
^K **~wxFrameManager**

```
$#+K!wxFrameManager::ActivateView  
void ActivateView(wxFrameView* pFrmView)  
void ActivateView(int viewNo)
```

```
"xFrameManager::ActivateView  
"xframemanageractivateview  
browse00522  
K wxFrameManager ActivateView  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")  
K ActivateView  
K ActivateView
```

\$#+K! **wxFrameManager::AddView**
void AddView(wxFrameView* pFrmView)^K

^wxFrameManager::AddView
^wxframemanageraddview
^browse00523
^K wxFrameManager AddView
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")
^K AddView

\$#+K! **wxFrameManager::DeactivateCurrentView**

void DeactivateCurrentView()^K

^wxFrameManager::DeactivateCurrentView

^wxframemanagerdeactivatecurrentview

^browse00524

^K wxFrameManager DeactivateCurrentView

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K DeactivateCurrentView

\$#+K! **wxFrameManager::DestroyViews**

void DestroyViews()^K

^wxFrameManager::DestroyViews

^wxframemanagerdestroyviews

^browse00525

^K wxFrameManager DestroyViews

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K DestroyViews

\$#+K! **wxFrameManager::DoSerialize**

void DoSerialize(wxObjectStorage& store)^K

^wxFrameManager::DoSerialize

^wxframemanagerdoserialize

^browse00526

^K wxFrameManager DoSerialize

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K DoSerialize

\$#+K! **wxFrameManager::EnableMenusForView**

void EnableMenusForView(wxFrameView* pView, bool enable)^K

^wxFrameManager::EnableMenusForView

^wxframemanagerenablemenusforview

^browse00527

^K wxFrameManager EnableMenusForView

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K EnableMenusForView

\$#+K! **wxFr^ameManager::GetActiveView**

wxFr^ameView* GetActiveView()^K

^wxFrameManager::GetActiveView

^wxframemanagergetactiveview

^browse00528

^K wxFrameManager GetActiveView

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K GetActiveView

\$#+K! **wxFrameManager::GetActiveViewNo**

int GetActiveViewNo()^K

^wxFrameManager::GetActiveViewNo

^wxframemanagergetactiveviewno

^browse00529

^K wxFrameManager GetActiveViewNo

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K GetActiveViewNo

\$#+K! **wxFrameManager::GetActiveViewNode**

wxNode* GetActiveViewNode()^K

^WxFrameManager::GetActiveViewNode

^Wxframemanagergetactiveviewnode

^browse00530

^K wxFrameManager GetActiveViewNode

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K GetActiveViewNode

\$#+K! **wxFr^ameManager::GetClientWindow**

wxWindow* GetClientWindow()^K

^wxFrameManager::GetClientWindow

^wxframemanagergetclientwindow

^browse00531

^K wxFrameManager GetClientWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K GetClientWindow

\$#+K! **wxFrameManager::GetObjectStore**
wxObjectStorage& GetObjectStore()^K

^WxFrameManager::GetObjectStore
^Wxframemanagergetobjectstore
^browse00532
^K wxFrameManager GetObjectStore
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")
^K GetObjectStore

\$#+K! **wxFrameManager::GetParentFrame**

wxFrame* GetParentFrame()^K

synonyms

^w**xFrameManager::GetParentFrame**

^w**xframemanagergetparentframe**

^b**rowse00533**

^K **wxFrameManager GetParentFrame**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")**

^K **GetParentFrame**

\$#+K! **wxFr^ameManager::GetParentWindow**
wxWindow* GetParentWindow()^K

^wxFr^ameManager::GetParentWindow
^wxframeManager::GetParentWindow
^browse00534
^K wxFr^ameManager GetParentWindow
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")
^K GetParentWindow

\$#+K! **wxFrameManager::GetView**
wxFr^ameView* GetView(int viewNo)^K

^wxFrameManager::GetView
^wxframemanagergetview
^browse00535
^K wxFrameManager GetView
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")
^K GetView

```
$#+K! wxFrameManager::GetViewNo  
int GetViewNo(wxFrameView* pView)K
```

```
wxFrameManager::GetViewNo  
wxframemanagergetviewno  
browse00536  
K wxFrameManager GetViewNo  
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")  
K GetViewNo
```

\$#+K! **wxFrameManager::Init**

void Init(wxWindow* pMainFrame, const wxString& settingsFile = "")^K

if file name is empty, views are not saved/loaded

^WxFrameManager::Init

^Wxframemanagerinit

^Browse00537

^K wxFrameManager Init

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K Init

\$#+K! **wxFrameManager::ReloadViews**

bool ReloadViews()^K

^wxFrameManager::ReloadViews

^wxframemanagerreloadviews

^browse00538

^K wxFrameManager ReloadViews

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K ReloadViews

\$#+K! **wxFrameManager::RemoveView**

void RemoveView(wxFrameView* pFrmView)^K

^wxFrameManager::RemoveView

^wxframemanagerremoveview

^browse00539

^K wxFrameManager RemoveView

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K RemoveView

\$#+K! **wxFrameManager::SaveViewsNow**

void SaveViewsNow()^K

^wxFrameManager::SaveViewsNow

^wxframemanager saveviewsnow

^browse00540

^K wxFrameManager SaveViewsNow

EnableButton("Up"); ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K SaveViewsNow

\$#+K! **wxFrameManager::SetClinetWindow**

void SetClinetWindow(wxWindow* pFrameClient)^K

^wxFrameManager::SetClinetWindow

^wxframemanagersetclinetwindow

^browse00541

^K wxFrameManager SetClinetWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K SetClinetWindow

\$#+K! **wxFrameManager::SyncAllMenus**

void SyncAllMenus()^K

^wxFrameManager::SyncAllMenus

^wxframemanager syncallmenus

^browse00542

^K wxFrameManager SyncAllMenus

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K SyncAllMenus

\$#+K! **wxFrameManager::ViewsAreLoaded**

bool ViewsAreLoaded()^K

^wxFrameManager::ViewsAreLoaded

^wxframemanagerviewsareloaded

^browse00543

^K wxFrameManager ViewsAreLoaded

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxframemanager')")

^K ViewsAreLoaded

\$#+K! GarbageCollector::GarbageCollector

GarbageCollector()^K

Default constructor.

^GarbageCollector::GarbageCollector

^garbagecollectorgarbagecollector

^browse00545

^K GarbageCollector GarbageCollector

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K GarbageCollector

\$#+K! GarbageCollector::~GarbageCollector

~GarbageCollector()^K

Destructor.

^GarbageCollector::~GarbageCollector

^garbagecollectordtor

^browse00546

^K GarbageCollector ~GarbageCollector

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K ~GarbageCollector

\$#+K!**GarbageCollector::AddDependency**

void AddDependency(void* pObj, void* pDependsOnObj)^K

Prepare data for garbage collection.

^GarbageCollector::AddDependency

^garbagecollectoradddependency

^browse00547

^K GarbageCollector AddDependency

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K AddDependency

\$#+K! GarbageCollector::AddObject

void AddObject(void* pObj, int refCnt = 1)^K

Prepare data for garbage collection.

^GarbageCollector::AddObject

^garbagecollectoraddobject

^browse00548

^K GarbageCollector AddObject

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K AddObject

\$#+K! GarbageCollector::ArrangeCollection

void ArrangeCollection()^K

Executes garbage collection algorithm.

^GarbageCollector::ArrangeCollection

^garbagecollectorarrangecollection

^browse00549

^K GarbageCollector ArrangeCollection

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K ArrangeCollection

\$#+K!**GarbageCollector::DestroyItemList**

void DestroyItemList(wxList& ls)^K

Destroys a list of items.

^GarbageCollector::DestroyItemList

^garbagecollectordestroyitemlist

^browse00550

^K GarbageCollector DestroyItemList

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K DestroyItemList

\$#+K! **GarbageCollector::FindItemNode**

wxNode* FindItemNode(void* pForObj)^K

Internal method for finding a node.

^GarbageCollector::FindItemNode

^garbagecollectorfinditemnode

^browse00551

^K GarbageCollector FindItemNode

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K FindItemNode

\$#+K! GarbageCollector::FindReferenceFreeItemNode

wxNode* FindReferenceFreeItemNode()^K

Internal method for findind and freeing a node.

^GarbageCollector::FindReferenceFreeItemNode

^garbagecollectorfindreferencefreeitemnode

^browse00552

^K GarbageCollector FindReferenceFreeItemNode

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K FindReferenceFreeItemNode

\$#+K!**GarbageCollector::GetCycledObjects**

wxList& GetCycledObjects()^K

Get cycled objects.

^GarbageCollector::GetCycledObjects

^garbagecollectorgetcycledobjects

^browse00553

^K GarbageCollector GetCycledObjects

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K GetCycledObjects

\$#+K! GarbageCollector::GetRegularObjects

wxList& GetRegularObjects()^K

Accesses the results of the algorithm.

^GarbageCollector::GetRegularObjects

^garbagecollectortoregularobjects

^browse00554

^K GarbageCollector GetRegularObjects

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K GetRegularObjects

\$#+K! GarbageCollector::RemoveReferencesToNode

void RemoveReferencesToNode(wxNode* pItemNode)^K

Remove references to this node.

^GarbageCollector::RemoveReferencesToNode

^garbagecollectorremovererefencesonnode

^browse00555

^K GarbageCollector RemoveReferencesToNode

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K RemoveReferencesToNode

\$#+K!**GarbageCollector::Reset**

void Reset()^K

Removes all data from the garbage collector.

^GarbageCollector::Reset

^garbagecollectorreset

^browse00556

^K GarbageCollector Reset

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K Reset

\$#+K!**GarbageCollector::ResolveReferences**

void ResolveReferences()^K

Internal method for resolving references.

^GarbageCollector::ResolveReferences

^garbagecollectorresolverreferences

^browse00557

^K GarbageCollector ResolveReferences

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `garbagecollector')")

^K ResolveReferences

\$#+K! **LayoutManagerBase::~LayoutManagerBase**

~LayoutManagerBase()^K

Destructor.

^LayoutManagerBase::~LayoutManagerBase

^Iayoutmanagerbasedtor

^browse00559

^K LayoutManagerBase ~LayoutManagerBase

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',

`layoutmanagerbase')")

^K ~LayoutManagerBase

\$#+K! **LayoutManagerBase::Layout**

**void Layout(const wxSize& parentDim, wxSize& resultingDim,
wxLayoutItemArrayT& items, int horizGap, int vertGap)^K**

Constructor.

^LayoutManagerBase::Layout

^layoutmanagerbaselayout

^browse00560

^K LayoutManagerBase Layout

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
'layoutmanagerbase')")

^K Layout

```
$#+K!wxNewBitmapButton::wxNewBitmapButton  
wxNewBitmapButton(const wxBitmap& labelBitmap = wxNullBitmap, const  
wxString& labelText = "", int alignText = NB_ALIGN_TEXT_BOTTOM, bool isFlat =  
TRUE, int firedEventType = wxEVT_COMMAND_MENU_SELECTED, int marginX = 2,  
int marginY = 2, int textToLabelGap = 2, bool isSticky = FALSE)K
```

Constructor.

```
wxNewBitmapButton(const wxString& bitmapFileName, const wxBitmapType  
bitmapFileType = wxBITMAP_TYPE_BMP, const wxString& labelText = "", int  
alignText = NB_ALIGN_TEXT_BOTTOM, bool isFlat = TRUE, int firedEventType =  
wxEVT_COMMAND_MENU_SELECTED, int marginX = 2, int marginY = 2, int  
textToLabelGap = 2, bool isSticky = FALSE)K
```

Use this constructor if buttons have to be persistant

```
wxNewBitmapButton::wxNewBitmapButton  
^xnewbitmapbuttonwxnewbitmapbutton  
^browse00562  
^ wxNewBitmapButton wxNewBitmapButton  
^ enableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',  
`wxnewbitmapbutton')")  
^ wxNewBitmapButton  
^ wxNewBitmapButton
```

\$#+K! **wxNewBitmapButton::~wxNewBitmapButton**

~wxNewBitmapButton()^K

Destructor.

^w**xNewBitmapButton::~wxNewBitmapButton**

^w**xnewbitmapbuttondtor**

^b**rowse00563**

^K **wxNewBitmapButton ~wxNewBitmapButton**

^E**nableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',`wxnewbitmapbutton')")**

^K **~wxNewBitmapButton**

\$#+K! **wxNewBitmapButton::DestroyLabels**

void DestroyLabels()^K

Internal function for destroying labels.

^wxNewBitmapButton::DestroyLabels

^wxnewbitmapbuttondestroylabels

^browse00564

^K wxNewBitmapButton DestroyLabels

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K DestroyLabels

\$#+K! **wxNewBitmapButton::DrawDecorations**

void DrawDecorations(wxDC& dc)^K

Draws the decorations.

^wxNewBitmapButton::DrawDecorations

^wxnewbitmapbuttondrawdecorations

^browse00565

^K wxNewBitmapButton DrawDecorations

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K DrawDecorations

\$#+K! **wxNewBitmapButton::DrawLabel**

void DrawLabel(wxDC& dc)^K

Draws the label.

^wxNewBitmapButton::DrawLabel

^wxnewbitmapbuttondrawlabel

^browse00566

^K wxNewBitmapButton DrawLabel

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K DrawLabel

\$#+K! **wxNewBitmapButton::DrawShade**

void DrawShade(int outerLevel, wxDC& dc, wxPen& upperLeftSidePen, wxPen& lowerRightSidePen)^K

Draws shading on the button.

^wxNewBitmapButton::DrawShade

^wxnewbitmapbuttondrawshade

^browse00567

^K wxNewBitmapButton DrawShade

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K DrawShade

\$#+K! **wxNewBitmapButton::GetStateLabel**

wxBitmap* GetStateLabel()^K

Returns the label that matches the current button state.

^wxNewBitmapButton::GetStateLabel

^wxnewbitmapbuttongetstatelabel

^browse00568

^K wxNewBitmapButton GetStateLabel

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K GetStateLabel

\$#+K! **wxNewBitmapButton::IsInWindow**

bool IsInWindow(int x, int y)^K

Returns TRUE if the given point is in the window.

^wxNewBitmapButton::IsInWindow

^wxnewbitmapbuttoniswindow

^browse00569

^K wxNewBitmapButton IsInWindow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K IsInWindow

\$#+K! **wxNewBitmapButton::OnEraseBackground**

void OnEraseBackground(wxEraseEvent& event)^K

Responds to an erase background event.

^wxNewBitmapButton::OnEraseBackground

^wxnewbitmapbuttononerasebackground

^browse00570

^K wxNewBitmapButton OnEraseBackground

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnEraseBackground

\$#+K! **wxNewBitmapButton::OnKillFocus**

void OnKillFocus(wxFocusEvent& event)^K

Responds to a kill focus event.

^wxNewBitmapButton::OnKillFocus

^wxnewbitmapbuttononkillfocus

^browse00571

^K wxNewBitmapButton OnKillFocus

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnKillFocus

\$#+K! **wxNewBitmapButton::OnLButtonDown**

void OnLButtonDown(wxMouseEvent& event)^K

Responds to a left mouse button down event.

^wxNewBitmapButton::OnLButtonDown

^wxnewbitmapbuttononlbuttondown

^browse00572

^K wxNewBitmapButton OnLButtonDown

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnLButtonDown

\$#+K! **wxNewBitmapButton::OnLButtonUp**

void OnLButtonUp(wxMouseEvent& event)^K

Responds to a left mouse button up event.

^wxNewBitmapButton::OnLButtonUp

^wxnewbitmapbuttononlbuttonup

^browse00573

^K wxNewBitmapButton OnLButtonUp

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnLButtonUp

\$#+K! **wxNewBitmapButton::OnMouseMove**

void OnMouseMove(wxMouseEvent& event)^K

Responds to a mouse move event.

^wxNewBitmapButton::OnMouseMove

^wxnewbitmapbuttononmousemove

^browse00574

^K wxNewBitmapButton OnMouseMove

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnMouseMove

\$#+K! **wxNewBitmapButton::OnPaint**

void OnPaint(wxPaintEvent& event)^K

Responds to a paint event.

^wxNewBitmapButton::OnPaint

^wxnewbitmapbuttononpaint

^browse00575

^K wxNewBitmapButton OnPaint

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnPaint

\$#+K! **wxNewBitmapButton::OnSize**

void OnSize(wxSizeEvent& event)^K

Responds to a size event.

^wxNewBitmapButton::OnSize

^wxnewbitmapbuttononsize

^browse00576

^K wxNewBitmapButton OnSize

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K OnSize

\$#+K! **wxNewBitmapButton::RenderAllLabelImages**

void RenderAllLabelImages()^K

Renders label images.

^wxNewBitmapButton::RenderAllLabelImages

^wxnewbitmapbuttonrenderalllabelimages

^browse00577

^K wxNewBitmapButton RenderAllLabelImages

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K RenderAllLabelImages

\$#+K! **wxNewBitmapButton::RenderLabelImage**

void RenderLabelImage(wxBitmap*& destBmp, wxBitmap* srcBmp, bool isEnabled = TRUE, bool isPressed = FALSE)^K

Renders the label image.

^wxNewBitmapButton::RenderLabelImage
^wxnewbitmapbuttonrenderlabelimage
^browse00578
^K wxNewBitmapButton RenderLabelImage
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
'wxnewbitmapbutton')")
^K RenderLabelImage

\$#+K! **wxNewBitmapButton::RenderLabelImages**

void RenderLabelImages()^K

Renders label images.

^wxNewBitmapButton::RenderLabelImages

^wxnewbitmapbuttonrenderlabelimages

^browse00579

^K wxNewBitmapButton RenderLabelImages

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K RenderLabelImages

\$#+K! **wxNewBitmapButton::Reshape**

void Reshape()^K

This function should be called after Create. It renders the labels, having reloaded the button image if necessary.

^WxNewBitmapButton::Reshape

^Wxnewbitmapbuttonreshape

^Browse00580

^K wxNewBitmapButton Reshape

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(` fl.hlp',
`wxnewbitmapbutton')")

^K Reshape

\$#+K! **wxNewBitmapButton::SetAlignments**

void SetAlignments(int alignText = NB_ALIGN_TEXT_BOTTOM, int marginX = 2, int marginY = 2, int textToLabelGap = 2)^K

Sets the text alignment and margins.

^wxNewBitmapButton::SetAlignments

^wxnewbitmapbuttonsetalignments

^browse00581

^K wxNewBitmapButton SetAlignments

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',`wxnewbitmapbutton')")

^K SetAlignments

\$#+K! **wxNewBitmapButton::SetLabel**

void SetLabel(const wxBitmap& labelBitmap, const wxString& labelText = "")^

Sets the label and optionally label text.

^wxNewBitmapButton::SetLabel

^wxnewbitmapbuttonsetlabel

^browse00582

^K wxNewBitmapButton SetLabel

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp',
`wxnewbitmapbutton')")

^K SetLabel

\$#+K! **wxToolWindow::wxToolWindow**

wxToolWindow()^K

Default constructor.

^WxToolWindow::wxToolWindow

^WxToolWindow wxToolWindow

^Browse00585

^K wxToolWindow wxToolWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K wxToolWindow

\$#+K! **wxToolWindow::~wxToolWindow**

~wxToolWindow()^K

Destructor.

wxToolWindow::~wxToolWindow

wxtoolwindowdtor

browse00586

K wxToolWindow ~wxToolWindow

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

K ~wxToolWindow

\$#+K! **wxToolWindow::AddMiniButton**

void AddMiniButton(cbMiniButton* pBtn)^K

Adds a button. Buttons are added in right-to-left order.

^wxToolWindow::AddMiniButton

^wxtoolwindowaddminibutton

^browse00587

^K wxToolWindow AddMiniButton

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K AddMiniButton

\$#+K! **wxToolWindow::AdjustRectPos**

void AdjustRectPos(const wxRect& original, const wxSize& newDim, wxRect& newRect)^K

Helper function.

^wxToolWindow::AdjustRectPos

^wxtoolwindowadjustrectpos

^browse00588

^K wxToolWindow AdjustRectPos

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K AdjustRectPos

\$#+K! **wxToolWindow::CalcResizedRect**
void CalcResizedRect(wxRect& rect, wxPoint& delta, const wxSize& minDim)^K
Calculate resized rectangle.

^wxToolWindow::CalcResizedRect
^wxtoolwindowcalcresizedrect
^browse00589
^K wxToolWindow CalcResizedRect
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")
^K CalcResizedRect

\$#+K! **wxToolWindow::DrawHintRect**

void DrawHintRect(const wxRect& r)^K

Draws the hint rectangle.

^wxToolWindow::DrawHintRect

^wxtoolwindowdrawhintrect

^browse00590

^K wxToolWindow DrawHintRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K DrawHintRect

\$#+K! **wxToolWindow::GetClient**

wxWindow* GetClient()^K

Returns the client window.

^WxToolWindow::GetClient

^Wxtoolwindowgetclient

^browse00591

^K wxToolWindow GetClient

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K GetClient

\$#+K! **wxToolWindow::GetMinimalWndDim**

wxSize GetMinimalWndDim()^K

Helper function.

^wxToolWindow::GetMinimalWndDim

^wxtoolwindowgetminimalwnddim

^browse00592

^K wxToolWindow GetMinimalWndDim

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K GetMinimalWndDim

\$#+K! **wxToolWindow::GetPreferredSize**

wxSize GetPreferredSize(const wxSize& given)^K

Returns the preferred size for the window.

^wxToolWindow::GetPreferredSize

^wxtoolwindowgetpreferedsiz

^browse00593

^K wxToolWindow GetPreferredSize

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K GetPreferredSize

\$#+K! **wxToolWindow::GetScrMousePos**
void GetScrMousePos(wxMouseEvent& event, wxPoint& pos)^K

Gets the mouse position in screen coordinates.

^wxToolWindow::GetScrMousePos
^wxtoolwindowgetscrmousepos
^browse00594
^K wxToolWindow GetScrMousePos
EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")
^K GetScrMousePos

\$#+K! **wxToolWindow::GetScrWindowRect**

void GetScrWindowRect(wxRect& r)^K

Maps client coordinates to screen coordinates.

^wxToolWindow::GetScrWindowRect

^wxtoolwindowgetscrwindowrect

^browse00595

^K wxToolWindow GetScrWindowRect

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K GetScrWindowRect

\$#+K! **wxToolWindow::HandleTitleClick**

bool HandleTitleClick(wxMouseEvent& event)^K

Handles clicking on the title. By default, does nothing.

^wxToolWindow::HandleTitleClick

^wxtoolwindowhandletitleclick

^browse00596

^K wxToolWindow HandleTitleClick

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K HandleTitleClick

\$#+K! **wxToolWindow::HitTestWindow**

int HitTestWindow(wxMouseEvent& event)^K

Tests if the mouse position is in this window.

^wxToolWindow::HitTestWindow

^wxtoolwindowwhittestwindow

^browse00597

^K wxToolWindow HitTestWindow

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K HitTestWindow

\$#+K! **wxToolWindow::LayoutMiniButtons**

void LayoutMiniButtons()^K

Lays out the buttons.

^WxToolWindow::LayoutMiniButtons

^Wxtoolwindowlayoutminibuttons

^browse00598

^K wxToolWindow LayoutMiniButtons

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K LayoutMiniButtons

\$#+K! **wxToolWindow::OnEraseBackground**

void OnEraseBackground(wxEraseEvent& event)^K

Responds to an erase background event.

^wxToolWindow::OnEraseBackground

^wxtoolwindowonerasebackground

^browse00599

^K wxToolWindow OnEraseBackground

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnEraseBackground

\$#+K! **wxToolWindow::OnLeftDown**

void OnLeftDown(wxMouseEvent& event)^K

Responds to a mouse left down event.

^wxToolWindow::OnLeftDown

^wxtoolwindowonleftdown

^browse00600

^K wxToolWindow OnLeftDown

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnLeftDown

\$#+K! **wxToolWindow::OnLeftUp**

void OnLeftUp(wxMouseEvent& event)^K

Responds to a mouse left up event.

^wxToolWindow::OnLeftUp

^wxtoolwindowonleftup

^browse00601

^K wxToolWindow OnLeftUp

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnLeftUp

\$#+K! **wxToolWindow::OnMiniButtonClicked**

void OnMiniButtonClicked(int btnIdx)^K

Called when a mini button is clicked. By default, does nothing.

^WxToolWindow::OnMiniButtonClicked

^Wxtoolwindowonminibuttonclicked

^browse00602

^K wxToolWindow OnMiniButtonClicked

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnMiniButtonClicked

\$#+K! **wxToolWindow::OnMotion**

void OnMotion(wxMouseEvent& event)^K

Responds to a mouse move event.

^wxToolWindow::OnMotion

^wxtoolwindowonmotion

^browse00603

^K wxToolWindow OnMotion

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnMotion

\$#+K! **wxToolWindow::OnPaint**

void OnPaint(wxPaintEvent& event)^K

Responds to a paint event.

^wxToolWindow::OnPaint

^wxtoolwindowonpaint

^browse00604

^K wxToolWindow OnPaint

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnPaint

\$#+K! **wxToolWindow::OnSize**

void OnSize(wxSizeEvent& event)^K

Responds to a size event.

^wxToolWindow::OnSize

^wxtoolwindowonsize

^browse00605

^K wxToolWindow OnSize

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K OnSize

\$#+K! **wxToolWindow::SetClient**

void SetClient(wxWindow* pWnd)^K

Sets the client for this tool window.

^wxToolWindow::SetClient

^wxtoolwindowsetclient

^browse00606

^K wxToolWindow SetClient

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K SetClient

\$#+K! **wxToolWindow::SetHintCursor**

void SetHintCursor(int type)^K

Sets the hint cursor.

^wxToolWindow::SetHintCursor

^wxtoolwindowsethintcursor

^browse00607

^K wxToolWindow SetHintCursor

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K SetHintCursor

\$#+K! **wxToolWindow::SetTitleFont**

void SetTitleFont(wxFont& *font*)^K

Sets the title font.

^WxToolWindow::SetTitleFont

^Wxtoolwindowsettitlefont

^browse00608

^K wxToolWindow SetTitleFont

EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `wxtoolwindow')")

^K SetTitleFont

\$#+K!**A row of all non-fixed bars don't position properly**

By Julian Smart.

I found that if I added all non-fixed bars, bars would overlap. This seems to be because the proportional resizing doesn't work before the window is laid out. I worked around this by setting pane sizes *before* the bars are added:

```
wxSize sz = GetClientSize();

// Set width for panes to help it do the calculations
int i;
for (i = 0; i < 2; i++)
{
    cbDockPane& pane = * (m_frameLayout->GetPane(i));
    pane.SetPaneWidth(sz.x);
}
```

^a A row of all non-fixed bars don't position properly

^topic3

^browse00614

^K A row of all non-fixed bars don't position properly

^EnableButton("Up");ChangeButtonBinding("Up", "JumpId(`fl.hlp', `faq')")

